



Suppl. Fig.1. Colon lymphocyte gating strategy and Thy-1+ cell depletion



Suppl. Fig.2.



Suppl. Table 1. Spearman correlation values for histologic lesion score and levels of various selected cytokines in the colons of *C. jejuni* 11168 infected C57BL/6 IL-10^{-/-} mice. n=8 mice. Data representative of one of three independent experiments.

r_s

	Histopathology Score	IFN- γ	IL-17	IL-6	IL-4	IL-1 β	IL-22
IFN- γ	0.76		0.88	1.00	-0.71	0.98	0.64
IL-17	0.74	0.88		0.88	-0.62	0.90	0.74
IL-6	0.76	1.00	0.88		-0.71	0.98	0.64
IL-4	-0.60	-0.71	-0.62	-0.71		-0.67	-0.26
IL-1 β	0.81	0.98	0.90	0.98	-0.67		0.74
IL-22	0.88	0.64	0.74	0.64	-0.26	0.74	

p

	Histopathology Score	IFN- γ	IL-17	IL-6	IL-4	IL-1 β	IL-22
IFN- γ	0.031		0.007	0.000	0.058	0.000	0.096
IL-17	0.041	0.007		0.007	0.115	0.005	0.046
IL-6	0.037	0.000	0.007		0.058	0.000	0.096
IL-4	0.132	0.058	0.115	0.058		0.083	0.536
IL-1 β	0.022	0.000	0.005	0.000	0.083		0.046
IL-22	0.007	0.096	0.046	0.096	0.536	0.046	