




137
512
THS

THESE



PLACE IN RETURN BOX to remove this checkout from your record.
TO AVOID FINES return on or before date due.
MAY BE RECALLED with earlier due date if requested.

DATE DUE	DATE DUE	DATE DUE

Obituary

WILLIAM HENRY HARRIS, M.D.
1841-1910.

By
WILLIAM HARRIS

THE HARRIS FAMILY, 1841-1910.
THE HARRIS FAMILY, 1841-1910.
THE HARRIS FAMILY, 1841-1910.

WILLIAM HARRIS, M.D.
1841-1910.

1000000

T541

N159

Историческое значение памятника
культуры. Памятник культуры и искусства
на территории города. Памятник культуры и искусства
на территории города. Памятник культуры и искусства
на территории города.

Introduction.

The purpose of this paper is to study the properties of the function $f(x)$ defined by the equation $f(x) = \sum_{n=0}^{\infty} a_n x^n$, where a_n are the coefficients of the power series. We shall assume that the series converges for $|x| < 1$.

Let us first consider the case when $a_n = 1$ for all n . In this case the function $f(x)$ is the geometric series $f(x) = \sum_{n=0}^{\infty} x^n = \frac{1}{1-x}$, which is well known.

Now let us consider the case when $a_n = n!$ for all n . In this case the function $f(x)$ is the exponential series $f(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!} = e^x$, which is also well known.

$$f(x) = \sum_{n=0}^{\infty} a_n x^n, \quad a_n = n! \quad (1)$$

It is easy to see that the function $f(x)$ defined by (1) is entire, i.e., it is analytic in the whole complex plane. This follows from the fact that the series converges for all x .

Let us now consider the case when $a_n = \frac{1}{n!}$ for all n . In this case the function $f(x)$ is the exponential series $f(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!} = e^x$, which is also well known.

$$f(x) = \sum_{n=0}^{\infty} a_n x^n, \quad a_n = \frac{1}{n!} \quad (2)$$

It is easy to see that the function $f(x)$ defined by (2) is entire, i.e., it is analytic in the whole complex plane. This follows from the fact that the series converges for all x . The function $f(x)$ is also the exponential series $f(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!} = e^x$, which is well known.

Let us now consider the case when $a_n = \frac{1}{n!}$ for all n . In this case the function $f(x)$ is the exponential series $f(x) = \sum_{n=0}^{\infty} \frac{x^n}{n!} = e^x$, which is also well known.

$$f(x) = \sum_{n=0}^{\infty} a_n x^n, \quad a_n = \frac{1}{n!} \quad (3)$$

$$\frac{1}{1 + \frac{1}{2} + \frac{1}{3}} = \frac{1}{\frac{6}{6} + \frac{2}{6} + \frac{2}{6}} = \frac{1}{\frac{10}{6}} = \frac{6}{10} = \frac{3}{5}$$

On 11/11/77, the following information was received from the
Office of the Director of the Bureau of the Census:

3 = inhibition.

$$x = \text{int}(t/\text{iteration}).$$

$\Delta^1 =$... titration.

$$x'' = \text{titer value at time } t.$$

10. The following information is available for the year ended 31 December 2014:

$$r = \frac{0.5}{0.1} (\log(1-x_0) - \log(a-x'))$$

2000

$$M' = \frac{1.01}{1.01 - 1} \log(a - \pi_0) - \log(a - \pi'')$$

...to ... to H.

$$\frac{a \cdot b}{a + b} \log(a - \pi_0) - \log(a - \pi') = \frac{a \cdot b}{a + b} \log(a - \pi_0) - \log(a - \pi'').$$

CONFIDENTIAL. I CANNOT SIGN

$$\frac{t' - t}{t + t'} = \frac{-10 - (-10)}{-10 - (-10)} = \frac{-10 - (-10)}{-10 - (-10)}$$

10. The following information is being furnished to you for your information only. It is not intended to constitute an offer of insurance or any other financial product. The information is being provided to you for your information only and should not be used as a basis for any investment decision. The information is being provided to you for your information only and should not be used as a basis for any investment decision.

[illegible][illegible][illegible]

The first thing I noticed when I stepped out of the car was the cold, crisp air. It was a relief after the warm, humid weather of the city. I walked towards the building, my eyes scanning the street for any familiar faces. The architecture was a mix of old and new, with historic buildings standing alongside modern structures. I felt a sense of anticipation, knowing that this was the place where my journey would begin.

The building was a large, imposing structure with a high ceiling and a grand staircase. I followed the stairs up, my heart pounding. The atmosphere was one of mystery and intrigue. I knew that I was about to uncover something that would change my life forever. The journey was just beginning, and I was ready for whatever came next.

Table II.

Summary of the data collected during the experiment. The table shows the results of the measurements taken at different intervals, with the first column representing the time in minutes and the second column representing the measured value.

Time (min)	Measured Value
0	1.0
10	1.1
20	1.2
30	1.3
40	1.4
50	1.5
60	1.6
70	1.7
80	1.8
90	1.9
100	2.0
110	2.1
120	2.2
130	2.3
140	2.4
150	2.5
160	2.6
170	2.7
180	2.8
190	2.9
200	3.0
210	3.1
220	3.2
230	3.3
240	3.4
250	3.5
260	3.6
270	3.7
280	3.8
290	3.9
300	4.0

The data shows a clear upward trend, indicating that the measured value increases steadily over time. This suggests that the process being studied is a continuous, linear growth. The results are consistent with the theoretical model, providing strong evidence for the validity of the experiment.

On the other hand, the following is a list of the first few terms of the sequence:

$$\frac{1}{n+1} = \frac{1}{n(n+1)} \left(\frac{1}{n} - \frac{1}{n+1} \right) = \frac{1}{n(n+1)} \left(\frac{1}{n} - \frac{1}{n+1} \right)$$

It is clear that the sequence is convergent, and that the limit is 0. This can be proved by the following argument:

Let $\epsilon > 0$ be given. We want to find N such that for all $n > N$, $|\frac{1}{n+1} - 0| < \epsilon$. This is equivalent to $\frac{1}{n+1} < \epsilon$, or $n > \frac{1}{\epsilon} - 1$. So, if we choose $N = \frac{1}{\epsilon} - 1$, then for all $n > N$, $|\frac{1}{n+1} - 0| < \epsilon$. This proves that the sequence converges to 0.

THEOREM III.

Let $\{a_n\}$ be a sequence of real numbers. Then the following conditions are equivalent:

(1) $\{a_n\}$ is convergent.

n	$(n+1)$	$\frac{1}{n+1}$	$\frac{1}{n}$
1	2	0.5	1
2	3	0.333...	0.5
3	4	0.25	0.333...
4	5	0.2	0.25
5	6	0.166...	0.2
6	7	0.142...	0.166...
7	8	0.125	0.142...
8	9	0.111...	0.125
9	10	0.1	0.111...
10	11	0.090...	0.1
11	12	0.083...	0.090...
12	13	0.076...	0.083...
13	14	0.071...	0.076...
14	15	0.066...	0.071...
15	16	0.062...	0.066...
16	17	0.058...	0.062...
17	18	0.055...	0.058...
18	19	0.052...	0.055...
19	20	0.05	0.052...
20	21	0.047...	0.05
21	22	0.045...	0.047...
22	23	0.043...	0.045...
23	24	0.041...	0.043...
24	25	0.04	0.041...
25	26	0.038...	0.04
26	27	0.037...	0.038...
27	28	0.035...	0.037...
28	29	0.034...	0.035...
29	30	0.033...	0.034...
30	31	0.032...	0.033...
31	32	0.031...	0.032...
32	33	0.030...	0.031...
33	34	0.029...	0.030...
34	35	0.028...	0.029...
35	36	0.027...	0.028...
36	37	0.026...	0.027...
37	38	0.026...	0.026...
38	39	0.025...	0.025...
39	40	0.025	0.025
40	41	0.024...	0.024...
41	42	0.023...	0.023...
42	43	0.023...	0.023...
43	44	0.022...	0.022...
44	45	0.022...	0.022...
45	46	0.021...	0.021...
46	47	0.021...	0.021...
47	48	0.020...	0.020...
48	49	0.020...	0.020...
49	50	0.02	0.02

$$\frac{1}{n+1} = \frac{1}{n(n+1)} \left(\frac{1}{n} - \frac{1}{n+1} \right) = \frac{1}{n(n+1)} \left(\frac{1}{n} - \frac{1}{n+1} \right)$$

Q.E.D.

$$\frac{1}{1} = 1, \quad \frac{1}{2} = 0.5, \quad \frac{1}{3} = 0.333, \quad \frac{1}{4} = 0.25, \quad \frac{1}{5} = 0.2, \quad \frac{1}{6} = 0.166, \quad \frac{1}{7} = 0.143, \quad \frac{1}{8} = 0.125, \quad \frac{1}{9} = 0.111, \quad \frac{1}{10} = 0.1$$

1. 2. 3.

the 1990s, the number of people in the world who are undernourished has declined from 1.1 billion to 800 million. The number of people who are malnourished has declined from 1.5 billion to 1 billion. The number of people who are obese has increased from 100 million to 300 million. The number of people who are overweight has increased from 100 million to 300 million. The number of people who are obese and overweight has increased from 100 million to 300 million. The number of people who are obese and overweight has increased from 100 million to 300 million.

(11+)

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1156

1157

1158

1159

1160

1161

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

1274

1275

1276

1277

1278

1279

1280

1281

1282

1283

1284

1285

1286

1287

1288

1289

1290

1291

1292

1293

1294

1295

1296

1297

1298

1299

1300

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

1322

1323

1324

1325

1326

1327

1328

1329

1330

1331

1332

1333

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

1351

1352

1353

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

1405

1406

1407

1408

1409

1410

1411

1412

1413

1414

1415

1416

1417

1418

1419

1420

1421

1422

1423

1424

1425

1426

1427

1428

1429

1430

1431

1432

1433

1434

1435

1436

1437

1438

1439

1440

1441

1442

1443

1444

1445

1446

1447

1448

1449

1450

1451

1452

1453

1454

1455

1456

1457

1458

1459

1460

1461

1462

1463

1464

1465

1466

1467

1468

1469

1470

1471

1472

1473

1474

1475

1476

1477

1478

1479

1480

1481

1482

1483

1484

1485

1486

1487

1488

1489

1490

1491

1492

1493

1494

1495

1496

1497

1498

1499

1500

1501

1502

1503

1504

1505

1506

1507

1508

1509

1510

1511

1512

1513

1514

1515

1516

1517

1518

1519

1520

1521

1522

1523

1524

1525

1526

1527

1528

1529

1530

1531

1532

1533

1534

1535

1536

1537

1538

1539

1540

1541

1542

1543

1544

1545

1546

1547

1548

1549

1550

1551

1552

1553

1554

100-443887-1000

$$\frac{1}{\Gamma} = \frac{1}{\Gamma_0} + \frac{\alpha}{\Gamma_0^2} \left(\frac{1}{\Gamma_0} - \frac{1}{\Gamma_{\infty}} \right) + \frac{\beta}{\Gamma_0^3} \left(\frac{1}{\Gamma_0} - \frac{1}{\Gamma_{\infty}} \right)^2$$
[illegible]

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the team.

3. The third step is to develop a plan or strategy to address the problem. This involves breaking down the problem into smaller, manageable tasks and determining the resources needed to complete them.

4. The fourth step is to implement the plan. This involves putting the strategy into action and monitoring progress regularly to ensure that the project is on track.

5. The final step is to evaluate the results of the project. This involves comparing the actual outcomes with the objectives and goals to determine the effectiveness of the project.

Aniline disodium salt




TABLE 1

	(1)	(2)	(3)	(4)
1	1000	1000	1000	1000
2	1000	1000	1000	1000
3	1000	1000	1000	1000
4	1000	1000	1000	1000
5	1000	1000	1000	1000
6	1000	1000	1000	1000
7	1000	1000	1000	1000
8	1000	1000	1000	1000
9	1000	1000	1000	1000
10	1000	1000	1000	1000

$$1000 = 1000 \times \frac{1}{1000} = \frac{1000}{1000} = 1$$

TABLE 2

	(1)	(2)	(3)
1	1000	1000	1000
2	1000	1000	1000
3	1000	1000	1000
4	1000	1000	1000
5	1000	1000	1000
6	1000	1000	1000
7	1000	1000	1000
8	1000	1000	1000
9	1000	1000	1000
10	1000	1000	1000

$$1000 = 1000 \times \frac{1}{1000} = \frac{1000}{1000} = 1$$

1000 = 1000 x 1/1000 = 1000/1000 = 1

1000	1000
1000	1000
1000	1000
1000	1000
1000	1000
1000	1000
1000	1000
1000	1000
1000	1000
1000	1000

(2) 1000 = 1000 x 1/1000 = 1000/1000 = 1

1000 = 1000 x 1/1000 = 1000/1000 = 1

()

()

$\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$

1
2
3
4
5
6
7
8
9
10

[illegible]

1. The first step in the process of developing a new product is to identify a market need. This involves conducting market research to determine what consumers want and need. Once a market need is identified, the next step is to develop a concept for a product that meets this need.

2. The second step is to develop a business plan for the new product. This plan should outline the company's goals, the target market, the competitive landscape, and the financial projections for the product. The business plan is a critical document that guides the development and launch of the product.

3. The third step is to develop a prototype of the product. This involves creating a physical model of the product that can be used to test the design and functionality. The prototype is an essential tool for refining the product and ensuring it meets the market need.

4. The fourth step is to conduct a pilot test of the product. This involves launching the product on a small scale to test its performance in the market. The pilot test provides valuable feedback on the product's strengths and weaknesses, which can be used to make improvements before a full-scale launch.

5. The fifth and final step is to launch the product on a large scale. This involves marketing the product to the target market and ensuring it is available to consumers. The launch is a critical moment for the product, as it determines its success in the market.

$$\frac{1}{1-t} = \frac{1}{1-\frac{1}{2}} = \frac{1}{\frac{1}{2}} = 2$$

1

1. $\frac{1}{2} \frac{d}{dt} \int_{\mathbb{R}^n} |u|^2 dx = \int_{\mathbb{R}^n} u \Delta u dx$

(+ + +)
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524

[illegible]

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the work.

3. The third step is to develop a plan or strategy to address the problem. This involves identifying the resources needed, the tasks to be completed, and the timeline for the project.

4. After the plan is developed, the next step is to implement the plan. This involves putting the plan into action and monitoring progress to ensure that the objectives are being met.

5. The final step is to evaluate the results of the project. This involves assessing the outcomes against the objectives and identifying any lessons learned for future projects.

Sulphuric acid dehydrum salt

65°
60°
55°
50°
45°
40°
35°
30°
25°

0.01

0.02

0.03

0.04




Figure 1

[illegible]

...the ...

(b) $\mathcal{C}^{\infty}$ functions $f: \mathbb{R}^n \rightarrow \mathbb{R}$ satisfying $\Delta f = 0$ are called *harmonic functions*.

[illegible]

1. The first step in the process of identifying a problem is to recognize that a problem exists. This involves gathering information about the situation and identifying the specific issue that needs to be addressed.

[illegible][illegible]

1. The first part of the document is a list of references. The references are listed in a standard format, with the author's name, the title of the work, and the publisher. The references are as follows:

1. J. H. Van Veen, *The History of the Netherlands*, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578,

1.

$$\frac{1}{1+x} = \frac{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}$$

$$1 = 1$$

2. 1000000

$$\frac{1}{1+x} = \frac{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}$$


	(1+x)		
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10
11	11	11	11
12	12	12	12
13	13	13	13
14	14	14	14
15	15	15	15
16	16	16	16
17	17	17	17
18	18	18	18
19	19	19	19
20	20	20	20
21	21	21	21
22	22	22	22
23	23	23	23
24	24	24	24
25	25	25	25
26	26	26	26
27	27	27	27
28	28	28	28
29	29	29	29
30	30	30	30
31	31	31	31
32	32	32	32
33	33	33	33
34	34	34	34
35	35	35	35
36	36	36	36
37	37	37	37
38	38	38	38
39	39	39	39
40	40	40	40
41	41	41	41
42	42	42	42
43	43	43	43
44	44	44	44
45	45	45	45
46	46	46	46
47	47	47	47
48	48	48	48
49	49	49	49
50	50	50	50
51	51	51	51
52	52	52	52
53	53	53	53
54	54	54	54
55	55	55	55
56	56	56	56
57	57	57	57
58	58	58	58
59	59	59	59
60	60	60	60
61	61	61	61
62	62	62	62
63	63	63	63
64	64	64	64
65	65	65	65
66	66	66	66
67	67	67	67
68	68	68	68
69	69	69	69
70	70	70	70
71	71	71	71
72	72	72	72
73	73	73	73
74	74	74	74
75	75	75	75
76	76	76	76
77	77	77	77
78	78	78	78
79	79	79	79
80	80	80	80
81	81	81	81
82	82	82	82
83	83	83	83
84	84	84	84
85	85	85	85
86	86	86	86
87	87	87	87
88	88	88	88
89	89	89	89
90	90	90	90
91	91	91	91
92	92	92	92
93	93	93	93
94	94	94	94
95	95	95	95
96	96	96	96
97	97	97	97
98	98	98	98
99	99	99	99
100	100	100	100

$$\frac{1}{1+x} = \frac{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}{(1-x)(1-x^2)(1-x^4)(1-x^8)\dots}$$

$$1 = 1$$

O-toluidine dihydrogen salt.

40°
35°
30°
25°
20°
15°
10°
5°
0°



17.

TABLE 1

Values of the function $f(x) = \frac{1}{x} \ln \frac{1+x}{1-x}$ for $x = 0.1, 0.2, \dots, 0.9$ (1:1) at 1:10

x	(1+x)	f(x)	1/f(x)
0.1	1.1	0.10536	9.491
0.2	1.2	0.20067	4.982
0.3	1.3	0.28904	3.460
0.4	1.4	0.37091	2.696
0.5	1.5	0.44715	2.236
0.6	1.6	0.51874	1.928
0.7	1.7	0.58579	1.707
0.8	1.8	0.64836	1.542
0.9	1.9	0.70648	1.414
1.0	2.0	0.76013	1.316
1.1	2.1	0.80953	1.236
1.2	2.2	0.85489	1.170
1.3	2.3	0.89642	1.115
1.4	2.4	0.93433	1.070
1.5	2.5	0.96875	1.032
1.6	2.6	0.99979	1.000
1.7	2.7	1.02750	0.970
1.8	2.8	1.05196	0.941
1.9	2.9	1.07324	0.923
2.0	3.0	1.09135	0.916

$$\frac{1}{1+x} = \frac{1}{2} \ln \frac{1+x}{1-x} = \frac{1}{2} \ln \frac{1+x}{1-x} \quad (1:1) \quad (1:10)$$

18. 17. 1


TABLE 2

Values of the function $f(x) = \frac{1}{x} \ln \frac{1+x}{1-x}$ for $x = 0.1, 0.2, \dots, 0.9$ (1:1) at 1:10

x	(1+x)	f(x)	1/f(x)
0.1	1.1	0.10536	9.491
0.2	1.2	0.20067	4.982
0.3	1.3	0.28904	3.460
0.4	1.4	0.37091	2.696
0.5	1.5	0.44715	2.236
0.6	1.6	0.51874	1.928
0.7	1.7	0.58579	1.707
0.8	1.8	0.64836	1.542
0.9	1.9	0.70648	1.414
1.0	2.0	0.76013	1.316
1.1	2.1	0.80953	1.236
1.2	2.2	0.85489	1.170
1.3	2.3	0.89642	1.115
1.4	2.4	0.93433	1.070
1.5	2.5	0.96875	1.032
1.6	2.6	0.99979	1.000
1.7	2.7	1.02750	0.970
1.8	2.8	1.05196	0.941
1.9	2.9	1.07324	0.923
2.0	3.0	1.09135	0.916

p-toluidine diazonium salt

55°
50°
45°
40°
35°
30°
25°
20°



100

[illegible]

Figure 1

100

100-443887-101 (1:0) (1:0)

[illegible]

$$\frac{1}{1+z} = \frac{1}{1+z} \left(\frac{1}{1+z} \right) = \frac{1}{1+z} \left(\frac{1}{1+z} \right) = \frac{1}{1+z} \left(\frac{1}{1+z} \right)$$

1. **Introduction**

1. RESEARCH DESIGN:-

$$(T)_{\alpha} = \text{diag} \{ \tau_1, \tau_2, \dots, \tau_n \} \quad \text{with} \quad 2\pi \tau_i = \arg \lambda_i - \arg \lambda_{i+1} \quad (i=1)$$

[illegible]

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$, $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{y}} \right) = \frac{\partial L}{\partial y}$, $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{z}} \right) = \frac{\partial L}{\partial z}$.
 where $L = T - V$ is the Lagrangian function, T is the kinetic energy, V is the potential energy, x, y, z are the coordinates, and $\dot{x}, \dot{y}, \dot{z}$ are the velocities.

SECRET

[illegible]

$$= \frac{1}{2} \left(\frac{1}{2} \begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix} + \frac{1}{2} \begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix} \right) = \frac{1}{2} \begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix}$$



Figure 1 is a schematic representation of the experimental design. It shows a sequence of events: a stimulus (a vertical bar) is presented, followed by a response (a horizontal bar) recorded on a scale from 0 to 100. The stimulus is then repeated (a vertical bar).

SECRET

[illegible]

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842

[illegible]

$$\frac{1}{x^2} = \frac{(x^2 - 1)^{-1}}{1} = \sum_{n=0}^{\infty} (-1)^n x^{2n}$$

[illegible]


SECRET (1:1) 35 18.

[illegible]

10.0
11.0
12.0
13.0
14.0
15.0
16.0
17.0
18.0
19.0
20.0
21.0
22.0
23.0
24.0
25.0
26.0
27.0
28.0
29.0
30.0
31.0
32.0
33.0
34.0
35.0
36.0
37.0
38.0
39.0
40.0
41.0
42.0
43.0
44.0
45.0
46.0
47.0
48.0
49.0
50.0
51.0
52.0
53.0
54.0
55.0
56.0
57.0
58.0
59.0
60.0
61.0
62.0
63.0
64.0
65.0
66.0
67.0
68.0
69.0
70.0
71.0
72.0
73.0
74.0
75.0
76.0
77.0
78.0
79.0
80.0
81.0
82.0
83.0
84.0
85.0
86.0
87.0
88.0
89.0
90.0
91.0
92.0
93.0
94.0
95.0
96.0
97.0
98.0
99.0
100.0

- 1960
- 1961
- 1962
- 1963
- 1964
- 1965
- 1966
- 1967
- 1968
- 1969
- 1970
- 1971
- 1972
- 1973
- 1974
- 1975
- 1976
- 1977
- 1978
- 1979
- 1980
- 1981
- 1982
- 1983
- 1984
- 1985
- 1986
- 1987
- 1988
- 1989
- 1990
- 1991
- 1992
- 1993
- 1994
- 1995
- 1996
- 1997
- 1998
- 1999
- 2000
- 2001
- 2002
- 2003
- 2004
- 2005
- 2006
- 2007
- 2008
- 2009
- 2010
- 2011
- 2012
- 2013
- 2014
- 2015
- 2016
- 2017
- 2018
- 2019
- 2020
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- 2027
- 2028
- 2029
- 2030
- 2031
- 2032
- 2033
- 2034
- 2035
- 2036
- 2037
- 2038
- 2039
- 2040
- 2041
- 2042
- 2043
- 2044
- 2045
- 2046
- 2047
- 2048
- 2049
- 2050
- 2051
- 2052
- 2053
- 2054
- 2055
- 2056
- 2057
- 2058
- 2059
- 2060
- 2061
- 2062
- 2063
- 2064
- 2065
- 2066
- 2067
- 2068
- 2069
- 2070
- 2071
- 2072
- 2073
- 2074
- 2075
- 2076
- 2077
- 2078
- 2079
- 2080
- 2081
- 2082
- 2083
- 2084
- 2085
- 2086
- 2087
- 2088
- 2089
- 2090
- 2091
- 2092
- 2093
- 2094
- 2095
- 2096
- 2097
- 2098
- 2099
- 2100
- 2101
- 2102
- 2103
- 2104
- 2105
- 2106
- 2107
- 2108
- 2109
- 2110
- 2111
- 2112
- 2113
- 2114
- 2115
- 2116
- 2117
- 2118
- 2119
- 2120
- 2121
- 2122
- 2123
- 2124
- 2125
- 2126
- 2127
- 2128
- 2129
- 2130
- 2131
- 2132
- 2133
- 2134
- 2135
- 2136
- 2137
- 2138
- 2139
- 2140
- 2141
- 2142
- 2143
- 2144
- 2145
- 2146
- 2147
- 2148
- 2149
- 2150
- 2151
- 2152
- 2153
- 2154
- 2155
- 2156
- 2157
- 2158
- 2159
- 2160
- 2161
- 2162
- 2163
- 2164
- 2165
- 2166
- 2167
- 2168
- 2169
- 2170
- 2171
- 2172
- 2173
- 2174
- 2175
- 2176
- 2177
- 2178
- 2179
- 2180
- 2181
- 2182
- 2183
- 2184
- 2185
- 2186
- 2187
- 2188
- 2189
- 2190
- 2191
- 2192
- 2193
- 2194
- 2195
- 2196
- 2197
- 2198
- 2199
- 2200
- 2201
- 2202
- 2203
- 2204
- 2205
- 2206
- 2207
- 2208
- 2209
- 2210
- 2211
- 2212
- 2213
- 2214
- 2215
- 2216
- 2217
- 2218
- 2219
- 2220
- 2221
- 2222
- 2223
- 2224
- 2225
- 2226
- 2227
- 2228
- 2229
- 2230
- 2231
- 2232
- 2233
- 2234
- 2235
- 2236
- 2237
- 2238
- 2239
- 2240
- 2241
- 2242
- 2243
- 2244
- 2245
- 2246
- 2247
- 2248
- 2249
- 2250
- 2251
- 2252
- 2253
- 2254
- 2255
- 2256
- 2257
- 2258
- 2259
- 2260
- 2261
- 2262
- 2263
- 2264
- 2265
- 2266
- 2267
- 2268
- 2269
- 2270
- 2271
- 2272
- 2273
- 2274
- 2275
- 2276
- 2277
- 2278
- 2279
- 2280
- 2281
- 2282
- 2283
- 2284
- 2285
- 2286
- 2287
- 2288
- 2289
- 2290
- 2291
- 2292
- 2293
- 2294
- 2295
- 2296
- 2297
- 2298
- 2299
- 23

p-nitroaniline digonidium salt



● 1997年12月，在《中国环境报》上，刊登了“中国环境状况令人堪忧”的标题，并附有“中国环境状况令人堪忧”的副标题。文章指出，中国环境状况令人堪忧，主要表现在以下几个方面：一是环境污染严重，二是生态破坏严重，三是资源短缺严重，四是环境管理不善。文章还指出，中国环境状况令人堪忧，主要表现在以下几个方面：一是环境污染严重，二是生态破坏严重，三是资源短缺严重，四是环境管理不善。

[illegible]

(1) 1971-1972 (1971-1972)

[illegible]

6.

$$\frac{t'}{1+t'} = \frac{\log(17.5-17.5) - \log(17.5-17.5)}{\log(17.5-17.5) - \log(17.5-17.5)}$$

$$t' = 11.5$$

Table IV

Estimated values of t' for $t = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20$
 (10% change in t')

t	$(t'+t)$	t	t'
1	Initial	17.15	
2	6.65	17.5	.000136
3	16.65	17.5	.001145
4	26.65	17.5	.004930
5	36.65	17.5	.01941
6	46.65	17.5	.06373
7	56.65	17.5	.18417
8	66.65	17.5	.40114
9	76.65	17.5	.70114
10	86.65	17.5	.90114
11	96.65	17.5	.98114
12	106.65	17.5	.998171
13	116.65	17.5	.999860
		17.5	
		Mean	.000139

$$\frac{t'}{1+t'} = \frac{\log(17.5-17.5) - \log(17.5-17.5)}{\log(17.5-17.5) - \log(17.5-17.5)}$$

$$t' = 1.15$$

Table IV shows that for $t = 1$ the value of t' is .000136. This value is so small that it can be neglected. (If $t = .000136$, the value of t' is .000136, which is not a significant figure.)

Table IV also shows that for $t = 20$ the value of t' is .999860. This value is so close to 1 that it can be neglected. (If $t = .999860$, the value of t' is .999860, which is not a significant figure.)

Table V

Estimated values of t' for $t = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20$

(10% change in t')

t	(11+)	7	11
1	11	.0	.0
2	11	.1	.1
3	11	.2	.2
4	11	.3	.3
5	11	.4	.4
6	11	.5	.5
7	11	.6	.6
8	11	.7	.7
9	11	.8	.8
10	11	.9	.9
11	11	1.0	1.0
12	11	1.1	1.1
13	11	1.2	1.2
14	11	1.3	1.3
15	11	1.4	1.4
16	11	1.5	1.5
17	11	1.6	1.6
18	11	1.7	1.7
19	11	1.8	1.8
20	11	1.9	1.9
21	11	2.0	2.0

It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points.

The data points are obtained by the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points.

Discussion

It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points. It is possible that a certain number of the data points may be affected by a certain number of the data points.

Table XXVII

Temp.	Aniline diazonium salt			Toluidine diazonium salts			para			Salphanilic acid diazonium salt			para-nitraniline diazonium salt		
	Naïto	Cain & Nicoll		Naïto	Cain & Nicoll		Naïto	Cain & Nicoll		Naïto	Cain & Nicoll		Naïto	Cain & Nicoll	
10°				0.001381											
20°	0.0010882	0.001656 0.00072		0.005262	0.004301 0.00187										
25°				0.009884											
30°	0.004041	0.005785 0.00295		0.017910	0.018238 0.00706			0.0004807 0.000209							
35°	0.008640				0.001254										
40°	0.016160	0.020171 0.00877			0.05474 0.0238		0.02331	0.0022977 0.000999							
45°	0.025480				0.004283			0.001942							
50°		0.06854 0.0298			0.23621 0.1027		0.0089120 0.00358	0.008234 0.003417							
55°								0.007556							
60°		0.2507 0.109						0.0276 0.012		0.015122	0.014559 0.00633				
70°								0.10603 0.0461			0.004921				
75°													0.008493		
80°										0.16307	0.01696		0.016928	0.01696	0.00736

[illegible]

53 04/04 36
34990 8U1



MICHIGAN STATE LIBRARIES



3 1293 02244 8116