# A STUDY OF THE STREET TREES OF MASSILLON, ONIO

Thesis for the Degree of M. S.

MICHIGAN STATE COULEGE

David Menry Fritz

1952

# SUPPLEMENTARY MAILIMAL IN BACK OF BOOK

This is to certify that the

thesis entitled

A Study of the Street Trees of Massillon, Ohio

presented by

David H. Fritz

has been accepted towards fulfillment of the requirements for

M. S. degree in Conservation

GMSUSEV -

Date May 27, 1952

• 

# A STUDY OF THE STREET TREES OF MASSILLON, OHIO

By

David Henry Fritz

# A THESIS

Submitted to the School of Graduate Studies of Michigan
State College of Agriculture and Applied Science
in partial fulfillment of the requirements
for the degree of

MASTER OF SCIENCE IN CONSERVATION

Department of Lends and Waters

Year 1952

# ACKNOWLEDGMENTS

The author is indeed greatful to a number of people for their co-operation and assistance. He is particularly indebted to Doctor Gilbert Mouser, major professor and chairman of the examining committee, for his untiring efforts toward the preparation of the finished dissertation. To Professor Karl Dressel, the author is indebted for assistance and guidance in the presentation and limitation of the field of study. I am further indebted to my mother Mrs. Henry Fritz for the excellently done stenographic work of this dissertation.

# TABLE OF CONTENTS

of apper	PAGE
I. THE PROBLEM, ITS LIMITATIONS, HISTORY AND	
DEFINITIONS OF TERMS	1
The problem	1
Statement of the problem	1
Method of study	1
Delimitation of study	2
Limitations of the tree census	2
Definitions of terms used	3
The history of Massillon, Ohio	3
Founding	3
Industry	4
Government	4
Tree ordinances	5
II. REVIEW OF THE LITERATURE	8
Larly tree census	8
Recent tree censuses	8
Graduate study	10
III. METHODS AND TECHNIQUES OF MAKING A TREE CENSUS	13
Census motives	13
Department or agency that makes census	14
Data collection technique	15
Types of recording methods	15
Vacanament tachniana	17

. . . . . . . . . . . . . . .

CHAPTER						PAGE
Census sheet content	•	•	•	•	•	19
Classification of tree condition	•	•	•	•	•	20
IV. MASSILLON, OHIO TREE CENSUS	•	•	•	•	•	23
Technique of tree census	•	•	•	•	•	24
Census procedure	•	•	•	•	•	24
Measurement technique	•	•	•	•	•	27
Classification system of tree condition	n	•	•	•	•	27
Adaptation of data to the disertation .	•	•	•	•	•	28
Data arrangement	•	•	•	•	•	28
Map index system	•	•	•	•	•	28
Explanation of data sheet	•	•	•	•	•	29
Collected data	•	•	•	•	•	30
Northeast section	•	•	•	•	•	31
Southeast section	•	•	•	•	•	121
Southwest section	•	•	•	•	•	160
Northwest section	•	•	•	•	•	196
V. DATA ANALYSIS, OBSERVATIONS AND SUMMARY.	•	•	•	•	•	217
Data analysis	•	•	•	•	•	217
Tree spacing	•	•	•	•	•	217
Tree species	•	•	•	•	•	218
Observations	•	•	•	•	•	234
Silver Maple	•	•	•	•	•	234
Policy and standards	•	•	•	•	•	234
Dutch Elm Disease	•	•	•	•	•	235
Summary		•	•	•	•	235

• • • • . • • • • • • • • • • • • • • . 

CHAPTE	R																						PAGE
WI.	CONCL	usion	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	237
APPEND	ıx.	• •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	240
App	endix .	<b>A.</b>	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	241
<b>A</b> pp	endix	в.				•								•									247

# LIST OF TABLES

TABLE	PAGE
I.	Tree species distribution of Massillon, Ohio 219
II.	Tree species distribution, northeast section 222
III.	Tree species distribution, southeast section 223
IV.	Tree species distribution, southwest section 225
٧.	Tree species distribution, northwest section 226
VI.	Summary of tree species with regard to street
	tree value
VII.	Major species distribution
VIII.	Distribution of tree sizes
IX.	Condition of species
	LIST OF FIGURES
FIGURE	PAGE
1.	Field note book page, left side 25
2.	Field note book page, right side 26
3•	Tree species distribution for Massillon, Ohio 221
4.	Species distribution by sections, the northeast
	and southeast sections
5.	Species distribution by sections, the southwest
	and northwest sections
6.	Street tree species desirability

# CHAPTER I

THE PROBLEM, ITS LIMITATIONS, HISTORY, AND DEFINITIONS OF TERMS

# THE PROBLEM

Statement of the problem. The purpose of the problem is

(1) To present a complete detailed tree census of the street trees in Massillon, Ohio; including the following observations.

- a. Counting the number of trees of each species.
- b. Measuring the diameter of each street tree.
- c. Locating the position of each street tree on the planting strip.
- d. Classifying of each street tree as to its present growing condition.
- (2) To present a detailed discussion of the methods and techniques that may be used to make a tree census. (3) To make recommendations pertaining to the street tree problems and conditions in Massillon, Ohio

Method of study. A detailed street tree census was conducted over a six month period in the city of Massillon, Ohio. The writer was employed by the municipality in the Department of Parks during the time that the census was made. A portion of the census was collected during working hours. The city was divided into four major

.

sections and each section censored street by street. Later this collected data was organized and summarized for use as a basis for this dissertation.

Delimitation of study. A study such as this immediately presents many phases, which would have a definite value, but cannot be included in this investigation. A study might include an additional census of city parks and public school properties. A suggested municipal forestry management plan might be prepared including possible budgets, trimming cycles, labor requirements, equipment needs, nursery facilities, planting programs, and street tree ordinances. Still another aspect of the problem might be a study to aid in suggesting regulations for trimming trees by utility companies. Such trimming methods have proven very destructive to good tree growth in the city of Massillon.

# LIMITATIONS OF THE TREE CENSUS

- (1) The tree census was carried out by one man. This immediately decreases the degree of accuracy, since it would be almost impossible for a man working alone to use a chain or tape; therefore, the pace was employed. Also lacking was the use of a caliper for diameter measurements and a Biltmore stick was used instead.
- (2) The time of day was another limitation, since almost all census work was done between the hours of three and six in the afternoon dependent upon the time of sunset. The late afternoon and early evenings during winter months usually provide very poor light for observation of the tree top.
  - (3) Late fall and winter weather conditions are usually adverse

to good tree census work. It was found that cold and wet weather reduces the amount of work one is capable of doing. Tree census work done at temperatures below 30 degrees F. reaches a point of diminishing return where it is no longer practical to continue.

- (4) Late fall and winter seasons require tree identification with total lack of foliage.
- (5) Since the work was done in absentia, certain information that might have been found in the college library was not readily available to the writer.

# III. DEFINITIONS OF TERMS USED

Street trees. The trees located on the planting strip between the street and sidewalk.

Tree census. A detailed study of species, size, condition and location of each street tree.

# IV. THE HISTORY OF MASSILLON, OHIO

Founding. Massillon, Ohio was founded one hundred and fifty years ago in the year 1812. It was at that time that pioneer Thomas Rotch and his wife, Charity, brought large flocks of Merino sheep from their former home in New Bedford, Massachusetts. Because of the ideal grazing conditions they settled on the east side of the Tuscarawas River on what is now Wales Road and State Avenue, Northeast. As the Rotch settlement grew it was named Kendal.

From the very beginning it was a community having zoning restrictions in all deeds to town lots, stipulating that houses were to be of brick and frame construction.

Ů.

ે હ

1

73

ing the second of the second s

amonths (1.donth)というから、いうだった。 。以から、からなはembers

# $(|\mathbf{x}_{i}|) = \bullet^{-\frac{1}{2}(\frac{1}{2},\frac$

\*\*COTO AND COMPANY \*\*COMPANY CONTROL \*\*COLOR \*\*COLOR

The second sequence of the control of

With such an impressive beginning the community of Kendal was quick to grow. It was in 1826 that the town was renamed Massillon after a famous Court Preacher to Louis XIV -- Jean Baptiste Massillon. It was at this same time that the Ohio River -- Lake Erie Canal came to Massillon and in a few years was to be known as, "Port of Massillon" one of Ohio's greatest wheat markets.

Industry. The wheat farming about Massillon created a new need for farm machinery and so in the 1840's the Russell Brothers began building farm machinery to satisfy that need and also later freight and passenger cars for the railroad which they helped bring to Massillon. Other industries flourished during early Massillon history such as pig iron, glass and coal mining industries, the Massillon Bridge Company, and Hess Snyder Furnace Company.

Today the Republic Steel Corporation, Enterprise Aluminum Company, Echo Products Company, Union Drawn Steel Company, Ohio Paper Products Company and many others have come to Massillon. Thus, after many thriving years Massillon has become one of the leading steel and metal working centers of the nation.

<u>Government</u>. The City of Massillon follows the Mayor -- Council type of city government with the various companent departments such as Street Department, Engineering Department, Park Department, and others all directly under the elected Mayor and City Council.

A city ordinance places jurisdiction of street trees under the Director of Public Service and Safety.

The Park Department which usually has jurisdiction of street trees has little control in the city of Massillon. The department

does have charge of over 300 acres of city owned land consisting of plot parks, squares and city parks developed for various types of use.

The Park Department is administered by a Board of Park Commissioners and a superintendent of parks.

Tree ordinances. The City of Massillon enacted an ordinance concerning the trees of Massillon, Ohio, on September 20, 1948. Ordinance No. 43 - 1948 regulates the removal, pruning, mutilation of any tree or trees on city property on or along any sidewalk or street in the City of Massillon, Ohio. It stipulates that written permission be obtained from the Director of Public Service and Safety for the removal of any tree on public property. Also that the Director of Public Service and Safety is empowered to order the owner or owners of property abutting public property where a tree has been declared a hazard and a nuisance to remove said tree. Violators of any provisions of the ordinance shall be subject to a fine not to exceed \$100.00 or to be imprisoned not to exceed thirty days or both. The Director of Public Service and Safety shall also be required to solicit and act upon the advice of the Superintendent of Parks concerning the administering and emforcing of the provisions of the ordinance.

No ordinance concerning the planting of new shade tree on public property could be found.

From this brief history of Massillon, Ohio, we are able to realize that Massillon is an old community and still has many of the trees that were planted and growing over one hundred and fifty years ago. These stately trees grace the main avenues and the oldest northeast section of the city. They are trees of which every resident should be proud.

In the second of the company of the company of the control of the contro

However, these very trees, many of which have reached maturity, have also become increasingly open to decay, mechanical injury, insect and disease attack. Thus, many fine trees are annually succumbing to these attacks due to lack of proper protection through proper maintenance and care. Massillon is steadily growing and pushing out of its old confines. Many new sections have grown up in the past years and lack almost any kind of tree plantings. In these sections nearly all the trees that have been planted are quick growing and short lived undesirable tree species.

It has become increasingly apparent during the past years that one of our most valuable investments, our trees, has been neglected, ignored and forgotten. It is only through large scale loss by insects and diseases that the public is shaken to awareness. Those persons and organizations striving to bring about municipal control of our street trees indeed deserve the appreciation of everyone for helping to beautify our cities and create a more satisfying atmosphere for all to live in.

•

# REFERENCES CHAPTER I

- 1. Chamber of Commerce, <u>Telephone Directory of Massillon</u>, <u>Ohio</u>.

  1952, p. 1
- 2. Legislative Department, Ordinance No. 43 1948 (City of Massillon, Ohio, 1948).

. .

# CHAPTER II

## REVIEW OF THE LITERATURE

There are relatively few publications concerning shade tree census work. Of these publications few were more than a paragraph or two in length with little worthwhile content.

Tarly tree cansuses. The earliest dated census in publication that could be located was that of the City of Philadelphia in the year of 1912 which reported 127,301 trees along its streets. Another early census was a partial census of selected districts of greater New York City, conducted in 1914 by Henry R. Francis. The report consisted of a general survey of each of the five boroughs of New York City with specialized censuses of selected districts and was concluded by recommendations to the Committee of the Tree Planting Association. As a result of this report further study was made by Laurie D. Cox to determine A Street Tree System For New York City. This was completed in 1916 and accepted by the city of New York, but was never put to use. Another early tree census was made in Mount Vernon, New York, in 1916.

Recent tree censuses. During the past ten or twenty years there have been decided trends toward the tree census as indicated by the increased number of publications of censuses during this time. This increase can no doubt be credited to a number of reasons; the increased tree consciousness of the public toward the value of trees,

### en de la companya de la co

And the second of the second of

The second of th

the extensive damage caused by the Dutch Elm Disease to the elm tree, and the value of a census in the planned control of this disease. In many of our large cities, the availability of federal funds through the W.P.A. resulted in tree censuses for such large cities as Cleveland, Pittsburgh, and Los Angeles. It might be well to mention at this time that, although these W.P.A. tree censuses were made, the cities in many instances were unable to keep them up to date and after a period of time they became almost valueless.

A census may be solely a count of the number of trees such as one conducted by the City of Flint, Michigan. Another type was that made by the city of Pontiac, Michigan, which was a census of only main streets and arterial highways within the city, for the purpose of removing all dead and hazardous trees. The census of elm trees of Greenwich, Connecticut, can also be cited, here only samples and locations of all the cities elm trees were included in the census.

There have also been various types of tree surveys and censuses made. A national tree survey and census was sponsored by <u>Trees</u> magazine. Charts were distributed to the park departments that volunteered to take an active part in the survey. Unfortunately, it was never completed to the knowledge of the writer. There is also an article concerning a township census of all trees along or overhanging the public highway in Lower Merion Township, Pennsylvania. Over 40,000 trees were tabulated representing 131 species. The survey was very useful in studying plans for highway paving and other construction jobs. The last and most conventional level of tree census work is within cities and towns. This is the type of census which this study concerns.

It might be well to point out that all tree censuses are surveys but not all tree surveys are censuses. An example of this is the shade tree survey conducted in Winter Park, Florida.

Graduate study. A study was made by Ben B. Barickman at Michigan State College. "The City Shade Tree Census." This study included a questionnaire sent out to various city foresters, the results of the questionnaire, a group of letters of correspondence concerning questionnaire, and a partial tree census of East Lansing, Michigan.

The following are the questions asked in letters sent to city foresters in fourteen cities in various parts of the country.

- 1. Has your city ever made a shade tree census?
- 2. If so has it been kept up to date?
- 3. If so what value is placed upon it?

The results showed that 58 per cent of the cities had made a tree census of some sort, although some were so old they were practically worthless. The lack of funds had prevented the census, according to city officials in those cities in which a tree census was not taken. Of those replying that they had made a tree census, only 28 per cent of the censuses had been kept up to date. Lack of funds was given as the reason for not being able to keep the census up to date. As for the value of a tree census, all agreed to its high value except one large city in which the census was made over 17 years ago and had not been kept up to date.

Of special interest in this report are twelve personal letters written in reply to the questionnaire. These letters which included

•

•

..... 

•

•

much interesting information concerning tree censuses are referred to in several places in this paper.

The major part of all the literature concerning tree censuses was found in periodicals and bulletins. However, one book was found which devoted a chapter to a method of making a municipal tree census.

This book has been out of print for some time.

# REFERENCES CHAPTER II

- Baxter, Samuel N., "Why Small Shade Tree Census," American Forests, 47: 342-43, July, 1941.
- Francis, Henry R., "Report on the Street Trees of the City of New York," New York State College of Forestry at Syracuse University. <u>Bulletin</u>, <u>December</u>, <u>1914</u>, <u>No. 2</u>.
- Cox, Laurie Davidson, "A Street Tree System for New York City."
   New York State College of Forestry at Syracuse University.
   Bulletin, March, 1916, No. 5.
- 4. Smith, A. Oakley, "A Practicable Tree Census," American City, 16: 268-71, March, 1917.
- 5. Dietrich, Joseph R., "A Sound Tree Report," Trees, 8: 13-15, 18, December 1947.
- 6. Barickman, Ben B., "The City Shade Tree Census." Unpublished report at Michigan State College. Held by Karl Dressel, Michigan State College. Correspondence, The City of Pittsburgh. April, 1951.
- Barickman, Ben B., <u>Ibid.</u>, Correspondence, The City of Flint, Michigan.
- 8. Barickman, Ben B., <u>Ibid.</u>, Correspondence, The City of Pontiac, Michigan.
- 9. Dietrich, Joseph R., Ibid., p. 268
- 10. Scanlon, Edward, "A National Street Tree Survey," Trees, 3: 10, 11, 14, 15, July, 1940.
- 11. \_\_\_\_\_, "The Shade Tree Survey." Shade Tree, 14: 3-4, February, 1941.
- 12. Wolfe, H.S. & Watkins, J. V., "A Survey of Winter Park, Florida."

  21st National Shade Tree Conference 21: 111-14, 1945
- 13. Barickman, Ben B., Ibid.
- 14. Barickman, Ben B., Ibid., p. 3.
- 15. Solotaroff, William, Shade Trees in Towns and Cities. New York:
  J. Wiley and Sons, 1911. XVIII, 287 pp. Chapter 12, p. 244-57.

- on the state of th
- The property of the control of the con
- $\frac{1}{2} \left( \frac{1}{2} \left$
- - 18 57 1 2 1 7 4 52 6 6 2 6 4 2 4 7 1 2 2 6 7 1 4 1 1 4 1 2 6 2 6 7
- And the control of the second control of the property of the control of the control
  - 100 -
  - Control of the second second second of the s
  - and the profit of the profit o
- - The state of the s

# CHAPTER III

# METHODS AND TECHNIQUES OF MAKING A TREE CENSUS

# CENSUS MOTIVES

There are many reasons for making a census of city street trees the main one being that the census would enable the city forester to set up a city shade tree management plan and also have a factual count of the trees under his jurisdiction. A shade tree census might be made to determine the amount of damage caused by some natural disaster such as a heavy sleet storm; to determine the damage or potential danger to our trees from disease and insect epidemics; as a means of preparing requests for a department budget appropriation; and also as a basis for the assessment of costs to the abutting property owners for street tree improvement.

Once a census has been made, the additional uses of such a census are many. Questions, such as whether a tree should be removed or if there is room to plant another tree, can be settled quickly over the telephone or in the office without sending out an investigator, by simply consulting the census. Should insect infestation occur such as tent caterpillers and leaf defoliaters, a census can quickly determine the spray program needed, the extent of coverage required and the approximate time required to make the application of spray material.

When diseases such as Dutch Elm disease, Verticillium wilt or oak wilt break out or may appear, it can quickly be determined just where such infection may occur and thus plan a complete protective or eradicative

• •

and the second of the second o

 $\mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}})) = \mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}})) + \mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}})) = \mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}}(\mathcal{L}_{\mathcal{L}}))$ • .

•

program can be planned. Other programs such as tree planting, tree removal, and pruning are easily determined with the availability of a tree census.

# DEPARTMENT OR AGENCY THAT MAKES CENSUS

The question which often arises when a tree census is desired is how and by whom shall the census be conducted. Where financial means are available through the city it is usually carried out by the Park or Forestry department. There are a number of other ways in which a tree census can be made.

Where local colleges are available such a census might be conducted by forestry or arborculture students. Such a survey was conducted in Syracuse. New York. by four forestry students employed by the city for ten weeks during a summer vacation. Also certain state colleges are obligated to carry on educational work in forestry wherever that may be needed in their state, such work being a part of extension service duties. The work done in New York City, on "A Street Tree System," was conducted under such circumstances. Whether such a service would be available in other states is not known.

During the 1930's the W.P.A. was an agency active in taking tree censuses in many of our large cities. Money for census programs was usually appropriated by the Federal Government. A federal grant of over \$179,000.00 was made to the city of Cleveland in 1939 for tree census and was carried out by the W.P.A. under the supervision and guidance of Dr. Arthur B. Williams, ecologist of the Cleveland Museum of Natural History.

Still another method was used by the Park and Recreation Commission of Omaha, Nebraska where the city Boy Scout Organization carried out a very creditable census.<sup>5</sup>

#### DATA COLLECTION TECHNIQUE

Types of recording methods. The census recording methods are of three types. The first type is the use of a field note book into which all data is entered while in the field. These field books are kept in the city foresters office for reference. With this method it is also advisable to enter the information collected on a large scale map of the city, placing each tree in its exact location, with a notation of the diameter and species. This was the method that was described by William Solotoroff. A variation of this method was used in the recording of the census taken for this thesis.

The second type of recording method consists of placing all collected information on form sheets in the field, one sheet for each block. Later this information is typed on a perpetual inventory sheet. This sheet included all data collected in the field and an additional column headed "Date and Cause of removal." As future work goes on in the department and trees are planted and removed, the information can be entered into this blank column. All perpetual inventory sheets are then placed in a loose leaf binder.

The author of the method mentioned that all information entered in the blank column on the final sheets would be entered by hand. This would serve to differentiate between the original census information which was typed and any improvement to the street trees condition

following the census, such as planting and removal.

The third method and the most widely cited method in all investigation is the card system. The original card used in the field and containing all collected information is filed alphabetically by streets in a permanent office file. This system seems very popular and is by far the most economical since it reduces the amount of handling of information and allows for quick location of information. Another variation of this card system was set up by the City of Duluth. It was called a card index method wherein each block was numbered and streets were keyed by a letter. A master index was then developed which acted as a guide in filing the census information for each block. In addition to an index card for each block, photographs were taken of the streets. They were posted on cards and these cards were filed with the corresponding block index card.

Of additional interest was a chart used in a municipal street tree use survey in California. The chart was sent to every city park and city forestry department in Southern California. The chart, similar to a questionnaire asked for detailed information of every native and exotic tree which was growing on the city streets. The desired information on the sheet included botanical names, common names, tree type, growth habit, tree stature, foliage type, flower color, growth rate, adaptability, preferences, useful life, required width of parkways, distance apart, and cost of maintenance. Each park superintendent submitted a chart of information gained through his daily experience and observation of ideal conditions needed for each tree species present in his city. Later all these charts were compiled into one chart by the Street Tree Committee of the California Association of

Park Administrators. A copy of the final chart was published in Trees

10
magazine.

Measurement Technique. Tree census measurement methods and techniques are important as they control the accuracy of the data and also determine how large a crew it will be necessary to employ in the field. The number of crew men required is quickly determined by what accuracy of measurement the particular survey requires and by the financial situation. Adequate censuses have been made by crews consisting of one to three men. One man surveys are more difficult and usually require a longer period of time. Therefore, if at all possible, there should be at least two men to a crew.

Every good tree census locates the relative ground position of the tree. This is best done by the use of the measurements between each tree and their block corners. Other ground measurements that are sometimes taken are planting strip widths from sidewalk to street and parking widths along street curbing.

Where city forestry is done on the assessment basis it is of utmost importance that very accurate measurements be taken to insure proper tree location with respect to abutting property lines. A steel tape or a chain is usually used for such measurement and this requires at least two men to handle the tape or chain.

Another accurate method is the use of a wheel-like device called a "Rolotape." It is operated by one man who rolls it along the ground and reads the distance recorded by the machine. Such a device might prove very economical since it requires only one man for its operation and thus requires less time. The United States Department of Agricul-

ture uses the same wheel principle for measuring distances around farm fields. If such a device were available it might also prove practical, although no mention of its use was cited in any publications.

The pace is perhaps the quickest means of measuring ground distance, and where very accurate measurement is not required, this is the best method for computing distances within one or two foot accuracy. Since it requires only one man for pacing it will reduce the cost of the census. Pace refers to two steps, to determine it, double the average length of one step. If an average step is thirty inches the pace will be sixty inches or five feet. Therefore, every time the left foot takes a step forward, five ground feet have been traveled. With practice an individual can soon become reasonably accurate.

Tree diameter is another measurement taken in a tree census. Such measurements are usually taken at breast heights. The diameter at breast height usually conveys to the reader an idea of the height and age of a species. The diameter of some smaller type tree species like the Crapemyrtle (Lageratroemia indica) do not give an accurate idea of tree heights. Therefore tree height is then noted instead of diameter.

Three instruments can be used to obtain tree diameter. The tree caliper is the most accurate type of instrument and is relatively easily operated. The steel diameter tape can also be used, but where large trees are to be measured it is sometimes more difficult to use than a caliper. The Biltmore stick is the last type and can be used to make quicker measurements, although it produces the most erratic measurements. It is held at arms length which should be about 25 inches from the eye since the stick is graduated for 25 inches, and must be held

horizontal to the eye. Any variance from these rules will cause an error in the reading.

The ellipticity of a tree trunk section affects the accuracy of diameter measurements to some degree with every measurement device.

This ellipticity for small and medium sized trees has an effect of less than 0.1 inch. However, in measuring large trees it is a good practice to make two measurements at right angles to each other and the means of these two readings is the diameter.

Census sheet content. The content of a census sheet is very variable and is dependent upon the individual who is making the census and the purpose of the census. Very simplified censuses might include solely a numerical count of the trees. Whereas a very comprehensive census will include a large amount of information. The following is a list of information that may be included in a census.

- Date the information was recorded. The temperature may also be included.
- 2. Ward number or city zone number.
- 3. Street name and block number. In a small municipality census usually each individual block is numbered. In larger cities this is not always possible.
- 4. Property lines are optional but are required where tree work is done on an assessment basis.
- 5. Street numbers of homes and business places may be noted.
- 6. Block or street planning specification which specifies the tree type to fit the condition and use of the street.

• • `

• •

- 7. Soil types and moisture conditions are useful in later determining tree species best adapted to the soil condition.
- 8. Tree characteristics, such as species, diameter, condition and remarks.
- 9. Planting distances between trees.
- 10. Width of planting strip. This information is useful in determining tree species adaptable to this width.
- 11. Damages to curbing and sidewalks caused by tree roots.
- 12. Street and sidewalk dimensions and pavement type.
- 13. Parking widths along curbing.
- 14. Diagrams of the block and planting strip with the location of each tree noted.

Numerous examples of census sheets and cards with various arrangement of content have been illustrated in publications.

Classification of tree condition. The accuracy and completness of the analysis of tree condition is entirely dependent upon the background and knowledge of the observer and his ability to recognize the tree species, tree diseases, insect damage and other types of injury. The purposes of the tree census directly governs what data is to be collected. It might be a census made to assist in the control of a disease such as Dutch Elm or its purpose might be to determine traffic hazards caused by street trees. However, for whatever purpose the census might have, the census observer must be able to accurately record information to fulfill this purpose.

Many different classifications of tree conditions can be made and

is dependent upon the desired results of the census. Generally a classification into four types of conditions, good, fair, poor and dead is used. The decision as to the bounds of each of these classifications must necessarily be set up by the group making the census.

It cannot be over emphasized that the degree of accuracy and the value of the collected data is directly effected by the censors skill in making accurate measurements. His ability in species identification and ability to observe and present thoroughly and accurately each trees condition is very important. The value of the final analysis of a survey is directly effected by the initial tree census. From this it is apparent that the employment of a dependable and reliable person, who is able to fulfill accurately the purposes of a census is essential.

#### REFERENCES CHAPTER III.

- Barickman, Ben B., The City Shade Tree Census. Unpublished report at Michigan State College Held by Karl Dressel, Michigan State College, Correspondence, The City of Milwaukee, Wisconsin.
- Thompson, Robert A., "Syracuse Now Keeps a Complete Record of Street Trees." American City, 40: 169, January 1929.
- Cox, Laurie Davidson, "A Street Tree System for New York City."
   New York State College of Forestry at Syracuse University,
   <u>Bulletin, March</u>, 1916, No. 5, p. 11.
- 4. Van Heiningen, P. J., \*Clevelands Shade Tree Census.\* Parks and Recreation. 23: 290-93, March, 1940
- Barickman, Ben B., <u>Ibid</u>., Correspondence, The City of Omaha, Nebraska.
- Solotoroff, William, <u>Shade Trees in Towns and Cities</u>. New York-J. Wiley and Sons, 1911, XVIII, 287 pp., Chapter 12 p.246-47.
- 7. Forsberg, F. Morris, "Norfolk Counts Its Trees." Trees, 9: 18,20,26, December, 1948.
- 8. Thompson, Robert A., Ibid., p. 160
- 9. Sherman, Earl H., "Street Trees in Duluth, Minnesota."

  Parks and Recreation, 24: 266-73, February, 1941.
- 10. Scanlon, Edward, "Valuable Southern California Tree Data."

  Trees, 2: 8-9, October, 1939.
- 11. Traeger, E. L., "Santa Monica Surveys Its Trees." American City, 66: 141, April, 1951.
- 12. Forsberg, F. Morris, Ibid., p. 8.
- 13. Chapman, Merman H. and Meyer, Walter H., <u>Forest Mensuration</u>, New York: McGraw Hill Co., p. 191-92.

# • •

- en general en la companya de la com La companya de la co

- - n de la companya de la co
- $\frac{1}{2} \frac{1}{2} \frac{1}$

#### CHAPTER IV.

#### MASSILLON. OHIO TREE CENSUS

Early in September plans for the street tree census of Massillon, Ohio were prepared. At this time the writer was working in the Department of Parks in Massillon, Ohio. A tree census would be of considerable value to this city, should the city start a shade tree program. Thus the Superintendent of Parks, C. W. Bullock was consulted concerning possibility of the city making such a census, and he agreed and through his introductions the writer obtained interviews with the city Mayor, a member of the City Council, the Director of Public Service and Safety, and a member of the Board of Park Commissioners. During each interview many questions were asked, and a complete plan of the tree census was outlined and its many values to the city pointed out and explained. All agreed to its value and approved its being carried out, but it was felt that the city could not finance it in any way, and it would have to be an individual undertaking. The Board of Park Commissioners did allow the writer two hoursa day .. 2:30 p.m. to 4:30 p.m. to Conduct the census until completed, or until January 30, 1952, whichever occurred first. This time allowance made up approximately 25 per cent of the time required to complete the census and was indeed appreciated.

The actual tree census on which this study is based was begun in late October, and continued until it was completed six months later in the month of March. All data was collected late in the afternoon on week days, and also on Saturdays and Sundays when weather conditions were satisfactory. Work could not be done during severe cold or rainy

n en la companya de la companya de

weather, but due to the mild winter there was sufficient working time.

Since much of the census was made during the winter months, all tree identification and observation was made with the lack of leaves and under undesirable weather conditions. Although the absence of leaves is a limitation in making the most accurate variety identification for certain species and also does not enable the observation of effects of insects and disease pests on foliage, it does allow a more thorough examination for dead limbs, stubs and decay in the tree top.

It was discovered that the people are very interested in their trees and the censor was in an excellent position for the application of good public relations.

#### TECHNIQUE OF TREE CENSUS

Census Procedure. This tree census data was collected by one man and was recorded in Engineer field books. The procedure used in collecting this information was started by beginning at the block corner at the end of the street to be censored and numbering the first tree (1) and measuring the distance from the corner to the tree. On the right hand page of the field book a diagram or scale map of the street and block is illustrated (fig. 1). On this page the tree is marked by a small black circle with its tree number and distance from the corner. C-15 which would indicate it is 15 feet from the block corner.

Then on the opposite or left hand page (fig. 1) which is headed by its correct street name and date of census, the tree number (1) is entered, followed by the species of the tree, its diameter, its condition, and any remarks concerning details of the condition such as dead limbs, stubs, or trunk decay.

•

- .

•

. . .

•

•

•

.

f .

- ·

•


FIGURE 1
FIELD NOTE BOOK PAGE

Left side.

1, 4	RTH AL			Nov. 12, 1952
STA.	ELEVA.	GRADE	LEFT	C RIGHT
Tree No.	Species	D. B. H.	Condition	Remarks
/	Sofe Maple	26"	<u>G</u> • • •	
2	Red Maple	5.	G4	Frost Crack
3	Red Magic	8"	Medium	Dand Link
4	Red Maple	<b>6</b> .	61	
5	Sycamore	48.	Medium	Carity Filling Repair
<b>6</b>	Sycamore	39.	Poer	Dood - Lightwing
7	Sycamore	42.	Medium	Dead Limbs
33	Silver Maple	28.	Good	
34	Silver Maple	27	Medium	Stubs and Deery
35	Silver Mayle	25"	Medium	Jone Top
36	Silver Maple	27	64	
37	Silver Maybe	32.	64	Raising Walk
38	Silver Maple	. ! <u>"</u>	Good	
	!		• -	
	i :			
	!		4	
	•			
			i	
-				•

FIGURE 2
FIELD NOTE BOOK PAGE
Right page.

A F	REAS	CUBI	C YDS.	REMARKS
EXCAVATION	EMBANKMENT	EXCAV.	EMBANK.	
	38		<b>.</b>	
	) 2 3,		ġ.	
	340-			Wales Ra
	14.0 j	-	•	· · · · · · · · · · · · · · · · · · ·



This procedure is continued down the street until the opposite end of the street is reached, which might be two blocks or two miles. Then the man returns on the opposite side of the street to where he began tree number one (1). This method allows for greater speed and much less walking than if both sides of the street were done before going on to the next block.

Measurement technique. All ground measurements were made by use of the pace. Tree diameter measurements were made with a Biltmore stick which decreased the time rate for tree measurement.

Classification system of tree condition. This survey used only three classifications suggested by William Solotoroff.

- Good -- The tree was in full vigor with no immediate signs of decline apparent.
- Medium -- The tree was beginning to decline but can be restored to vigor by fertilization, pruning, cavity repair, bracing or in some other manner.
- Poor -- The tree was dead or was in such a state of decline it could not be restored.

In the survey remarks, following trees of medium or poor condition, a more detailed reason for the decline or death of the tree is given.

These remarks serve as an added means for setting up a maintenance program. Other remarks not related directly to the condition of the tree were included such as frost cracks, hangers, which are broken limbs hanging freely in the limbs of a tree, and broken walls or curbs caused by tree roots.

#### ADAPTATION OF DATA TO THE DISSERTATION

Data Arrangement. After the collection of all the census data of the trees of Massillon it was necessary to include this data within the dissertation in some clear and concise manner. All the data such as tree species, tree diameter, the tree condition and remarks, and the tree spacing distance which is to be used in location of each tree is included in this paper.

The city of Massillon is divided geographically into four main sections by two major avenues; they are Tuscarawas River in a north, south direction and the U.S. 30 Lincoln Highway going east and west. The city street system of division is into four sections. The northeast, southeast, southwest, and northwest sections fall between these two main avenues, the river and highway with slight variations.

The city street system base lines for this division is Erie Street north, Erie Street South, Lincoln Way East, and Main Street West. The northeast section is bounded by Erie Street North and Lincoln Way East, the southeast section is bounded by Erie Street South and Lincoln Way East, the southwest section is bounded by Erie Street South and Main Street West, and the northwest section is bounded by Erie Street North and Main Street West.

The data sheets of the census are grouped into these four sections.

Within each of those sections the name streets are arranged in alphabetical order and the numbered streets follow them in numerical order.

Man index system. Included at the end of this book is a map of the city of Massillon, Ohio. The base line streets are colored red.

Each city block within its section has been given a block number from one of two hundred, dependent upon the number of blocks occurring in the section. These block numbers are used as part of a key to locate the position of any street tree found in the data.

Explanation of Data Sheet. Each data sheet is arranged so that every tree may be located. Each street has the trees listed in the same numerical order in which they were recorded.

### To find any specific tree proceed as follows:

Section locations are marked in red cross lines on the map, Page\_\_\_\_. Note streets and blocks are labeled also.

Streets and sections are indicated at the top of each data sheet. Page\_\_\_\_\_to\_\_\_\_.

. Block numbers are indicated in the data sheet in bold type preceeding trees list of each respective block.

- 1. From lists supplied, locate section, street and block.
- 2. Next locate section, street and block on the map.
- 3. To determine the direction in which trees are numbered, check an adjacent block.
- 4. Exact location of any tree may be determined as follows:
  - a. Read all figures down on the pages.
  - b. And trees are designated for example as 65 C. which means 65' from the corner.
  - c. Position of the second tree is 50' from the first tree and the next number below indicates the distance of #3 from #2.
  - d. By this means any trees can be located by adding all preceeding figures. The total will indicate the distance the tree is from the corner. Individual numbers will designate the distance each tree is from the one listed immediately above.

## III. COLLECTED DATA

The following pages include all the detailed information collected in the field. For easier reference it is divided into four sections.

An alphabetical index to the streets included in the data can be found in the appendix.

NORTHEAST SECTION

pages 32 - 120

Tree No.	Species	DBM inches	Spacing		Tree Condition,- Remarks
BLOCK 1 2 3 4 5	Red Maple Sugar Maple Red Maple " " Sugar Maple	24 18 17 17 14	<b>c</b> –18 50 50 30 45	M G M M G	C
BLOCK	4	<b>2</b> 1	<b>c</b> -60	J	TO ME OF
6 7 8 9 10 11 12 13	Red Maple n n n n n n n n n n n n	20 23 20 16 19 11 14 18	c-15 38 40 70 20 20 25 25	M G M G M G	Stubs and limbs, bar's injury
ELOCK 15	5 Red Maple	12	c-40 c-30	М	Stubs and limbs
16 17 18 19	H H H H Sugar Maple American Elm	12 12 15	75 45 70 35 c-30	М Р <b>М</b> М	Disintegrating cavity work Top removed
20 21 22 23 24	6 Red Maple Norway Maple Red Maple Norway Maple " "	19 15 21 18 18	c-25 25 25 30 20 c-180	G G M G	Stubs
Block 25	7 American Elm	34	c-140 c-110	M	Stubs
26 27 28 29 30	8 Red Maple " " " " " " " "	17 20 12 19 30	<b>~</b> 5 20 20 20 20 40 <b>~</b> 140	M G G	Stubs Cavity and hanger
31 32 33 34 35 36	Red Maple Sugar Maple Red Maple H H H H Box Elder	31 22 14 7 22 10	c-135 15 15 15 15 15 30 c-15	P G M G M	Dead top and heart rot  Stubs  Stubs and frost crack

# Lincoln Way East

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK 37 38 39 40 41 42 43 44 45 BLOCK	American Elm  n n n n n n n n n n n n n n n n n n	25 20 36 20 22 15 16 14 19	20 15 45 15 30 20 20 20 20 20	M Stubs M Dead limbs M Stubs M Stubs G G G M Stubs M Cavity in limb
46 47 48 49 50 51 52 53	Red Maple n n n n n n n n n n n n	22 26 21 21 24 19 26 14	c-90 40 40 40 25 25 25 25 c-120	G M Limbs and stubs M Broken limb and hanger G M Dead limb and stub M Stub M Stub M Stub M Stub
54 52a	Red Maple	14 12	<b>c-</b> 15 25	G G
BLOCK 53a 54a BLOCK	172 Silver Maple	: 11 14	160 c-20	G G
55 56 57	Norway Maple Silver Maple Norway Maple	. 6	c-140 20 25 c-80	G G
58 59 60 61 62 63 64 65 66 67 68 69 70	174 Silver Maple  n	15 14 14 17 14 14 3 6 7 6 4 6	25 25 25 25 25 25 25 25 290 50 50 140 230	G G M Trunk injury G G G G G G G

Lincoln Way East

Tree No.	Species	DEN inches	<b>S</b> pacing	Tree Condition - Remarks
BLOCK 71 72 73 74	183 Silver Maple " " " " American El	2 2	<b>c</b> -80 20 30 25	G G G
BLOCK 75 76	127 Silver Maple	9 5	20 <b>~-7</b> 0	G G
77 73 79 80 81 82 83 84	126 Silver Maple  H H H H H H H H H H H H H H H H H H	2 12 17 20 19 24 20 18 20 12	c-45 145 20 25 25 15 15 20 30 c-5	G G G G G G
86 87 83 89 90 91	Norway Maple Silver Maple Red Maple Norway Maple Sugar Maple Silver Maple	e 16 10 e 8 12	c-15 20 30 25 35 40 30 c-10	G P Meart rot - decaying G G G Trunk hollow
93 94 95 96 97 98 99 100 101 103 104 105 107	Silver Maple  """ """ """ """ """ """ """ """ """	16 10 16 20 18 16 20 6 14 15 11	20 20 20 20 40 40 20 30 30 23 30 25	G G G G M Decaying - stubs G G G G G G G G G G G G G G G G G G G

Lincoln Way East

Tree No.	<del>-</del>	DBX ches	Spacing	Tr	ee Condition - Remarks
BLOCK 108	22 Red Maple	13	<b>c</b> -110	G	
109	H II	16	45	M	Stubs
110	n n	16	25	М	Stubs and hanger
111	11 11	18	45	М	Stubs and limbs, heart rot
112	American Elm	7	<b>1</b> 5	G	Trade and Limbo, need 100
113	Red Maple	20	15	Ğ	
114	Sugar Maple	12	30	M	Dead limbs
115	American Elm	40	25		Stubs
116	Red Maple	13	60		Stubs
117	n n	16	45	M	Stubs
,			c-2	••	
BLOCK	21		~ ~		
118	Red Maple	18	c-1	M	Bark injury
119	ท ที	16	45	M	Stubs
120	<b>11</b> 11	11	20	P	Stubs and cankers
121	H H	19	23	M	Dead limbs
122	n n	18	20	G	
123	Norway Maple	8	23	G	
124	Red Maple	20	20	G	
125	M 11	14	20	G	
126	n n	13	20	M	Stubs
127	# #	16	45	G	
128	M N	16	20	G	
דו ה מוצי	••		c-120		
BLOCK	20 Sugar Marila	10	0.15	G	
129	Sugar Maple	19 16	<b>c−1</b> 5 <b>2</b> 8	G	
130		10	c-175	u	
BLOCK	19		0-175		
131	Red Maple	24	<b>c−</b> 5	M	Stubs
132	n n	22	23	М	Stubs
133	11 11	$\tilde{15}$	23	M	Stubs and limbs
134	11 11	24	20	G.	
135	11 11	17	23	M	Stubs
136	Sugar Maple	26	20	G	
137	Red Maple	13	20	G	
138	H H	19	20	M	Stubs
139	M 11	19	20	M	Stubs
140	Morse-Chestnut		20	G	
141	Red Maple	29	45	G	
142	Sugar Maple	22	60	G-	
143	Red Maple	22	30	M	Large dead limb
144	Sugar Maple	<b>1</b> 5	43	Ģ	
<b>7</b> 00 -			<b>c-</b> 25		
BLOCK	18				
145	Sugar Maple	23	<b>c-</b> 35	G	
146	и и	16	25	G	

•

----

..

.

# Lincoln Way East

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	18, cont'd.				
147	Red Maple	24	30	P	Leaning - heart rot, stubs
148	American Elm	20	74	G	,
149	H H	2	95	G	
150	Slippery Elm	45	10	М	Stubs and limbs
151	H H	8	20	G	
-2-			c-65		
BLOCK	17				
152	Slippery Elm	26	<b>c</b> -35	M	Stubs and roots raising sidewalk
153	Red Maple	22	30	M	Stubs and hanger
	Ginkoo	23	_	G	_
154	Sugar Maple	14	40	G	•
155	n ti	14	25	M	Dead limb
156	American Elm	34	35	М	Many dead limbs and stubs
157	Red Maple	16	55	M	
	•		<b>~</b> 95		
BLOCK :	16				
158	Sycamore	34	<b>c-</b> 15	M	Dead limb
159	n	31	50	G	
160	Ħ	28	40	G	Kanger
161	n	28	20	И	
162	Silver Maple	18	50	G	_
163	n in	29	<b>3</b> 3	G	
-		-	<b>c</b> –90		
BLOCK	15				
164	Red Maple	21	<b>C</b> -55	M	Stude and limb
165	Silver Maple	28	35	P	Stubs and limbs
166	Red Meple	15	<i>5</i> 5	M	Stubs and limbs
167	Sugar Maple	11	20	G	
168	Red Maple	11	35	G	
169	American Elm	32	20	М	Stubs and limbs
			<b>c–</b> 105		
BLOCK			_		
170	Red Maple	19	<b>c-1</b> 80	G	
171	Red Maple	12	20	M	Dead limb
			<b>c-</b> 45		
D+	75 - 3 - 37 - 77				V
Dexter	Road, N.E.				March 20, 1952
BLOCK	153				
1	Silver Maple	1	c-20 (	(fire	plug) G
2	ท ที	1	30	G	
3 4	Sugar Maple	1	80	G	
4	ii n	1	75	G	
			<b>C</b> _185		

Tree	_	DBH nches	Spacing	Tr	ee Condition - Remarks
DT O OT	(0				
BLOCK	60		- 00	~	
1	Red Maple	11	<b>c</b> –20	G.	
2	American Elm	_	35	G	
3		25	40	G	
4	Silver Maple		38	G	
5 6	Sugar Maple	14	25	G	
6	Red Maple	14	28	G	
7	H H	17	13	G	
8	11 11	20	45	G	Chains as braces
9	Sugar Maple	14	23	G	
10	M H	8	20	G	
11	Silver Maple		60	G	
12	Red Maple	24	73	M	Leaning into street
13	n N	14	30	G	
14	M M	17	60	G	
15	Silver Maple	24	28	G	
16	Red Maple	14	<b>1</b> 5	G	
			c-20		
BLOCK	1				
17	Silver Maple	15	<b>c-</b> 20	G	
18	Silver Maple		30	Ğ	
19	n h	13	30	Ğ	
20	11 11	15	30	Ğ	
21	n n	24	15	Ğ	
22	11 11	14	15	Ğ	
	11 11	14	15	G.	
23	n 11	17	15	G-	
24	n N			G	
25	 11 N	17	15	G	
26	n n	22	35		
27	" "	28	25	G	
DT o gyr	700		<b>c-1</b> 0		
BLOCK	105		- 70	~	
28	Red Maple	19	<b>c</b> -10	G	
29	Silver Maple		28	G	
30	и и	15	18	G	
31	Norway Maple		25	G	
32	Red Maple	12	20	G	
33	Silver Maple		35	G	
34	Red Maple	13	40	G	
35	# #	15	120	G	
D	_		<b>c-</b> 8		
BLOCK	108			_	
36	Silver Maple		<b>c-1</b> 0	G	
37	# 11	12	18	M	Suppressed
38	n n	22	20	G	
39	Norway Maple		88	G	
40	H 11	15	30	G	
41	Red Maple	11	33	G	

Amherst Road, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK 42 43 44 45	108, cont'd Silver Maple Norway Maple	20 15 13 14	30 55 20 18 c-15	G G G
46 47 48 49 50 51	109 Norway Maple Red Maple Sugar Maple " Norway Maple " Red Maple	14 13 15 12 17 18	c-15 25 25 23 23 16 12 c-8	G G G G G P Topped
53 54 55 56 57 58 59 60 61 62 63	115 Norway Maple Red Maple Silver Maple Red Maple Sugar Maple Red Maple Red Maple Red Maple Red Maple Red Maple	11 15 24 20 19 23 16 22 25 16 22	<b>c</b> -20 20 23 23 40 45 25 25 25 25 25 23 <b>c</b> -20	P Debarked - insects G M Stubs and limb G G G G G G G G G G G G G G G G G G G
64 65 66 67 63 69 70 71 72 73 74 75 76 77 78	Sugar Maple  "" "" "" Silver Maple Red Maple American Elm Red Maple "" American Elm Box Elder Red Maple Sugar Maple Red Maple "" "" "" ""	13 12 12 20 7 14 16 14 30 9 14 14 20 14	20 20 23 13 20 26 30 45 23 30 35 20 25 23 25 <b>C</b> -210	G G G G G G G M Stubs and frost crack G G G G G G G G G G G G G G
79 80	150 Silver Maple	1	<b>c-</b> 80 30	G G

Amherst Road, N. E.

Tree No.	_	DBI nches	Spacing	Tree Condition - Remarks
81 82 83 84 85 86 87 88	150, cont'd. Silver Maple  M Red Maple  M Silver Maple  M M  M M M M M M M M M M M M M M M M	1 9 11 8 10 10	13 13 20 13 33 15 15 8 ~15	<b>ራ</b> <b>ራ</b> <b>ራ</b> <b>ራ</b> <b>ራ</b> <b>ሪ</b>
93	Morse Chestnut American Elm Paper Birch Red Maple Sugar Maple	11 28 4 15 13	<b>~33</b> 30 28 75 23 <b>~</b> 68	G G G G
94 95 96 97 98	144 Norway Maple  H H H N Silver Maple H H	13 9 11 19 13	c-110 20 58 23 20 c-18	G G G G
99 100 101 102 103 104 105 106 107	Silver Maple  """  """  Red Maple  """  American Elm  ""	20 14 20 16 25 6 15 12 28	23 15 20 18 15 25 60 15	G G G G G G M Injured trunk G
108 109 110 111 112 113 114	Chinese Elm American Elm Silver Maple " Red Maple Sugar Maple Red Maple	4 14 24 24 17 9 16	<b>c</b> −70 20 35 15 55 20 30 <b>c</b> −35	G G G G M Stubs and wires G
BLOCK 115 116	172 Red Maple	17 14	<b>c-</b> 5 35	M Stubs G

Amherst Road, N. E.

Tree No.	Species	DBI inches	<b>S</b> pa <b>c</b> ing	T	ree Condition - Remarks
BLOCK	172, cont'd.	•			
117	Norway Maple	12	45	G	
118	Silver Maple	16	25	G	
119	n 11	16	25	M	Stubs
120	Red Maple	14	30	G	
121	Silver Maple	22	<b>1</b> 5	M	Stubs
			c-11		
BLOCK	116				
122	Red Maple	14	<b>~</b> 75	G	
123	Silver Maple	18	<b>3</b> 8	G	
124	Norway Maple	12	20	G	
125	White Ash	18	45	G	
126	Mountain Ash	5	- 25	G	
127	# #	5	23	G	
128	11 11	5 5 <b>5</b>	20	G	
129	11 H	5	23	G	
			<b>c-</b> 25		
BLOCK	106			_	
130	American Elm	25	<b>c</b> -103	G.	
131	Slippery Elm	18	50	G	
132	American Elm	40	61	G	
133	N 11	40	30	G	
134	11 11	41	5 <b>5</b>	G	
135	N N	38	30	G	
136	Slippery Elm	20	60	G	
BLOCK	92		<b>0−</b> 30		
137	Red Maple	16	<b>c-1</b> 5	G	
138	American Elm	19	30	Ğ	
139	n n	17	30	Ğ	
140	Norway Maple	25	20	G	
141	Silver Maple	17	30	G	
142	Sugar Maple	11	25	G	
143	Silver Maple	24	20	M	Stubs and limbs
144	Silver Maple	16	15	G	
145	Norway Maple	6	40	G	
146	Silver Maple	22	73	G	
147	n n	1	45	P	
148	Sycamore	20	30	G	
149	Norway Maple	17	55	G	
150	11 11	17	25	G	
151	Red Maple	11	25	P	Girdled
152	Silver Maple	15	18	G	
153	Red Maple	16	45	G	
	_		<b>∽</b> 50		
BLOCK	61				_
154	Red Maple	18	<b>c-</b> 25	M	Cavity
155	N 11	19	15	М	Stubs and limbs

Amherst Road, N. E.

Tree No.	Species	DB1 inches	Spacing	T	ree Condition - Remarks
BLOCK 117 118 119 120 121	172, cont'd. Norway Maple Silver Maple Red Maple Silver Maple	12 16 16 14 22	45 25 25 30 15	G G M G M	Stubs Stubs
BLOCK 122	116 Red Maple	14	c−11 c−75	G	
123 124 125 126 127 128	Silver Maple Norway Maple White Ash Mountain Ash " "	13 12 18 5 5 5	38 20 45 25 23 20	<b></b>	
129	n n	5	23 <b>c-</b> 25	Ğ	
132 133 134 135 136	American Elm Slippery Elm American Elm "" "" "" "" Slippery Elm	25 18 40 40 41 38 20	<b>c−1</b> 03 50 61 30 55 30 60 <b>c−3</b> 0	00000000	
137 138 139 140 141	92 Red Maple American Elm n Norway Maple Silver Maple	16 19 17 25 17	<b>c-1</b> 5 30 30 20 30	0 0 0 0 0	
142 143 144 145 146	Sugar Maple Silver Maple Silver Maple Norway Maple Silver Maple	11 24 16 6 22	25 20 15 40 73	В В В	Stubs and limbs
147 148 149 150 151	Sycamore Norway Maple " "Red Maple	1 20 17 17	45 30 55 25 25	P G G P	Girdled
152 153 BLOCK	Silver Maple Red Maple	15 16	18 45 <b>⊶</b> 50	G G	
154 155	61 Red Maple	18 19	<b>~</b> 25 15	M M	Cavity Stubs and limbs

Amherst Road, N. E.

Tree No.	Species	DBH inches	Specing	Tr	ee Condition - Remarks		
BLOCK 156 157 158 159 160 161 162 163 164 165	61, cont'd. Sugar Maple  " " Silver Maple  " " " " " " " " " " Red Maple " "	5 28 22 19 28 20 31 11	30 15 35 23 50 45 20 35 65 18 <b>c-</b> 215	G G M M G M M G G	Stubs and cavity Stubs and hanger Stubs and cavities Stubs and limbs Covered with stubs		
Erie Street, North October 23, 195							
BLOCK 1 2 3	7 Silver Maple " Catalpa	18 3 7	c-200 50 6 c-13	С С С			
BLOCK 4 5 6	8 Red Maple Norway Maple Silver Maple		<b>c-1</b> 30 65 23 <b>c-</b> 20	<b>G</b>			
8 9	79 Silver Maple	10 12 12	<b>c</b> -150 38 35 <b>c-1</b> 8	<b>G</b> G			
10 11 12 13 14 15 16	171 Red Maple  " "  " "  Sugar Maple  " "  Silver Maple  " "	12 11 12 4 4 3	c-18 30 65 12 12 20 20 c-100		Frost crack  Low crotch Scald and low crotch		
Sheffield Avenue, N. E. February 4, 1952							
ELOCK 1 2 3	134 Sugar Maple Box Elder Silver Maple		<b>c-115</b> 175 20	<b>G</b> G			

. . . .

--

. . . .

\_\_\_\_

BLOCK 44  1 Red Maple 23 C-205 G 2 " " 16 27 M Heart rot
2
3 Red Maple 17 c-5 C 4 " " 15 27 M Keart rot 5 " " 15 13 G 6 " " 12 20 G 7 Norway Maple 22 13 G 8 Red Maple 19 20 G 9 " " 13 25 G 10 " " 16 30 G Frost crack 11 Basswood 23 33 G 12 " 14 25 M Growthoon upper limbs c-15  BLOCK 63  13 Silver Maple 17 c-15 M 14 " " 20 23 G 15 " " 20 24 G 16 Catalpa 2 30 G 17 " 1 24 G 18 Silver Maple 21 24 G 18 Silver Maple 13 13 G 21 " 9 13 G 22 Sugar Maple 13 13 G 23 " " 11 24 G 25 Silver Maple 13 13 G 27 " 1 24 G 28 Silver Maple 13 13 G 29 Silver Maple 13 13 G 20 C-2  BLOCK 65
# # # 15 27 M Meart rot  5
1
7 Norway Maple 22 18 G 8 Red Maple 19 20 G 9 " " 18 18 25 G 10 " " 16 30 G Frost crack 11 Basswood 23 33 G 12 " 14 25 M Growthoon upper limbs c-15  BLOCK 63 13 Silver Maple 17 c-15 M 14 " 120 23 G 15 " 1 20 24 G 16 Catalpa 2 30 G 17 " 1 24 G 18 Silver Maple 21 24 G 18 Silver Maple 21 24 G 19 Norway Maple 14 c-10 G 20 Sugar Maple 13 13 G 21 " " 9 18 G 22 Silver Maple 13 13 G 23 " " 11 24 G ELOCK 65
7 Norway Maple 22 18 G 8 Red Maple 19 20 G 9 " " 18 18 25 G 10 " " 16 30 G Frost crack 11 Basswood 23 33 G 12 " 14 25 M Growthoon upper limbs c-15  BLOCK 63 13 Silver Maple 17 c-15 M 14 " 120 23 G 15 " 1 20 24 G 16 Catalpa 2 30 G 17 " 1 24 G 18 Silver Maple 21 24 G 18 Silver Maple 21 24 G 19 Norway Maple 14 c-10 G 20 Sugar Maple 13 13 G 21 " " 9 18 G 22 Silver Maple 13 13 G 23 " " 11 24 G ELOCK 65
8 Red Maple 19 20 G 10 18 18 25 G 10 19 16 30 G Frost crack 11 Basswood 23 33 G 12 14 25 M Growthoon upper limbs c-15  BLOCK 63
10
11 Basswood 23 33 G 12 " 14 25 M Growthoon upper limbs c-15  BLOCK 63  13 Silver Maple 17 c-15 M 14 " 20 23 G 15 " " 20 24 G 16 Catalpa 2 30 G 17 " 1 24 G 18 Silver Maple 21 24 G 18 Silver Maple 14 c-10 G 20 Sugar Maple 13 13 G 21 " " 9 18 G 22 Silver Maple 13 13 G 23 " " 11 24 G C-2  BLOCK 65
12
C-15   BLOCK 63   13   Silver Maple   17   C-15   M   14   H   H   20   23   G   15   H   20   24   G   G   G   G   G   G   G   G   G
BLOCK 63  13 Silver Maple 17 c-15 M  14
13 Silver Maple 17 c-15 M 14
15
16 Catalpa 2 30 G 17
17
18 Silver Maple 21 24 G c-130  BLOCK 64  19 Norway Maple 14 c-10 G 20 Sugar Maple 13 18 G 21 " " 9 18 G 22 Silver Maple 13 18 G 23 " " 11 24 G c-2  BLOCK 65
C-130  BLOCK 64  19 Nortay Maple 14 C-10 G 20 Sugar Maple 13 18 G 21 " " 9 18 G 22 Silver Maple 13 18 G 23 " " 11 24 G ELOCK 65
BLOCK 64  19 Norway Maple 14 c-10 G  20 Sugar Maple 13 18 G  21 " " 9 18 G  22 Silver Maple 13 18 G  23 " " 11 24 G  C-2  BLOCK 65
19 Norway Maple 14 c-10 G 20 Sugar Maple 13 18 G 21 " " 9 18 G 22 Silver Maple 13 18 G 23 " " 11 24 G c-2 BLOCK 65
20 Sugar Maple 13 18 G 21 " " 9 18 G 22 Silver Maple 13 18 G 23 " " 11 24 G c-2 BLOCK 65
22 Silver Maple 13 18 G 23 " " 11 24 G c-2 BLOCK 65
23 " " 11 24 G c-2 BLOCK 65
C-2 BLOCK 65
BLOCK 65
24 White Ash 12 C-15 G
25 N N 12 20 G
26 Red Maple 3 90 G
27 " " 11 35 G
<b>c-</b> 20
BLOCK 66 28 Silver Maple 23 c-15 G
29 m m 21 :25 G
30 Red Meple 21 18 M Stubs
31 m n 16 20 G
32 Silver Maple 13 35 M Stubs
33 " " 12 15 G 34 " " 19 15 G
2, -2
35 Chinese Elm 6 15 G 36 Silver Maple 14 30 G

Andrew Avenue - N. E.

Tree	-	DBI ches	Spacing	Tr	ee Condition -	Remarks
37 38 39 40 41	66, cont'd. Red Maple Silver Maple Red Maple Silver Maple Sugar Maple	12	20 49 30 25 28 <b>c-</b> 20	ტ ტ ტ		
BLOCK 42 43	67 Norway Maple	14 14	c-140 23 c-25	G G		
BLOCK	69					
44		2	<b>c</b> –30	G		
45	Red Maple	13	30	G		
46	11 11	17	25 <b>⊶175</b>	G		
BLOCK	38			_		
47		1	<b>c-</b> 20	G		
<b>↓</b> 3	p 11	1	23	G		
49	American Elm	15	175 <b>c-</b> 20	G		
BLOCK			- 05	~		
50	Norvay Maple	13	<b>c</b> -35 <b>c</b> -165	G		
BLOCK	-		3 =	~		
51		12	<b>c-</b> 15	G.		
52	Sugar Maple	14	55 22	g		
53	Red Maple	13	3 <b>3</b> 38	G G		
54	American Elm	18	30	G		
55	White Ash	17	35 <b>c-1</b> 5	· ·		
BLOCK			<b>7</b> 0	G		
56	Sugar Maple	14	<b>c</b> –70	G		
57	Silver Maple	7	<b>3</b> 0 20	G		
58	,, 10	3				
59	Red Maple	11	33	G C		
60	M 11	10	20	G G	Frost crack	
61	Sycamore	20	<b>3</b> 3 20	G	PIOSO CIGAL	
62	Silver Maple	15	25 24	G		
63 64	American Elm	14 10	15	G		
65	••	14	50	Ğ		
66		12	20	Ğ		
67		13	30	G		
68	n n	12	2.5	G		
-3		~	<b>c</b> -65			

• • • • • • • • • • • • • • • •

\_\_\_\_\_

• :

I.

Andrew Avenue, N. E.

Tree	Species	DBX	Spacing	Tr	ee Condition - Remarks
No.		inches			
BLOCK	34				
69	Red Maple	15	<b>c-</b> 25	G	
70	Silver Maple	3	45	P	Sprouts
71	11 11	12	<i>5</i> 3	G	-
72	American Elm	10	25	G	
73	n n	10	25	M	Tight crotch
74	n n	7	25	G	
75	<b>11</b>	10	25	G	
			c-15		
BLOCK		_		_	
76	American Elm	9	c-15	G	
<b>7</b> 7	n n	11	25	G	
<b>7</b> 8	n n	12	25	G	
<b>7</b> 9	11 11 11	12	25	G C	
80		21	40	G	
81	Red Maple	10	30 63	G C	
82		13 8	23 25	G G	
83	Silver Maple	O	35 <b>c-</b> 25	G	
BLOCK	32		C= 2.7		
84	Silver Maple	13	<b>c-1</b> 5	М	Stubs and top blown out
85	H H	15	25	G	
86	11 11	13	23	M	Stubs
87	11 11	21	48	G	
88	Red Maple	16	24	G	
89	<b>11</b>	10	12	М	Stubs
90	Silver Maple	17	12	G	
91	Red Maple	15	28	G	
92	N H	20	28	G	
93	11 11	16	15	M	Butt rot
			<b>c</b> –15		
BLOCK	_		•	_	
94	Silver Maple	30	<b>c–</b> 8	G	
95	W H	43	100	G	
96	Red Maple	13	20 1.0	G V	Powle in items
97	H II	24	48	M	Bark injury
			<b>c-</b> 65		

Tree No.	Species	DBN inches	Spacing	Tr	ee Condition - Remarks
BLOCK 1 2 3 4 5 6	56 Silver Maple  " "  " "  Carolina Popla  " "	16 9 10 17 18 20	c-13 17 18 20 15	G G G M M	Meavily pruned " " Meart rot
BLOCK 7 8 9 10 11 BLOCK	57 Silver Maple n Norway Maple n Sugar Maple	19 15 10 12 13	<b>c</b> −75 <b>c</b> −30 13 30 15 55 <b>c</b> −30	G G М G	Suppressed
12 13 14 15 16 17 18	Red Maple Basswood Red Maple	15 14 19 10 20 17 18	<b>2</b> 35 15 20 23 15 53 55	<b>6644666</b>	Dead top Suppressed and diseased
20 21	Red Maple Sugar Maple Tulip Poplar Red Maple Sugar Maple	15 15 7 10 13 16	30 15 40 45 20 53 115 <b>c-</b> 10	M G G G G G	Dead limb  Weak crotch
BLOCK 27 28 29 30 31 32 33 34	59 Red Maple  n n Silver Maple Sugar Maple Red Maple n n	7 9 15 23 20 11 27 17	c-8 25 23 20 20 28 33 54 c-8	G G M G G G G	Dead limb
35 36 37 38	60 American Elm Red Maple American Elm Norway Maple	13 15 34 14	<b>c-1</b> 0 30 18 55	G P G	Topped

.

-

Cherry Road, N. E.

Tree No.	Species	DBK inches	Spacing	Tree Condition - Remarks
39 40 41 42 43 44	60, contid. American Elm Norway Maple Red Maple " " " "	27 24 11 12 26 14	18 45 18 20 20 20 c-20	G G Frost crack G G G
BLOCK 45	61 Sugar Maple	14	c-175 c-10	G
60 61 62 63 64 65 66 67 68	Silver Maple  n n n n n n n n n n n n n n n n n n	26 25 27 18 10 12 14 15 11 30 8 15 16 18 14 15	c-10 20 38 35 18 35 15 15 45 20 30 35 40 20 15 18 15 18 20 40	G G G G G G M Dead top G G G G G G G G G G G G G G G G G G G
69 70 71 72	Sugar Maple Silver Maple Red Maple	12 23 24 22	<b>c</b> -35 <b>160</b> 30 65 <b>c</b> -10	G G Frost crack G
73 74 75 76	Silver Maple  Red Maple	15 8 15 9	<b>c-</b> 25 25 40 20	G G G

· ·

Cherry Road, N. E.

Tree No.	-	B <b>X</b> he <b>s</b>	Spacing	Tree Condition - Remarks
77 73 79 80	44, contid. Red Maple n n n	14 12 12 12	20 20 20 20	G G G
81	American Elm	17	20 20 <b>c-</b> 43	G
82 83 84 85 86 87 88	Red Maple  n  n  Silver Maple  n  Red Maple  n  Torse-Chestnut	13 15 10 22 20 15 15	c-20 30 28 45 30 25 23 70	G G G G G G G M Stubs and frost crack
BLOCK	54		<b>c</b> _40	
90 91 92 93 94 95 96	Pin Oak Norway Maple  "" American Elm  "" "" "" "" "" ""	1 18 13 11 10 11	<b>~</b> 55 45 20 75 23 20 20 20 <b>~</b> 25	G G G G G
97 98 99 100 101 102 103	American Elm Silver Maple  M American Elm Red Maple  M H	18 11 12 43 12 17 16	0-15 145 20 45 20 45 24 6-5	G G G G G Frost crack P Decayed and ants in trunk
104 105 106 107 108 109	52 Silver Maple  n  n  n  n  n  n	13 17 17 18 17	<b>c</b> −5 20 20 23 23 23 20 <b>c</b> −130	G G M Mollow G G
110 111 112 113	51 Silver Maple Red Maple	16 12 14 17	c-15 20 31 50	G G G

Cherry Road, N. E.

Tree	Species DB	•	Spacing	Tree Condition - Remarks
No.	inc	nes		
BLOCK	51, cont'd.			
114	Red Maple	18	35	G
115	11	17	18	G
116	N 11	17	<b>3</b> 5	G
117	Sugar Maple	15	60	G
	•		c-15	
BLOCK	25			
118	Silver Maple	12	<b>c-</b> 25	G
119	Red Maple	14	30	G
120	Sugar Maple	10	30	G
121	11 11	12	30	G
122	W II	12	30	G
123	Red Maple	12	35	G
124	<b>11</b>	14	25	G
125	Sugar Maple	6	15	G
126	Carolina Poplar	22	25	M Stubs
127	Catalpa	9	50	G
	-		<b>c-</b> 65	

# Williams Avenue, N. E.

October 31, 1951

		_				•
BLOCK	88					
1	Red Maple	12	<b>c-</b> 30	G		
2	y 11	14	145	G		
			<b>c-</b> 20			
BLOCK	100					
3	Silver Maple	17	<b>c-</b> 25	G		
4	American Elm	5	<b>3</b> 8	G		
5	Silver Maple	15	90	G		
6	n În	16	18	M	Stubs	
			c-25			
BLOCK	101		_			
7	Silver Maple	3	<b>c-</b> 25	G		
8	<b>11</b>	3	15	G		
9	Sugar Maple	12	35	G		
10	Red Maple	10	20	G		
11	n n	10	22	G		
12	H H	10	20	G		
13	Norway Maple	13	23	G		
14	ที่ที	12	23	G		
			<b>c</b> -20			

Tree	Species	DB <b>X</b> nches	Spacing	Tr	ee Condition - Remarks
BLOCK	46	20	- 00	0	
1 2	American Elm Sycamore	28 26	<b>c-</b> 20 20	G G	
	Yorse-Chestnut		23	G	
3	Red Maple	16	20	G	
5	N N	16	53	Ğ	
5 6	n n	27	45	G	
7	99 11	18	33	G	
8	n n	11	20	G	
9	Sugar Maple	18	<i>5</i> 3	G	
10	11 11	12	38	G	
11	# #	7	20	M	Suppressed
12	Silver Maple	19	15	G	
13	<b>H</b> H	8	12	G	
14	Red Maple	11	18 <b>c</b> -48	G	
BLOCK	47		<b>C</b> -40		
15	Red Maple	8	<b>~</b> 5	G	
16	a in	11	<b>1</b> 8	Ğ	
17	M H	11	20	G	
18	n n	16	20	G	
19	Cherry shrub	2	25	G	
20	Norway Maple	3 9	8	G	
21	Catalpa		15	G	
22	Sugar Maple	5	20	G	
23	Mountain Ash	4	6	G	
24	Red Maple	15	11	G	
25	Red Alder	16	20	G	
26	Sugar Maple	12	24	G	T) - 2 7 2 .3.
27	Red Maple	14	20 <b>~</b> 35	M	Dead limb
BLOCK	<b>4</b> 8		<b>6</b> -35		
28	Silver Maple	25	c-15	M	Stubs
29	Norway Maple	18	25	G	
30	Silver Meple	20	25	G	
31	Silver Maple	22	23	M	Decayed trunk
32	Silver Maple	25	23	G	
33	Carolina Popla		55	G	
34	Silver Maple	24	75	G	_
35	Red Maple	12	35	M	Dead top
BLOCK	lio.		<b>~</b> 38		
36	49 Burr Oak	30	<b>c-1</b> 45	G	
37	Silver Maple	)0 11	23	Ğ.	
38	Red Maple	10	55	Ğ	
39	American Elm	24	24	Ğ	
40	n n	25	24	G	
		-	c-12		

Chestnut Avenue, N. E.

Tree No.	<b>S</b> pecies	DBM inches	Specing	T	ree Condition - Remarks
#1 #2 #3 #4 #5 #6	Sugar Maple Carolina Popi	17 lar 30 31 43 12 13	c-60 20 20 20 23 40 c-115	G В В В В	Stubs
#500K 47 48 49 50 51 52	American Elm Red Maple Silver Maple Sugar Maple Red Maple	24 13 25 34 17 13	c-78 90 20 20 33 33 c-35	о о о о о о о о о о о о о о	Stubs
53 54 55 56 57 58 59 BLOCK	Red Maple  ""  Silver Maple  Red Maple  Fr.P.Willow  Black Locust	22 13 17 18 18 1	<b>c</b> -30 20 30 30 33 20 60 <b>c</b> -25	M M G G G	Stubs and decayed Stubs Mas Galls Stubs
60 61 62 63 64 65 66 69 70 71 72 73	Norway Maple Chinese Elm Norway Maple  Chinese Elm American Elm Silver Maple Sugar Maple Silver Maple  N  N  N  N  N  N  N  N  N  N  N  N  N	14 5 9 10 5 18 18 16 18 17 17 13 12 13	c-35 24 20 20 20 13 23 27 27 35 40 20 23 20 c-80	0,000000000000000000	

# Commonwealth Avenue, N. E.

March 22, 1952

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	110			
1	Morway Maple	9	<b>c-1</b> 60	G
2	n n	ģ	20	G
3		8	30	G
3 4	# #	9	20	G.
•			<b>~</b> 165	•
BLOCK	109		0 200	
5	Red Maple	3	<b>0-</b> 25	G
6	W W	3 5 8	20	G.
7	<b>10</b>	5	115	<b>G</b>
Ģ	# #	8	20	G
ģ	Norway Maple	6	75	G
10	H H	6	28	G
11	Red Maple	19	20	G
12	Silver Maple	24	110	G
13	# W	24	20	G
14	Norway Maple	13	25	G
15	H N	18	18	G
16	# #	14	70	G
17	Silver Maple	28	45	G
18		17	25	<b>G</b>
19	Red Maple	12	30	<b>G</b>
20	Silver Maple	10	25	G
21	•	22	18	<b>G</b>
22		26	30	<b>G</b>
23	Norway Maple	6	30	<b>Q</b>
24	Red Maple	14	35	•
25	* *	15	25	<b>G</b>
26	• •	8	95	G
27	Sugar Maple	10	18	G .
28		20	23	6
29	Red Maple	12	25	G.
30		11	23 105	G C
31	Sugar Maple	17	105	G G
32		16	35	<b>G</b>
BLOCK	108		<b>c-</b> 20	
	Morway Maple	13	<b>c-1</b> 5	G
33 34	normen wabre	16		Ğ
34 35		12	35 <b>2</b> 0	8
35 36	Apple Tree	3	25 25	•
36 37	Norway Maple	13	125	•
37 38	M N	10	15	Ğ
39	Sycamore	20	65	ē.
40	Norway Maple	15	40	<u> </u>
41	ansan wons	16	25	G
42	Red Maple	14	25 25	Ğ.
72	mer wehre	<b>-</b> 7	~)	•

# Commonwealth Avenue, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	108, cont'd.			
43	Norway Maple	15	30	G
44	Sycamore	20	95	G
45	Silver Maple	20	30	G
46	M N	17	25	G
47		21	50	G
48	Sugar Maple	11	205	G
49	# #	10	20	G
50	Red Maple	4	165	G
51	Silver Maple	21	20	G
52		1	55	G
53	Norway Maple	5	30	<b>G</b>
54	Silver Maple	13	90	G
55	<b>H H</b>	14	20	G
56	Ginkoo, fastig	. 8	100	•
57		10	20	G
58		8	20	G
			<b>c-1</b> 5	

### 10th Street, N. E.

# March 21, 1952

	•				
BLOCK	153				
1	Mountain Ash	1		G	
2		1	25	G	
_			<b>0-3</b> 0		
BLOCK	157				
3	Sugar Maple	10	<b>~21</b> 5	G	
4	1 1	10	33	G	
5		9	30	G	
6		ģ	30	G	
		•	<b>0</b> –20		
BLOCK	168				
7	Sugar Maple	1	<b></b> 60	G	
Ė	1 1	1	50	G	
9	Silver Maple	ī	50	G	
10		1	25	· G	
11	Norway Maple	3	435	G	
BLOCK	158				
12	Silver Maple	5	<b>0-</b> 30	<b>G</b>	
13	11 11	5	25	G	
14		4	25	G	
15		4	25	G.	
16	Pin Oak	1	80	<b>Q</b>	
17		ī	90	G	
-,		_	0-45	-	

# Coventry Road, N. E.

March 21, 1952

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	162			
1	Chinese Elm	6	o-425	G
		7	25	G
2		6	2 <i>)</i> 30	G
2 3 4	* *	5	20	G
5	Silver Maple	∶ <b>5</b>	35	G
,	-11 or maps o		<b>0–1</b> 15	<b>J</b>
BLOCK	165		V == 3	
12	Silver Maple	6	<b>c-</b> 15	P Trunk decayed
13	N N	9	35	G
14		ıí	35	G
15		11	35	Ğ
16	<b>H H</b>	11	35	<b>G</b>
17		11	35	Ğ
18		12	40	G
119		9	40	G
20	M M	13	35	G
21	W W	8	35	<b>G</b>
22	W W	9 8	35	<b>G</b>
23	W #	8	35	G
			<b>o</b> –30	
BLOCK	168			
24	Silver Maple	7	<b>-</b> 20	•
25		11	35	<b>G</b>
26		8	<b>35</b>	Ģ
27	<b>H H</b>	11	40	<b>G</b>
<b>2</b> 8	<b>H H</b>	11	<b>35</b>	Ģ
29		13	40	G
30	N N	11 '	40	Ģ
31	* *	7	35	G
32	* *	9	35	G
33		12	35	G.
34		16	35	G
<b>3</b> 5	•	13	35	G
BLOCK	144		<b>0-45</b>	
	166	6	<b>c</b> -100	G-
36 37	American Elm	6		G
38	Black Oak	<u>a</u> 4	35 50	Ğ
ىر	ntace car	<b>44</b>	50	<b>.</b>
BLOCK	163		•	
	Chinese Elm	2		G
39 40	N N	2	50	Ğ
41		2 2 2	45	Ģ.
		~	45 <b>-</b> 425	

# Federal Street, N. E.

October 19, 1951

Tree No.	Species	DBM inches	Specing	T	ree Condition - Remarks
BLOCK	15	20	180	_	
1	Ailanthus	22	<b>c–17</b> 0	P	Decayed and stagheaded
2	Basswood	12 Lar 24	30 133	M M	Drumed to a hoory
ر	Carolina Popi		133		Pruned too heavy
2 3 4 5 6	Red Maple	23 10	20	M G	
5	n n	7	50 30	G	
U		,	c-46	· ·	
BLOCK	16		,,		
7	Silver Maple	20	<b>c−</b> 82	G	
ė	n n	31	25	G	
9	Sugar Maple	27	62	G	
10	n n	27	35	M	Meart rot and dead limb
			c-56		
BLOCK	17				
11	Sugar Maple	13	c-4	G	
12	Red Maple	26	44	G	
13	W W	8	24	G	
14	M M	16	24	G	<b>.</b>
15	Sugar Maple	22	60	M	Girdling root
16	ח ח	18	30	G	
17	Red Maple	16	27	G-	
18	Sugar Maple Red Maple	16 16	30 26	G M	
19 20	American Elm	19	26 34	G	
20	American Lin	-7	c-42	•	
BLOCK	18		<b>5</b> 12		
21	Sugar Maple	11	c_17	G	
22 .	n n	13	20	G	
23	n n	14	20	G	
24	H H	18	40	G	
25	# #	10	20	M	
26	Red Maple	29	35	G	
27	41 11	11	50	G	
28	Sugar Maple	16	16	G	
29	H H	18	18	G	Samba
30	Red Maple	12	20	M	Stubs
31	Norway Maple	18	26 • 30	M	
BLOCK	19		<b>c</b> -10		
32	Red Maple	22	<b>c</b> _10	G	
33	Norway Maple	16	30	Ğ	
34	n n	18	30	Ğ	
35	n n	18	20	Ğ	
36	n n	16	24	G	
35 36 37	w m	18	25	ø	
<b>3</b> 8	Red Maple	20	147	<b>Q</b>	
=-	_		<b>c-</b> 20		

Federal Avenue, N. E.

Tree	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK 39 40 41 42 43 44 45 46	Norway Maple  n  n  Silver Maple  Red Maple  n  Silver Maple	13 13 15 11 14 13 12 20	c-18 24 24 20 18 80 23 23 c- 5	G G M G G M Wires overhead G
BLOCK 47	21 Red Maple	12	<b>c</b> - 8	P Butchered for wires
48	n n	9	15	P " " "
49	# #	8	17	_ P
50	Silver Maple	17	90	G
51	11	18	24	G
52	71	16	45	G
53	H H	14	23 <b>c-</b> 18	<b>G</b>
BLOCK			- 0	
54	Silver Maple	12	c-18	M Small trunk wound
55 54	n 11	14 14	25 24	G G
56 57	II II	18	28	G
58	Sugar Maple	8	55 55	ē
59	Norway Maple	13	30	G
60	Sugar Maple	11	27 <b>-</b> 40	G
BLOCK	~		-0-1	_
61	Silver Maple	17	<b>0−1</b> 85	G G
62		16	25 <b>c-</b> 25	•
BLOCK	2 <del>4</del>			
63	Norway Maple	8	<b>c-</b> 30	G
64	Red Maple	4	40	G 2
65	Norway Maple	12	40	G G
66 67	n 1	9 <b>1</b> 0	24 25	G.
Οį		2.0	<b>0−1</b> 5	•
BLOCK	11			
68	Sugar Maple	11	<b>c</b> -25	Ģ
69	H H	11	22	Ģ
70	Norway Maple	14	22	G G
71	Sugar Maple	9 <b>1</b> 2	20 16	G.
72	Norway Maple	12	c-80	•

<del>.</del>

Federal Avenue, N. E.

Tree No.	<b>-</b>	)B <b>K</b> nches	<b>S</b> pacing	Tree condition - remark
BLOCK 73 74 75 76 77	9 Sugar Maple Silver Maple Sugar Maple Norway Maple Norway Maple	13 16 14 3 5	<b>c−</b> 80 22 35 57 32 <b>c−</b> 25	G G G G
78 79 80 81	8 Norway Maple Sugar Maple Red Maple Silver Maple	15 7 8 15	<b>-</b> 40 40 25 50 <b>-</b> 85	G G G
BLOCK 82 83 84 85 86	7 Silver Maple Silver Maple  "" " " American Elm	16 12 21 15 18	<b>c</b> -16 23 42 25 45 <b>c</b> -90	G G G
87 88 89 90 91 92 93 94 95 96	Silver Maple  n n n n n Red Maple n Silver Maple Red Maple	18 15 18 20 18 10 14 15 13 10	c-25 32 30 35 27 30 27 20 20 24 24 c-26	G G G G M Bad stubs G G G G G G G G G G G G G G G G G G G
98 99 100 101	American Elm n n n n	16 38 20 38	<b>c-</b> 25 125 55 40 <b>c-</b> 35	G G G
102 103 104 105 106	Silver Maple  n n Red Maple	29 23 27 14 14	<b>~</b> 20 35 38 110 35 <b>~</b> 85	M Stubs M Stubs G

•

..

..

#### Federal Avenue, N. E.

Tree No.	Species	DBI inches	Spacing		Tree Condition - Remarks
BLOCK 107 108 109 BLOCK 110 111	Sycamore Slippery Elm Red Maple  2 Slippery Elm American Elm	15 n 20	c-20 35 75 c-120 c-110 50 c-300	G G М G	Bark injury
<b>L</b> arvar	d Avenue, N. I	<b>.</b>			October 21, 1951
BLOCK 1 2 3 4 5 6 7 8 9 10 11 12	Sugar Maple  " "  Red Maple  " "  Red Maple  " "  Basswood Sugar Maple Ailanthus  Basswood Sugar Maple	16 16 20 19 10 15 17 23 24 22	c-90 15 15 25 15 16 20 30 70 20 18 25 c-20	O O O O O O M O M O O O O	Stubs and suppressed  Dead limbs
Thorne	Avenue, N. E.				October 21, 1951
BLOCK 1 2 3 4 5 6 7 8	Chinese Elm  Norway Maple  Norway Maple  Norway Maple	10 7 12 10 10 10 22 20	c-105 12 163 20 50 15 25 20 c-20	O O O O O O P O	Trunk decayed and crumbling

# Korman Avenue, N. E.

March 22, 1952

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	122			
1	Chinese Elm	1	<b>~</b> 60	G
2	Red Maple		30	G.
	Sugar Maple	3 2 3	20	G G
3 4	a a	~ 3	25	G G
5	Silver Maple	14	25	G.
6	H H	16	15	ō
7	Pin Oak	6	50	G
8	Silver Maple	6	45	Ğ
9	# #	6	30	G.
10	American Elm	12	50	G
11	# #	13	20	G
12	W W	10	25	Ğ
-~			<b>c</b> -20	
BLOCK	123			
13	American Elm	6	<b>0-1</b> 5	G
14		11	105	G
15		10	30	G
16	W W	12	25	G
			<b>c-</b> 25	
BLOCK	124			
17	American Elm	18	<b>c-1</b> 5	G
18		22	25	<b>G</b>
19		15	20	<b>G</b>
20	# #	15	25	<b>G</b>
21		19	15	<b>G</b>
22		14	20	G
23		16	25	M Dead limb
24		14	20	M Limbs
25	N N	17	20	<u>G</u>
26	* *	20	20	G
			<b>c-</b> 15	
BLOCK	114	- (		_
27	American Elm	16	o-15	<b>6</b>
28		8	25	<del>6</del>
29	W W	18	20	g M Sanka
30	* *	18	20	N Stubs
31		15	25	G
32		15	20	ě
32 33 34		20 <b>18</b>	20 25	ě
54		14	25 23	<b>6</b>
<b>35</b>			23 25	6
36	<del></del>	20	25 25	₩
BLOCK	112		<b>0-15</b>	
	113 Silver Maple	22	<b>0-25</b>	G
<b>37</b>	BITAGL WEDTA	16	45	G
38 30		10	20	Ğ
39		10	20	-

• • • •

•

-

1 .

•

Korman Avenue, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	113, cont'd.	· ·		
40	American Ilm	14	25	<b>G</b>
41		10	30	G
42		5	25	G
43		<i>5</i> 8	25	G
			<b>c-</b> 15	
BLOCK	112		_	
44	Red Maple	11	<b>⊶</b> 35	G .
45	# #	14	30	G
46	* *	14	25	G
47		12	25	•
48	Morway Maple	7	45	G
49	n 1	7	30	G
50		6	35	<b>G</b>
51		1	50	G
52	<b>n n</b> .	1	25	G
53	Chinese Elm	1	40	G
54	American Ilm	6	25	G
55		5	25	G
		-	<b>c</b> -30	

### Delaware Avenue, N. E.

### March 22, 1952

BLOCK	140			
1	Silver Maple	4	<b>c-</b> 15	G
2	Red Maple	1	30	G
3 4	Silver Maple	2	30	G
4	H 15	1	15	G
4a.		1	15	G
5		ı	15	4
6	Morway Maple	3	20	G
7	N N	2	30	<b>G</b>
8		2	30	G
9	H H	2	30	G
10		ĩ	155	G
11	<b>H H</b>	1	35	G
			o-20	
BLOCK	136			
12	Silver Maple	1	<b>0–</b> 85	G
13	H N	ī	30	G
14	Morway Maple	ī	35	G
15	n N	ī	45	G
16	Silver Maple	6	150	Ğ
	Red Alder	2	85	Ğ
17	Ten Trai	۷	05	•

•

.

BLOCK   25	Tree No.	Species Di	hes	Spacing		Tree Condition - Remarks
Red Maple	1 2 3 4	Catalpa Carolina Poplar  "" " " Sugar Maple 9	12 18 17 13	55 15 15 115 20	M M M G	
8 American Elm 17 20	BLOCK	26				
8 American Elm 17 20	7		21	<b>c-</b> 52	M	Stubs
10		_	17	20	G	
11 Slippery Flm						
12						
13		Slippery Elm				
14 Silver Maple 31 25 G 15 White Meple 27 30 G C-22  BLOCK 27  16 Red Maple 22 c-80 G 17 Sugar Maple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice c-55  BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury 22 N N 6 20 G 23 N N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G C-25  BLOCK 29  30 Silver Maple 17 c-15 G 31 Red Maple 15 32 G 32 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G		7 7 7				
## BLOCK 27    16						Stubs and heart rot
BLOCK 27  16 Red Maple 22 c-80 G 17 Sugar Maple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice c-55  BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury 22 N 6 20 G 23 N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N 11 48 G 29 Silver Maple 19 40 G C-25  BLOCK 29  30 Silver Maple 17 c-15 G 31 Red Maple 15 32 G 32 N 8 12 65 G 33 N 12 33 G 34 Sugar Maple 16 35 G 35 N 17 65 G						
BLOCK 27  16 Red Maple 22 c-80 G 17 Sugar Maple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice c-55  BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury 22 N N 6 20 G 23 N N 8 18 G 24 American Elm 7 18 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G 29 Silver Maple 19 40 G 20 BLOCK 29  30 Silver Maple 17 c-15 G 31 Red Maple 15 32 G 32 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G	15	wurte Wabre	21		w.	
16 Red Maple 22 c-80 G 17 Sugar Maple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice c-55  BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury 22 N N 6 20 G 23 N N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G 20 Silver Maple 19 40 G 21 Red Maple 15 32 G 31 Red Maple 15 32 G 32 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 12 33 G				<b>U</b> -22		
16 Red Maple 22 c-80 G 17 Sugar Maple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice c-55  BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury 22 N N 6 20 G 23 N N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G 20 Silver Maple 19 40 G 21 Red Maple 15 32 G 31 Red Maple 15 32 G 32 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 12 33 G	BLOCK	27				
17 Sugar Naple 17 30 G 18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice 55  BLOCK 28  20 Red Maple 3 C-5 G 21 Red Maple 6 20 M Trunk injury  22 N N 6 20 G 23 N N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G 20 Silver Maple 19 40 G 21 Red Maple 15 32 G 31 Red Maple 15 32 G 32 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G			22	<b>c</b> _80	G	
18 Silver Maple 18 30 G 19 Red Maple 1 45 M Covered with lice		-				
BLOCK 28  20 Red Maple 3 c-5 C 21 Red Maple 6 20 M Trunk injury  22 N N 6 20 C 23 N N 8 18 C 24 American Elm 7 13 C 25 Red Maple 6 48 C 26 Silver Maple 19 20 C 27 Red Maple 10 55 C 28 N N 11 48 C 29 Silver Maple 19 40 C  ELOCK 29  30 Silver Maple 17 c-15 C 31 Red Maple 15 32 C 32 N N 12 33 C 33 N N 12 33 C 34 Sugar Maple 16 35 C 35 N N 17 65 C					G	
BLOCK 28  20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury  22 N N 6 20 G  23 N N 8 18 G  24 American Elm 7 13 G  25 Red Maple 6 48 G  26 Silver Maple 19 20 G  27 Red Maple 10 55 G  28 N 11 48 G  29 Silver Maple 19 40 G  C-25  BLOCK 29  30 Silver Maple 17 c-15 G  31 Red Maple 15 32 G  32 N N 12 65 G  33 N N 12 33 G  34 Sugar Maple 16 35 G  35 N N 17 65 G	19	Red Maple	1	45	M	Covered with lice
20 Red Maple 3 c-5 G 21 Red Maple 6 20 M Trunk injury  22 N 6 20 G 23 N N 8 18 G 24 American Elm 7 13 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G C-25  BLOCK 29  30 Silver Maple 17 c-15 G 31 Red Maple 15 32 G 32 N N 12 33 G 33 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G		_		<b>~</b> 55		
21 Red Maple 6 20 M Trunk injury  22 N N 6 20 G  23 N N 8 18 G  24 American Elm 7 18 G  25 Red Maple 6 48 G  26 Silver Maple 19 20 G  27 Red Maple 10 55 G  28 N N 11 48 G  29 Silver Maple 19 40 G  C-25  BLOCK 29  30 Silver Maple 17 C-15 G  31 Red Maple 15 32 G  32 N N 12 33 G  33 N N 12 33 G  34 Sugar Maple 16 35 G  35 N N 17 65 G			_	-4	_	
23			3			
23			6			Trunk injury
24 American Elm 7 18 G 25 Red Maple 6 48 G 26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28		•				
25 Red Maple 6 48 C 26 Silver Maple 19 20 C 27 Red Maple 10 55 C 28 " 11 48 C 29 Silver Maple 19 40 C C-25  BLOCK 29 30 Silver Maple 17 C-15 C 31 Red Maple 15 32 C 32 " 1 12 65 C 33 " 1 12 33 C 34 Sugar Maple 16 35 C 35 " 17 65 C					_	
26 Silver Maple 19 20 G 27 Red Maple 10 55 G 28					_	
27 Red Maple 10 55 G 28 N N 11 48 G 29 Silver Maple 19 40 G C-25  BLOCK 29 30 Silver Maple 17 C-15 G 31 Red Maple 15 32 G 32 N N 12 65 G 33 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G						
28		_				
C-25  BLOCK 29  30 Silver Maple 17 C-15 G  31 Red Maple 15 32 G  32 N N 12 65 G  33 N N 12 33 G  34 Sugar Maple 16 35 G  35 N N 17 65 G		_				
BLOCK 29  30 Silver Maple 17 c-15 G  31 Red Maple 15 32 G  32 N N 12 65 G  33 N N 12 33 G  34 Sugar Maple 16 35 G  35 N N 17 65 G	29	Silver Maple	19	40	G	
30 Silver Maple 17 c-15 G 31 Red Maple 15 32 G 32 N N 12 65 G 33 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G				C-25		
31 Red Maple 15 32 G 32 N N 12 65 G 33 N N 12 33 G 34 Sugar Maple 16 35 G 35 N N 17 65 G					_	
32 " " 12 65 G 33 T " 12 33 G 34 Sugar Maple 16 35 G 35 " " 17 65 G		_				
33 • 12 33 • 34 Sugar Maple 16 35 • 35 • 35 • 35 • 35 • 35 • 35 • 35						
34 Sugar Maple 16 35 G 35 " " 17 65 G						
35 N N 17 65 G		•				
-1 J						
	رر		-1	_	•	

-

North Avenue, N. E.

Tree No.	Species	DBA inches	Spacing	Tree Condition - Remarks
BLOCK 36 37 38 39 40 41 42 43 44	31 Red Maple  " "  " "  Silver Maple Red Maple " "  Sugar Maple Silver Maple Sugar Maple	22 13 15 9 16 14 15 22 2	<b>~</b> 55 20 20 20 20 18 18 18 25 25 <b>~</b> 16	G G G G G M Stubs G G
#49 50 51 52 53 54	Red Maple  H H H H H H H H H H H H H H H H H H	18 20 22 13 18 12 17 23	c-10 20 40 20 20 18 38 40 20 c-22	P Decayed Trunk P Mollow G M Decayed M Bad bark-trunk injury G G
55 56 57 58 59 60 61 62	Red Maple  n  n  n  n  n  n  n  n  n  n  n  n  n	13 13 18 10 16 20	22 18 20 18 20 22 95 20 c-10	G G M Rot and stubs G M M Lightning damage G G
63 64 65 66 67 68 69 70 71	Red Maple  Norway Maple  Red Maple  Red Maple  Red Maple  Red Maple	20 17 1 1 22 7 20 20 22	c-12 30 15 20 23 20 20 30 50 c-10	P C G P Decayed trunk G M Stubs G Ianger C

North Avenue, N. E.

Tree No.	Species	DB# inches	Spacing	Tr	ee condition - Remarks
BLOCK 72 73 74 75 76 77	35 Red Maple  " " Sugar Maple Red Maple Sugar Maple	22 15 13 20 20 18	<b>c</b> −95 45 40 20 55 60 <b>c</b> −25	***************************************	
BLOCK 78	36 Red Maple	23		G	
79	Norway Maple	10	<b>c-</b> 30 23	M	Stubs
80	Red Maple	18	<b>2</b> 8	G	
81 80	Norway Maple		<b>40</b> <b>2</b> 8	G G	
82	Mountain Ash	. 5	20 <b>c-4</b> 8	· ·	
BLOCK	37		0 10		
8 <b>3</b>	Red Maple	14	<b>c–</b> 30	G	
84	<b>11</b> It	8	<b>2</b> 8	G	
85	Sugar Maple	8	18	G	
86	Catalpa	17	20	G	
87	Sugar Maple	6	15	M	Suppressed by catalpa
BLOCK	12		<b>c–</b> 90		
88	Red Maple	12	<b>c</b> -140	G	
89	American Elm		20	Ğ	
90	Sugar Maple	10	24	M	Diseased and suppressed
91	ň n <sup>*</sup>	16	20	G	<del></del>
92	N N	16	18	G	
93	Red Maple	16	25	G	
94	Sugar Maple	26	35	G	
95	American Elm		23	G	
96	11 11	30	20 <b>c-1</b> 20	G	
BLOCK	24		<b>U-1</b> 20		
97	Red Maple	17	<b>c-</b> 45	G	
98	M 11	18	35	G	
99	99 99	21	125	M	Stubs
100	n n	15	20	G	
101	11 11	16	20	G	
102	N H	18	20 <b>c-</b> 25	G	Frost crack
BLOCK	23				
103	Silver Maple	13	<b>c</b> –30	G	
104	n n	15	28	G	
105	Red Maple	18	30	G-	
106	n 11	16	65	G	

North Avenue, N. E.

Tree No.	Species	DBM inches	Spacing	Tree C	Condition - Remarks
BLOCK 107 103 109 110	23, cont'd. Sugar Maple Red Maple # #	18 15 21 11	22 20 23 25 <b>c</b> –8	G G M Deca	eyed trunk
BLOCK 111 112 113 114	22 Red Maple n n n	21 18 14 17	c−10 50 90 28 c−63	<b>G</b> G G	
BLOCK 115 116 117 118 119 120	Norway Maple Silver Maple White Ash  N Silver Maple White Ash	15 1 24 22 1 26	c−35 60 40 22 15 30 c−30	G M Sun G M Stul P G	Scald
121 122 123 124 125 126	20 Silver Maple Red Maple Norway Maple Red Maple N	28 16 19 6 11	25 40 20 25 20 18 <b>c−95</b>	G G M Bark G G	injury and dead limbs
BLOCK 127 128 129 130 131 132 133 134 135	Sugar Maple  H Red Maple  H H H H H H H H H H H H H H H H H H	16 19 12 15 17 18 11 16 18	c-15 55 30 25 48 25 23 23 25 20 6-30	G G G G M Stub G G	o <b>s</b>
137 138 139 140 141 142	American Elm  Basswood  Red Maple  W Sugar Maple	34 36 18 17 16 17	c-30 30 100 20 38 42 c-22	_	blown off blown off

North Avenue, N. E.

Tree	Species	DBM inches	Spacing	Tree Condi	ition - Remarks
147 148 149 150 151	Sugar Maple  " " Sassafras Sugar Maple Red Maple Sugar Maple	35 10 12 8 14 7 12 11	c-62 43 15 20 30 20 30 15 30 c-20	G G G M Wires G M No top G G	
BLOCK 152 153 154	Red Maple	14 18 24	<b>c-1</b> 25 <b>1</b> 5 80 <b>c-</b> 20	୍ର ଜ ଜ	
155 156 157 158 159 160	American Elm Sycamore Morse-chestnum Red Maple	11 14 15 15 17 14	<b>c</b> -120 20 60 20 25 35 <b>c</b> -155	ሁ ሁ ሁ	
Rodman	Avenue, N. E.				November 1, 1951
BLOCK 1 2 3 4	American Elm  n  Norway Maple  n	14 23 10 12	<b>c</b> - 25 25 90 30 <b>c-</b> 25	ତ ତ ତ	
BLOCK 5 6 7	67 Norway Maple Silver Maple American Elm	4 3 4	c-15 18 15 c-150	G G	
8 9 10 11 12 13 14	72 Norway Maple Sassafras  **  **  Red Maple Silver Maple  **  **  **  **  **  **  **  **  **	23 1 1 1 2 2 1	25 30 12 12 55 23 20 25	& & & & & & & & & & & & & & & & & & &	

Tree No.	Species	DBX inches	Spacing	T	Tree Condition - Remarks
BLOCK	104				
1	Red Maple	10	c-155	G	
2	Silver Maple	7	120	G	
~ 3	N II	6	20	Ğ	
3 4	n n	5	45	Ğ	
5	Sugar Maple	5 7	<b>5</b> 5	G	
6	Silver Maple	19	40	G	
7	Norway Maple	20	50	G	
8	H H	22	95	G	
			<b>c</b> -25		
BLOCK	105				
9	Red Maple	7	<b>c-4</b> 00	G	
10	N N	8	28	G	
11	Silver Maple	20	<b>2</b> 3	G	
12	Norway Maple	12	48	G	
13	m m	15	20	G	
14	Sugar Maple	9	45	G	
- 15	Norway Maple	12	30	G	
16	Morse-Chestnut		23	G	
17	White Ash	14	35	G	
	_				
BLOCK		• 0		~	
18	Norway Maple	18		G	
19	Sugar Maple	12	25	G	
BLOCK	81		<b>c</b> -10		
		7.0	• 700	16	Denning and much too hooms
20	Silver Maple	10	<b>c</b> -100 18	M M	Pruning was much too heavy
21	 H H	11 10	15	M	N 11 N N N
<b>2</b> 2	N 11	15	18	G	
23 24	W 11	22	30	Ğ	
25	Red Maple	9	20	G	
26	# #	9	15	Ġ	
27	N N	10	15	Ğ	
28	Silver Maple	17	45	Ğ	
20			•,,	_	
BLOCK	80				
29	Norway Maple	2	<b>~</b> 55	G	
30	Sugar Maple	13		G	
31	n n	15	55	G	
_			<b>c-1</b> 00		

# Oxford Avenue, N. E.

March 20, 1952

Tree	Species	DBM inches	Spacing	Tree Co	ondition -	Remarks
BLOCK	160					
1	Silver Maple	4	<b>0-</b> 225	G		
2	H B	3	40	G		
		-	<b>c</b> –50			
BLOCK	161					
3	Silver Maple	16	<b>c-1</b> 00	G		
4		19	20	G		
5	Sugar Maple	2	90	G		
6	American Elm	9	70	G		
7	<b>H</b>	11	30	G		
			<b>-</b> 205			
BLOCK	1 <i>5</i> 8			_		
8	Sugar Maple	9	<b>c</b> -250	G		
9	American Ilm	22	40	Ģ		
10		19	20	G		
11	Sugar Maple	8	25	G		
12		12	20	G		
13	Mountain Ash	8	<b>3</b> 5	Q.		
14	Silver Maple	4	85	G		
15		4	30	G		
-			<b>c</b> –30			
BLOCK	157	•	- 01	D D		
16	Nountain Ash	1 6	<b>0–25</b>	P Dead	1	
17		8	30	G G		
18	Silver Maple	7	55 20	G		
19		<b>26</b>	<b>2</b> 0 <b>50</b> 0	Ğ		
20		20	<b>5</b> 0:	G		
Hawthorne Avenue, N. E. March 22, 1952						
BLOCK	137					
1	Jap. Chestnut	1	<b>0–1</b> 00	M Buds	s look drie	d.
2	Norway Maple	8	25	8		· <del></del>
3	Silver Maple	ì	60	Ğ		
,	-aar va respan	-	••	-		
BLOCK	122					
4	Apple tree	6		G		
			<b>c-1</b> 90			

•

→ Control of the con

•

<u>"</u>»

### Parkview Avenue, N. E.

November 1, 1951

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	36			
1	Red Maple	12	c- 25	G-
2	H II	13	20	G
3	Morse-Chestnu		<b>2</b> 8	G
4	n n	20	35	G
5	Norway Maple	13	<i>5</i> 3	G
DI 0.07	ma		<b>c</b> –90	
BLOCK	72	7.0	- 7 5	0
6 7	Norway Maple	12 12	<b>c-</b> 15	G G
8	17 11	16	33 35	G-
9	11 11	16	30	G-
ıó	Red Maple	13	33	G
11	Pin Oak	21	20	G
			<b>c</b> -15	
BLOCK	76		_	
12	Chinese Elm	9	<b>c–</b> 8	G.
13	Red Maple	11	23	G
14	American Elm	12	28 <b>2</b> 3	G
15	American Elm	22 13	23 28	G G
16 17	n n	10 24	28	M Stubs
18	11 11	16	28 <b>2</b> 8	G Stabs
10		10	<b>c–</b> 20	<b>u</b>
BLOCK	84		0 20	
19	Sugar Maple	15	<b>c</b> –30	G
20	Red Maple	22	48	M Stubs
21	<b>H</b> H	14	20	P Bark half off - stubs
22	n n	20	23	G.
23	Silver Maple	18	25	G
24	Catalpa	14	18	M Stubs
25	Red Maple	16	23 <b>c</b> –10	G
BLOCK	89		<b>C</b> -10	
26	Red Maple	12	c-10	<b>G</b>
27	H H	8	13	G
28	Sugar Maple	12	15	G-
29	Red Maple	14	33	G
30	Silver Maple	18	33	M Stubs
31	H H	22	15	G
32	Red Maple	18	45	G
BLOCK	۵r		c-25	
	85 Red Maple	14	c-15	G-
33 34	Silver Maple	18	25	G-
35	# H	16	23	G
36	n n	16	20	G

Parkview Avenue, N. E.

Tree	Species	DBM inches	Spacing		Tree Condition - Remarks
BLO <b>CK</b> 37 38	85, Cont'd. Silver Maple	17 17	30 40 <b>-</b> 35	G G	
39 40 41 42	73 Morway Maple Red Maple """ """	10 11 13 11	c-80 23 20 18 c-45	& & &	
43 44 45 46 47 48 50 51	Sugar Maple Red Maple Silver Maple Black Locut Korse-Chestnum Sugar Maple Silver Maple	14 11 12 26 16 15 11 5	20 23 20 22 20 40 20 30 23 23	M G G G G G G G	Broken main stem
<b>J</b> effer	son Road, N.	E.			February 2, 1952
BLOCK 1 2 3 4 5	178 Silver Maple n n n	<b>7</b> 6 6 5	<b>c</b> -135 50 30 25 <b>c</b> -25	G G G	
BLOCK 5 6 7	177 Norway Maple " " American Elm	1 1 12	<b>~</b> 25 45 <b>~</b> 85	<b>G</b> <b>G</b>	
8 9 10 11 12 13 14 15	180 Silver Maple """ """ """ """ Red Maple Silver Maple American Elm	6 7 7 2 2 1 2 2	c-30 20 20 25 20 25 70 25	<b></b>	
BLOCK 16 17	181 Silver Maple	5 4	c-120 15 c-135	G G	

Tree	Species	DBX inches	Spacing	Tree Condition - Remarks
BLOCK	189			
1	Norway Maple	12	<b>c-</b> 20	M Stubs
2	Silver Maple	14	20	G
3	Norway Maple	9	20	G.
3 4	11 11	ģ	20	Ğ
5	n n	11	20	G
5 6	n n	9	20	G
7	American Elm	13	45	G
8	M N	12	25	G
9	Silver Maple	12		G
10	11 19	12	15	<b>G</b> ∶
11	11 11	9	15	G
12	11 11	12	15	G
13	11 11	14	15	G
14	11 11	13	15	G
15	11	14	<b>2</b> 3	G
16	<b>91</b> 11	20	55	G
17	# 11	16	25	G
18	11 11	26	35	G
19	<b>II</b> II	16	20	G
20	H H	12	20 <b>∽</b> 35	G
BLOCK	188			
21	Chinese Elm	20	c-110	G
22	Silver Maple	22	20	G
23	Tulip Poplar	5	105	G
24	Silver Maple	6	25	G
25	Red Maple	7	18	G
26	<b>11</b>	12	15	G
27	Silver Maple	1	120	G
			c-65	
BLOCK	187			
28	White Ash	5	<b>c</b> -200	G
29	Silver Maple	8	33	G
30	11 11	1	60	G G
31	N N	16	50	G G
32	H 11	16	20	G
33	n 11	22 16	70	G G
34		14	25 1.5	G-
35	American Elm	4	45 45	G
36	n n	16	<b>7</b> 0	G
37 38	n n	16	25	M Stubs
39	Silver Maple	8	95	G Studes
40	M H	8	20	G
41	11	11	15	G
42	Chinese Elm	11	120	G

Phillips Road, N. E.

Tree No.	Species	DE# inches	Specing	Tree C	ondition -	Remarks
BLOCK 43 44 45 46 47 48 50 51 52 53	187, contice Chinese Elm  n n n n n Silver Maple n n n n n n n n n n n n n n n n n n n	14 13 10	40 18 25 23 25 13 20 20		ubs ubs	
18th S	treet, N. E.				3	lebruary 2, 1952
BLOCK 1 2 3 4 5 6 7 8	Catalpa  " Silver Maple " Chinese Elm " Silver Maple	3 7 10	20 15 18 30 50 30	• • • • • • • •		
9 10 11 12	Silver Maple n n n n n n	e 6 13 12 17	<b>c-1</b> 5 30 25	G G M St G	ubs	
13 14 15 16 17 13	175 Black Welnut Silver Maple  n  n  n  n  n		30 30 60 25	G G G G P . Su	acker	

Tree	Species	DBE inches	Spacing	Tr	ee Condition - Remarks
BLOCK	166				
1	Silver Maple	18	<b>c</b> -45	G	
2	N N	17	40	G	
2		14	40	G	
3	H H	18		G	
7 2			35 40	G	
5 6		15			Manufa da a a
7		16	40	M	Trunk decay
7	• •	14	40	G	
	365		<b>0–22</b>		
BLOCK	165	10	- 0	^	
8	Ailanthus	10	c- 8	G	
9	Silver Mapl		15	G	
10		10	35	G	
11	W W	8	40	G	
12		10	40	G	
13	Sugar Maple	5	45	G	
14		5	50	G	
15	Silver Mapl		20	G	
16	American El		20	G	
17	Silver Mapl		18	G	
18	M H	12	35	•	
19		10	40	R	
20	<b>M W</b>	14	<b>38</b>	M	Mollow trunk
21	<b>H H</b>	16	40	G	
22		13	40	G	
23		11	40	G	
24		8	40	G	
25		7	40	G	
26	w #	10	40	G	
BLOCK	167	,		_	
27	White Spruce			G	
28	Silver Maple	8	25	G	
29		5 9 12	35	Ģ	
30		9	40	G	
31	N N	12	<i>5</i> 0	G	
32		14	30	G	
33		9	35	G	
34		9 6 5 9 4	35	G	
35 36		5	40	G	
36		5	40	G	
37		9	80	0	
38	* *	4	35	М	Dead limb - BB damage
-			<b>9</b> 30		_
BLOCK	168		-		
39	Silver Maple	12	<b>c-</b> 50	G	
40	H N	13	40	G	

Providence Road, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	168, cont'd.			
41	Silver Maple	14	35	G-
42	N N	20	75	G-
43		13	50	G
44		18	70	G.
45		24	35	G-
٦,		24	<b>-</b> 40	•
Lennox	Avenue, N.	e.		March 22, 1952
BLOCK	168			
1	White Sprace	5	<b>0-</b> 20	<b>G</b>
2	Silver Maple	14	20	G-
รั	n n	18	38	Ğ
3 4		16	38	<b>G</b>
5	M M	26	36	G.
5	и и	26	35	G.
7		17	35	G.
7 8	N N	19	40	G-
9	W H	17	35	G
10		8	85	G
11	H H	8	25	G
			0-5	,
BLOCK	167		_	
12%	White Spruce	6	<b>c-</b> 20	G
13	Silver Maple	5	15	M Trunk injury
14	# 11	8	35	G
15		14	40	<b>G</b>
16		12	35	G
17	* *	12	35	G-
18	* *	9	35	<b>&amp;</b>
19	<b>H H</b>	14		G-
20		10	35 35 35	<b>G</b>
21	<b>M</b> . <b>M</b>	11	35	G
22	n 11	8	75	G-
23	# #	9 7	35	<b>6</b>
23 24		7	35 40	
25		12		G-
			<b>0-</b> 2	
BLOCK	165			_
26	Silver Maple	9	<b>6</b> 0	<b>G</b>
27	American Elm	9	40	<b>G</b>
28	Jap. Chestnut		<b>5</b> 0	Ģ
29	Silver Maple	17	40	<b>G</b>

. • 1 

• • •

· \_

• -.

Lennox Avenue, N. E.

Tree	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	170			
30	Silver Maple	18		G.
31		11	40	G
32	Jap. Chestnut	2	<i>5</i> 0	G
33	Ginkoo	3	<b>55</b>	G
34	Silver Maple	13	40	G
35 36		15	35	G-
36	* *	24	70	G
37		16	35	<b>G</b>
38		10	70	G .
39	H H	14	35	G
40	# #	12	35	G
41		12	<b>35</b>	G.
42	N N	13	41	G.
43		14	35 <b>40</b>	G G
44		17 12		G
45		10	35 35	G
46	•	10	35 <b>c-4</b> 0	ď
BLOCK	169		<b>0</b> -40	
47	Silver Maple	10	<b>c-</b> 20	G
48	# #	9	40	Ġ.
49		26	40	Ğ.
50		22	75	G-
51	N X	16	35	G
52		22	35	G
53	# #	20	" 1 <b>35</b>	G
54		16	35	<b>G</b>
55		15	35	G-
56	N N	18	35	G.
57		17	35	G ·
58	White Spruce	6	20	G
			<b>c</b> -25	

Seneca Avenue, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition -Remarks
BLOCK 1 2 3 4 5	Silver Maple  " "  Red Maple Silver Maple	23 24 23 15 16	c-40 30 95 15 15 c-10	G G G G
BLOCK 6 7 8 9 10 11 12 13 14 15	70 Red Maple Silver Maple Red Maple "" "" "" Silver Maple Red Maple Silver Maple ""  97	12 13 16 18 16 15 18 11 15 14	c-10 75 35 25 55 25 40 45 25 55 c-40	G G G G Frost crack G G G G
16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 33 34 35 37 39 40	Silver Maple Sugar Maple Silver Maple  Red Maple  ""  Sugar Maple Silver Maple ""  Red Maple ""  Red Maple ""  Sugar Maple ""  Silver Maple ""  Sycamore ""  Sycamore ""  Sugar Maple Norway Maple Silver Maple Red Maple ""  ""  ""  ""  ""  ""  ""  ""  ""  "	10 4 20 18 11 12 12 12 14 11 10 12 16 16 19 22 76 1 24 5	c-80 15 18 45 40 23 25 23 55 100 20 23 25 55 88 25 25 25 25 25 25 25 25 25 25 25 25 25	© © © © © © © © © © © © © © © © © © ©

Tree No.	Species	DBI inches	Spacing	Tree Condition - Remarks
BLOCK 41 42 43 44	98 Silver Maple  Norway Maple	3 1 13 10 18	<b>c-</b> 55 15 265 13	G G G
45 46 47 48 49 50 51	Red Maple n Red Maple n N Silver Maple n n	26 12 9 2 3 7 5	20 20 25 20 195 20 50	ତ ତ ତ ତ ତ ତ
52 53 54 55 56 57	M H H H H H H H H H H H H H H H H H H H	15 12 4 16 13	15 23 20 65 35 25	ሁ ሁ ሁ ሁ
58 59 60 61	82 Silver Maple Red Maple Silver Maple " "	1 5 3 1	<b>c</b> −5 <b>c</b> −30 25 23 45 <b>c</b> −65	G G G
8LOCK 62 63 64 65 66 67 68 69 70 71 72 73	71 Red Maple N N N N N N N N N N N N N N N N N N N	7 10 12 8 10 10 11 28 20 13 14 9	c-15 45 23 50 45 18 20 30 25 25 20 25	O C C C C C C C C C C C C C C C C C C C
<b>BLOCK</b> 75 76	66 American Elm Silver Maple	3 1	<b>~</b> 60 <b>~</b> 145 13 <b>~</b> 55	G G

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK 1 2 3 4 5 6 7 8	80 Red Maple Norway Maple Red Maple Silver Maple " " Norway Maple " "	3 16 15	c-15 25 35 12 20 25 240 25 23 c-270	**************	
10 11 12 13 14 15 16 17 18 19	Red Maple Sugar Maple American Elm American Elm Sugar Maple " " " " Silver Maple Red Maple Catalpa	13 15 9 4 10 10 17 3 5	c-90 200 270 20 45 30 15 40 15 12 c-50	************	Bark injury
BLOCK 20 21 22 23 24 25 26 27 28 29	l Silver Maple Red Maple Silver Maple Red Maple " " Sugar Maple " " " Silver Maple " "	15 14 10 3 4 12 12 6 13 20	c-10 25 80 45 25 15 15 13 80 30 c-35	G G M M G G G G G G	Clump Bad canker
30 31	97 Red Maple Sugar Maple	3	<b>c-1</b> 10 55 <b>c-</b> 35	P G	Clump
32 33 34	93 Sugar Maple Red Maple Silver Maple	12 7 13	c-45 115 25 c-12	G G M	Dead limb
35 36 37 38	94 Norway Maple n n n n	18 17 26 20	<b>c-</b> 55 40 43 45 <b>c-</b> 90	М С С С	One dead limb, boring insects

State Avenue, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remark	ks
BLOCK 39 40 41 42 43 44 45 46 47 48	95 Red Maple n n  Norway Maple n n  Silver Maple n n  Red Maple n n	12	<b>~</b> 30 35 33 18 17 23 23 23 13 15 <b>~</b> 155	• • • • • • • • • • • • • • • • • • •	
BLOCK 49 50 51	96 Norway Maple n n Red Maple	2 2 13	c-10 20 115 <b>c-</b> 25	G G G	
BLOCK 52 53 54 55 56	97 Red Maple Silver Maple Red Maple n n	12 17 22 13 13	20 15 50 45 18 •-40	G G G G	
57 58 59 60 61 62 63 64 65	82 Silver Maple  n n n n n n Red Maple n n n n	18 18 20 21 1 13 15 14 15	c-12 18 18 15 30 38 20 20 20	M Mollow in stubs G G G P Sprouts G G	
BLOCK 66 67 68 69 70 71 72 73	Red Maple  " " Tulip Poplar Silver Maple  " " Red Oak Silver Maple	14 16 16 15	c-15 18 20 30 13 16 35 20 c-20	P Diseased G G G G M Clump	

State Avenue, N. E.

Tree No.	•	DBX nches	Spacing	Tre	e Condition - Remarks
74 75 76 77 78 79	84 Red Maple Silver Maple Red Maple Carolina Popl " "	10 23 15 ar 23 18 24	c-20 15 28 70 20 20 c-18	000000	
80 81 82 83	Sugar Maple Norway Maple Silver Maple	13 19 20 26	<b>~</b> 25 40 40 20 <b>~</b> 75	G G М	Stubs
84 85 86 87	78 Red Maple Sugar Maple Red Maple " "	12 16 13 18	20 35 15 c-190	<b>&amp;</b>	
<b>BLOCK</b> 83 89	77 American Elm	25 16	<b>c−1</b> 45 28 <b>c−</b> 27	P M	Very badly butchered Meavily trimmed
90 91 92 93	76 Red Maple Silver Maple Silver Maple Red Maple	10 20 13 15	<b>c</b> -15 20 30 50 <b>c</b> -80	G G G	
94 95 96	75 Red Maple n n	12 12 14	<b>c-</b> 25 23 115 <b>c-</b> 25	<b>G</b>	
97 98 99 100 101 102	71 Red Maple Norway Maple Red Maple  n n n	12 14 16 15 16	<b>c</b> -10 18 38 20 40 40	G G M G	Stubs
BLOCK 103 104	70 Sugar Maple	13 16	<b>c−</b> 25 <b>c−</b> 18 18	G G	

State Avenue, N. E.

Tree No.	<b>S</b> pe <b>c</b> ies	DEM inches	Spacing		Tree Condition - Remarks
BLOCK 105 106 107 108 109 110 111 112	70, contid. Red Maple  " " " " " " Silver Maple " " " " " "	10 13 8 11 24 12 13 18	16 12 12 23 23 18 15 18	6 6 6 6 P P P	Top broken out  **Teart rot  Ten foot butt left
113 114 115	American Elm	14 31 9	<b>c</b> 5 25 95 <b>c</b> −23	G G M	Trunk injury
116 117 118 119 120 121 122 123 124 125 126 127	Red Maple Silver Maple Sugar Maple " Silver Maple " Red Maple " Silver Maple Norway Maple Sugar Maple	12 14 17 15 12 15	20 50 33 28 15 30 20 20 43 20 35 20	00000000000000000000000000000000000000	Stubs
BLOCK 128 129 130 131 132 133 134 135 136 137	Red Maple  Silver Maple Norway Maple Silver Maple Sugar Maple  Red Maple Silver Maple Silver Maple  ###################################	8 15 4 15 7 12	-48 35 30 100 18 45 140 55 15 15	<b>6 10 6 6 6 6 6 6 6 6 6 6</b>	Stubs
139 140 141 142 143	Silver Maple Sugar Maple  "" " " Silver Maple	12 14 14	c- 3 16 18 18 33	G G G G	

State Avenue, N. E.

Tree No.	Species	DBM inches	Spacing		Tree Condition - Remarks
BLOCK	61, cont'd			_	
144	Silver Maple	20	20	G	
145 146	11 11	14 16	20 20	G G	
140		10	20 <b>0−</b> 25	G.	
BLOCK	<b>60</b> .				
147	Red Maple	11	<b>c–</b> 30	G	•
148	Sugar Maple	11	30	G	
149	Red Maple	11	25	G	
150		6	55 85	G C	
151	American Elm	8 8	8 <i>5</i>	G G	
152 153	Sugar Maple	13	30 20	G	
154	n n	15	23	G	·
155	American Elm	15	30	Ğ	
156	<b>W</b> 11	13	28	G	
157	N n	15	20	G	
_			c-15		
BLOCK	<b>5</b> 3		_		
158	Silver Maple	12	c-65	G	
159	H 11	7	15	G	
160	11 11 11 11	23	60	G	
161		17	23	G	
162 163	Red Maple Silver Maple	14 12	95 25	G G	
164	White Ash	16	2) 20	G	
165	Sugar Maple	16	12	Ğ	
166	Red Maple	11	15	G	
167	A N	10	23	G	
168	11 11	13	80	<b>G</b>	
169	PI 11	9	35	G	
170	American Elm	11	85	G	
	<b>5</b> 0		<b>~</b> 205		
BLOCK	79	16	0.25	G	
171 172	Silver Maple	10	<b>~</b> 35 25	G	
173	11 11		55	M	Clump
174	11 11	5	<b>7</b> 3	G	•2·4p
175	n n	5 5 2	is	Ğ	
176	Norway Maple	11	<b>7</b> 5	G	
177	W 11	10	20	G	
178	M H	14	23	G	
179	Silver Maple	18	40	G	
180	H H	17	18	G	
181	11 11	17	30 30	G	
182	# # 4	16	18	G G	
183	American Elm	1	35	Ġ	
			<b>~</b> 20		

## State Avenue, N. E.

Tree No.	<b>S</b> pecies	DBX inches	Spacing		Tree Condition - Remarks
BLOCK 194 185 186 187 188	8 Norway Maple n n Post Oak Norway Maple n n	9 11 2	c-15 13 23 50 25 18 c-40	6. 6. 6. 6. 6. 6.	
Matthi	as Avenue, N	. E.			February 4, 1952
BLOCK	133				
1	Red Maple	10	<b>~</b> 33	G	
2	American Elm		25	G	
3	H H	14	28	G C	
4	Silver Maple	2	155 <b>c</b> -240	G	
BLOCK	134		0-2.40		
5	Red Maple	2	<b>c</b> -100	G	
6	n n	4	30	G	
7	Silver Maple	5	15	G	
8 <b>9</b>	**	1 15	25 35	G G	
10	Norway Maple	12	20	G	
11	Red Maple	11	20	Ğ	
12	n n	13	20	G	
13	Norway Maple	14	60	G	
14 15	n n Silver Maple	14 10	20 150	G G	
15	bilver maple	10	<b>c–</b> 80	u	
BLOCK	129				
16	Large shrub	12	c-25	G	
	Ailanthus		200	G-	
18 19	American Elm	16 20	20 2 <b>5</b>	G G	
20	American A.m	18	18	Ğ	
~-			c-65		
BLOCK	126			_	
21	Silver Maple	20	3 ~	G	
<b>2</b> 2	H 11	18 2 <b>2</b>	15 25	G-	
23 24	11	16	20	G.	
25	American Elm	15	35	G	
26	Sugar Maple		35	G	
<b>27</b>	H H	9	20	G	
23 20	Silver Maple	2	20 20	G G	
<i>2</i> 9 . <b>3</b> 0	N H	7 9 5 3 2 1	50 50	Ğ	
31	n n	ī	25	G	
-			<b>c</b> –105		

Tree	Species	DB <b>X</b> inches	Spacing	Tree Condition - Remarks	Tr
BLOCK 1 2 3 4 5 6	12 Red Maple " " " " American Elm Red Maple " "	17 17 16 16 8	c- 85 40 35 60 125 15 c-85	G       G <t< td=""><th><b>G</b></th></t<>	<b>G</b>
7 8 9 10 11	American Elm Red Maple Norway Maple " " Silver Maple	18	c−40 28 53 25 75 c−30	G G G	<b>G</b> G
12 13 14 15	American Elm  " Red Maple	20 15 14 15	c-30 20 20 113 c-10	G G G	G G
16 17 18	77 Red Maple n n	24 16 26	c−75 40 60 c−15	G G	G
BLOCK 19 20 21 22	85 Silver Maple H H Red Maple	27 22 16 25	<b>c-</b> 50 <b>75</b> 20 20 <b>c-2</b> 5	G G G	G G
23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39	Norway Maple Red Maple  " " " " Norway Maple Sycamore Maple American Elm Silver Maple Horse-Chestm Norway Maple Sugar Maple Sugar Maple Silver Maple Norway Maple Norway Maple Norway Maple Norway Maple Norway Maple	7 10 ut 17 12 17 19 15 ut 20 13	20 70 18 35 25 43 20 23 88 30 40 25 23 18 20 20	G G G M Stubs and dead limbs G G G G G G M Bad bark injury G G G G G G G G G G G G G G G G G G G	о м о о о о о м о о о о м о

Wales Road, N. E.

Tree No.	Species i	DB# nches	<b>S</b> pa <b>c</b> ing	Tree Condition - Remarks
BLOCK 40 41	101, cont'd. Silver Maple	<b>2</b> 0 23	18 20	G- G-
42	11 11	24	20	G
43	- <b>II</b>	22	23	G
44	Morse- Chestn	ut 4	20	<b>G</b>
45	Silver Maple	23	20	G-
46	n n	30	20	M Stubs
47	Red Maple	11	85	G
48	11 11	10	15	M Dead limbs
49	11 11	17	20	G
50	H H	12	18	G
51	Silver Maple	21	80	G
52	N 11	13	18	G Frost crack
53	Norway Maple	16	20	P Topped and hollow
54 DT 007	101		<b>c</b> -120	
BLOCK		7.0	<b>~ 1</b> 00	G-
54	Red Maple	10 14	<b>c_1</b> 00	G-
<b>55</b> 56	Silver Maple	24	310 180	G-
57	Red Maple	21	60	G-
58	11 11	22	60	G
٥ر		22	<b>c</b> -150	G
BLOCK	149		0-170	
59	Red Maple	24	<b>c-1</b> 50	G
60	n ii	14	60	Ģ
61	n H	27	60	G
62	Silver Maple	28	<b>5</b> 5	G
63	American Elm	42	<i>5</i> 0	G
64	Shingle Oak	6	150	G
65	Black Locut	14	12	<b>G</b>
			<b>0−1</b> 35	
BLOCK	-/~		1	2
66	White Ash	20	c-45	G
67	Red Maple	17	50	G.
68	11 11	19	55	G O
69	. 11 11	19	55 55	G G
70	n H	32 16	55 50	G
71	. H N		50 50	G-
72 <b>7</b> 3	American Elm	13 27	60	G
74	Red Mapble	24	65	G.
75 75	American Elm	28	50	G
<b>7</b> 6	M N	13	80	G
77	Red Maple	29	35	G
78	n n	24	55	G
79	n n	21	60	G-
86	11 11	27	55	G-

Wales Road, N. E.

Tree No.	<b>S</b> pecies	DBI nches	Spacing	Tree Condition - Remarks
BLOCK	192, cont'd.			
٤ı	Red Maple	24	55	G
82	H H	16	60	G-
ε <u>3</u>	11 11	13	<b>5</b> 3	Ğ
84	11 11	12	55 55	Ğ
85	<b>W</b> II	21	65	G-
86	White Oak	42	60	G-
87	Red Maple	24	95	G-
88	11 11	16	60	G.
00		10	c-15	<b>G</b>
BLOCK	102			
89	Red Maple	22	<b>c</b> -65	G
90	n n	11	20	G.
91	H H	14	35	G.
92	Norway Maple	19	15	M Crowded
93	n Î	19	15	G
94	Red Maple	14	15	G
95	Sugar Maple	15	40	G
96	ที ที่	14	60	G
97	n n	14	20	G
98	Red Maple	6	25	G
99	American Elm	5	40	G
100	Red Maple	17	25	G
101	White Maple	13	115	M Stubs
102	Silver Maple	13	25	G
103	Red Maple	22	20	G
104	Silver Maple	6	18	G
105	White Ash	25	<b>5</b> 5	P Dead trunk
106	Silver Maple	23	30	G
107	Red Maple	6	25	G
108	<b>9</b> 1 11	17	18	G
109	H H	13	23	G
110	11 11	15	45	G
111	n n	19	23	G
112	Silver Maple	21	35	<u>G</u>
113	Norway Maple	11	35	<u>G</u>
114	Red Maple	13	30	G-
115	Norway Maple	13	30	<u> G</u>
116	11 11	13	20	G.
117	Red Maple	13	30	G
118	Silver Maple	23	60	G
119	H H	14	23	G
120	11 11	18	15	G
			<b>∽</b> 75	

Wales Road, N. E.

Tree No.	Species	DB <b>X</b> inches	Specing	Tree Condition -	Remarks
BLOCK 121 122 123 124	•	16 lai 26 17 17	<b>c-</b> 33 20 85 35 <b>c-</b> 18	G M Stubs G G	
BLOCK 125 126 127 128	Sugar Maple " Red Maple	28 20 6 13	c- 5 48 95 20 c-18	G G G	
BLOCK 129 130 131 132	•	16 5 14 17	<b>c-</b> 50 35 45 20 <b>c-</b> 40	G G G	
BLOCK 133 134 135 136 137 138	•	17 13 15 15 16	c-23 15 18 20 25 18	G G G G	
BLOCK 139 140 141 142 143 144 145	American Elm  " Red Maple  " Silver Maple Sugar Maple Norway Maple	14 17 14 13 20 7	<b>c</b> −70 <b>c</b> −15 20 20 23 40 25 35 <b>c</b> −22	G G G G	
3LOCK 146 147 148 149 150 151 152 153 154	American Elm  N Sugar Maple Red Maple Norway Maple Red Maple Norway Maple Red Maple Red Maple	11 12 9 14 16 11 19 17 8	c-30 30 30 15 50 <b>45</b> 20 20 20 c-25	& & & & & & & &	

Wales Road, N. E.

Tree	Species	DBH inches	Spacing	Tree	Condition -	Remarks
BLOCK	12					
155	Silver Maple	20	<b>c</b> –30	G		
	Norway Maple	18	18	G		
157	Tulip Poplar	24	50	G-		
	Sugar Maple	11	25	G		
159	Silver Maple	15	18	G		
160	Red Maple	10	20	G		
161	Norway Maple	22	25	G		
162	Red Maple	10	35	G		
163	11 11	13	20	G		
164		13	16	G		
165		14	25	G-		
166	H N	14	23	G		
167	11 11	12	30	G-		
168	Silver Maple	18	23	G		
			<b>~</b> 75			
Frank	lin <b>Av</b> enue, N	T. E.			February	2, 1952

2	Silver Maple American Elm Norway Maple American Elm American Elm American Maple Iorway Maple Iorway Maple	1 12 4 8 10 8 1	c-180 170 20 25 50 15 30 50 c-30	G     G <th></th>	
BLOCK		14	c=40	G	
	Silver Maple Sugar Maple	6	35	G	
10 .	n n	7	15.	Ğ	
	merican Elm	ė	20	G	
	Red Maple	12	20	G	
	Silver Maple	4	20	G	
15	n 11	6	20	G	
16	11	1	30	G-	
17	H H	1	35	G.	
18	11 11	1	30	G	
19	M M	1	45	G	
20	11 II	1	20	G	
21	n n	1 5 4	20	G-	
22	** **	4	20 <b>c-1</b> 20	G	

Tree	-	DB¥ n <b>c</b> hes	Spacing	Tr	ee Condition - Remarks
BLOCK 1 2	26 Sugar Maple	8 10	c-75 15 c-143	M G	top has been removed
BLOCK	40				
3	Carolina Poplar		<b>c-1</b> 8	G	
4	11 11	32	15	M	Dead stubs
5	H N	27	18	M	
6	American Elm	18	15	P	Meart rot and insect infested
7 8	Red Maple	16 24	15 85	G.	
O	Silver Maple	24	c-85	G.	
BLOCK	46				
9	American Elm	32	<b>c</b> -25	G	
1Ó	Ħ Ħ	12	35	G	
11	W · W	48	60	M	Dead limbs and stubs
12	11 11	34	40	G	
			<b>~</b> 90		
BLOCK	<b>K1</b>				
	Sycamore Maple	20	c-25	G	
	Norway Maple	28	115	Ģ	
	American Elm	18	40	G	
	Sugar Maple	7	35	G	
17	Red Maple	14	15	G	
			<b>c</b> –30		
BLOCK	_			_	
18	Slippery Elm	12	c-10	G ~	
-	Sycamore	22	15	G	
20 21		15	15 15	G	Tod control and decor on think
22	Sugar Maple	13 13	15 18	P G	Bad canker and decay on trunk
23	w n	18	<b>3</b> 8	Ğ	
24	Basswood	14	35	Ğ	
25	Sugar Maple	13	18	G	
26	American Elm	22	30	G	
27	Slippery Elm	16	20	G	
28	Sycamore	17	20	G	•
29	M	16	18	P	Dead
30	American Elm	15	20	G	
31	Slippery Elm	12 16	20 40	G	
32 33	Sycamore American Elm	16	<b>1</b> 8	G.	
3 <b>4</b>	American Elm	14	20	Ğ	
35	N N	16	20	Ğ	
36	Sycamore	18	18	G	
37	<b>N</b>	17	30	G	
38	American Elm	16	20	G	
39	Slippery Elm	8	70	М	Fertilization

	0 <u>1</u> - 5					• 3	10 3	•
	÷ , .	5 i			<b>-</b> '	•		
				•		*:		
y <b>v</b> jerov	i ya a		•		· · · · · · · · · · · · · · · · · · ·			
	-7	• .	٠.		• .	,		
						•		
								v .
			2 °	•	.*			
					•			
		•						•

1st Street, N. E.

Tree No.	Species	DBM inches	Spacing	T	ree Condition	-	Remarks
BLOCK	58, contid.						
40	American Elm	15	18	G			
41		22	20	G			
42		18	18	G			
43		22	35	G			
44	<b>n n</b>	21	40	G			
45	Sycamore	18	20	G			
46	Red Maple	8	18	M	Suppressed		
47	Slippery Elm	10	20	G	••		
48	Red Maple	10	20	G			
49	American Elm	18	20	G			
50		20	18	G			
51		20	18	G			
52	<b>#</b> #	24	18	G			
53	Red Maple	9	15	M	Suppressed		
54	White Ash	14	15	G			
55	Basswood	18	15	G			
56	Silver Maple	34	25	G			
57	Red Maple	13	18	G			
<i>5</i> 8	Norway Maple	14	75	G			
			<b>o</b> –30				
BLOCK	81	_					
59	Basswood	28	<b>-</b> 30	G			
60	Sycamore	24	15	G			
61	Red Maple	13	35	G			
62		15	15	0			
63	White Ash	11	20	9			
64	Red Maple	16	20	G	<b>-</b>		
65	•	13	20	X	Butchered		
66	White Ash	6	20	M	5.4		
67		24	20	P	Dying		
<b>6</b> 8	•	26	20	G			
BLOCK	105		<b>c-</b> 15				
	Red Maple	19	<b>o-</b> 43	G			
69 70	M N Ten wabie	24	_	Ģ			
71	# W	14	23 20	ā			
72		18	20	ē			
73		13	20 23	6			
74	W W	16	40	G			
<b>75</b>		14	23	Ğ			
76	Silver Maple	32	45	Ģ			
77	N N	21	25	Ğ			
<b>78</b>	Red Maple	13	20 20	G			
79	M N	15	23	X	Dead limbs		
17		<b>-</b> J	<b>c-1</b> 2				

1st Street M. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	3			
80	Silver Maple	24	c-25	<b>G</b>
81	# #	22	25	Ģ.
82		30	85	G
O.C.		)0	<b>c</b> -200	
BLOCK	110		<b>0</b> -200	
83	Silver Maple	4	<b>~7</b> 5	<b>G</b>
84	N N	30	70	<b>G</b>
85		27	20	Ğ.
86	Red Maple	14	65	G.
87	Basswood	16	20	<b>G</b>
88	•	24	30	G
89	Silver Maple	3	25	G
90	N N	26	30	G
91	Morse Chesinut	18	18	<b>G</b>
			<b>c–</b> 80	•
BLOCK	111			
92	Red Maple	10	<b>c</b> -10	G.
93	Silver Maple	14	50	•
94	Red Maple	18	40	<b>G</b>
95	Sugar Maple	19	20	<b>G</b>
96	Morse Chestnut	8	45	G
97	Silver Maple	18	25	<b>G</b>
<del>9</del> 8		3	210	•
99		2	15	<b>Q</b>
100	Red Maple	19	15	•
101	Silver Maple	3	120	<b>G</b>
102		12	15	<b>6</b>
103		26	140	<b>G</b>
104		18	15	<b>e</b>
105		19	15	•
106	Box Elder	17	200	G
107	Red Maple	20	25	G
DIAME	307		<b>0–35</b>	
BLOCK	195	•	- 20	•
108	Silver Maple	20	<b>0-</b> 30	G Z
109		9 20	<b>33</b>	G G
110		20	30 <b>6</b> 0	<b>G</b>
BLOCK	196			_
111	White Ash	10	<b>-350</b>	<b>6</b>
112	Silver Maple	4	110	G
BLOCK	197			
113	Chinese Elm	14		<b>G</b>
114		8	20	•
115	Sugar Maple	8	75	G

1st Street, N. E.

Tree	Species	DBM inches	Spacing	Tr	ee Condition	- Remarks
BLOCK	197, cont'd.					
116	Sugar Maple	2	35	G		
117	N N	4	15	Ğ		
118	Norway Maple	6	15	Ğ		
119	Carolina Popla		45	Ğ		
120	Ailanthus	20	45		Decaying	
		20	<b>0−</b> 20		2000 225	
BLOCK	107					
121	Sugar Maple	16	<b>c-140</b>	G		
122	Silver Maple	26	45	G		
123	# n	2	33	G		
124		5	42	G		
125		5 38	40	G		
126		21	18	G		
127	W N	31	20	G		
128	Red Maple	15	40	G		
129	Sugar Maple	10	25	G		
130	Silver Maple	9	15	G		
131	H H	27	18	G		
132		14	15	G.		
133		3	60	G		
134		16	18	G		
135	American Elm	15	30	G		
136		14	15	G		
137	Red Maple	14	215	G		
138	H H	11	15	G		•
139		7	30	G		
140	Silver Maple	26	20	0		
141		20	15	G		
142		25	110	G		
143	# #	10	35	G		
144		13	15	G		
145	# #	24	470	G		
146	Sugar Maple	14	140	G		
147	Norway Maple	13	20	G		
148		12	40	G		
149	American Elm	22	28	G		
			<b>0–</b> 30			
BLOCK	104			_		
150	Red Maple	13	c-20	G		
151	<b>N N</b>	18	43	G.		
152	# #	14	20	Q.		
153	₩ ₩	12	20	•		
154	American Elm	10	25	G		
155	Red Maple	12	15		frunk injury	
156		15	20	G		
157	American Elm	1	40	G		

٠..

). P

••

11

. .

•

1st Street, N. E.

Tree	Species	DBM	Spacing	!	Tree Condition - Remark	:8
Ho.	:	inches				
BLOCK	104, cont'd.					
158		1	20	~		
159		19	20 45	G G		
-27	and the stape of	-)	<b>-11</b> 0	G		
BLOCK	80		<u>- 110</u>			
160	Red Maple	15	<b>c</b> -10	G		
161		9	15	G		
162	Silver Maple	13	20	G		
163	Carolina Poplar	36	105	M	Trunk injury	
DT AAW	- 60		<b>c</b> -20			
BLOCK 164	• •	<b>9</b> I.		_		
165	Sugar Maple	14	<b>0−</b> 35	Ģ		
166	Sycamore	12 40	35 20	G		
167	Sugar Maple	14	20 65	G G		
168	Norway Maple	14	35	G		
169	Silver Maple	28	20	G		
	•		<b>0-15</b>	_		
BLOCK	171					
170	Silver Maple	17	<b>0-</b> 95	G		
171	Red Maple	12	40	G		
172	Sugar Maple	8	30	G		
173	Silver Maple	1	30	G		
174	Red Maple	18	20	G		
175		14	25	G		
BLOCK	57		0-15			
176	Sugar Maple	9	<b>c-1</b> 20	G		
177		1ó	20	Ğ		
178		13	20	Ğ		
179	W W	12	45	G		
180		12	20	•		
181		12	20	•		
182	1 1	13	20	G		
183	Silver Maple	22	18	G		
184		23	20	6	• •	
185 186		18 24	20	X	Stubs	
187	Red Maple	14	20 25	X G	Stubs	
188	N N	12	25 30	G		
189		14	45	G		
190		22	25	Ğ		
•			<b>⊶</b> 35	-		

•

• 1

11

•

F ...

•

٠.

•

1st Street, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks	
191 192 193 194 195 196 197 198 199 200 201	Silver Maple  # #  Red Maple  Morse Chestnut  # #  # #  Red Maple  Sycanore  American Elm	20 18 12 18 25 18 16 22 39 9	o-20 28 25 60 40 40 95 455 145 20 20 6-150	Dead limbs M Stubs G M Limbs and stubs G G G G Stubs and hanger P Suppressed by elm P Suppressed by, top out	
4th St	reet, N. E.			November 6, 1951	
BLOCK	5				
1	American Elm	33	<b>9–</b> 30	<b>G</b>	
2	Red Maple	17	115	G	
•	_		<b>-1</b> 00		
BLOCK	18				
3	Silver Maple	20	<b>6-2</b> 0	N Stubs and limbs	
4	Sugar Maple	17	20	G	
5		14	15	M Stubs and limbs	
6		10	25	<b>6</b>	
7	American Elm	34	35	6	
8		30	25	6	
9	1 1	26	30	M Stubs and limbs	
10	Norway Maple	1	25	•	
	~		<b>0-25</b>		
Brock	29	18	a 39	۵	
11	Norway Maple Sugar Maple	18 18	o-38 45	G G	
12	anger webre		100	4	
13 14		13 11		G	
15		16	23 25	M Stubs	
19		10	o- 1	x Dubb	
BLOCK	43		-		
16	Red Maple	30	<b>0-</b> 15	G Frost crack	
17	H H	16	23	G	
18		18	50	6	
19		16	10	6	
20		17	13	Ğ	
21		18	23	Ğ	
2.4	<del>:</del>	20	رے	•	

. .

. 1

.,

4th Street, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remark	:8
BLOCK	43, cont'd.				
22	Red Maple	13	25	<b>G</b>	
23	Silver Maple	10	10	<b>G</b>	
24	# #	19	12	G.	
25		ě	10	<u>e</u>	
26	Red Maple	15	35	Ğ	
20	man umbra	<b>-</b> )	رر <b>-1</b> 0	•	
BLOCK	49		<b>~</b> 10		
27	American Elm	16	<b>~</b> 33	G	
28	H H	30	25	Ğ	
<b>29</b>	Red Maple	17	25	Ğ	
<b>3</b> 0	American Elm	22	20	G	
. 31	M N	21	15	G.	
31		6		Ğ	
32 33		7	25 15	G	
<b>33</b>	Red Maple		15 25		
34		23	35	G G	
35	American Elm	13	25	G	
BLOCK	54		<b>-25</b>		
	•	22	a 25	G	
36	American Elm	23	<b>0-</b> 25	G	
37	Black Locust	35	40		
<b>38</b>	Silver Maple	11	35	G A	
39	Red Maple	14	25	G M. Churka	
40	Big Tooth Asper	1 40	75	N Stubs	
TOT A COPP	70		<b>⊶</b> 35		
BLOCK	53		- 97	•	
41	Red Maple	25	<b>0–15</b>	G D. Dartus	
42	•	15	• 20	P Dying	
43	<b>1 1 1</b>	15	. 15	G	
44		16	15	6	
45		17	40	6	
46		18	15	M Mollow trunk	
47		16	15	P Dead	
48		16	14	X Stubs and hanger	
49		15	13	6	
50	Silver Maple	30	20	G	
51	Red Maple	18	30	<b>&amp;</b>	
52	₩ ₩	15	20	G	
	ho.		<b>-</b> 5		
BLOCK	48	9.1.		<b>A</b>	
53	Red Maple	14	<b>~</b> 5	G	
54	Silver Maple	37	20 20	G	
55		26	28	6	
56	Sugar Maple	14	15	G .	
57	Red Maple	20	30	X Stubs	
<i>5</i> 8		19	18	<b>G</b>	

t ·

4th Street, N. E.

Tree No.	Species	DBH inches	Spacing	T	ree Condition - Remarks
BLOCK	43, contid.				
22	Red Maple	13	25	G	
23	Silver Maple	10	10	Ğ	
24	# #	19	12	Ğ	
25		-é	10	Ğ	
26	Red Maple	15	35	Ğ	
20	ava vapav	-2	<b>~</b> 10		
BLOCK	49		<b>- - - - - - - - - -</b>		
27	American Elm	16	<b>~</b> 33	Ģ	
28	N N	30	25	Ğ	
29	Red Maple	17	25	Ğ	
30	American Elm	22	20	Ğ	
31	N N	21	15	Ğ	
32		6	25	Ğ	
33	Red Maple	7	15	G	
34	N N	23	35	G	
35	American Ilm	<b>1</b> 3	25	G	
		-2	o-25		
BLOCK	54				
36	American Elm	23	<b>c-</b> 25	G	
37	Black Locust	35	40	G	
<b>3</b> 8	Silver Maple	ii	35	Ğ	
39	Red Maple	14	25	G	
40	Big Tooth Aspen		75	M	Stubs
•••			<b>-</b> 35		
BLOCK	53				
41	Red Maple	25	o-15	G	
42	1 1	15	• 20	P	Dying
43		15	15	G	
44		16	15	G	
45	# · · #	17	40	•	
46		18	15	X	Hollow trunk
47		16	15	2	Dead
48		16	14	X	Stubs and hanger
49		15	13	4	_
50	Silver Maple	30	20	G	
51	Red Maple	18	30	6	
52	# <b>T</b>	15	20	G	
-		=•	o- 5		
BLOCK	48		-		
53	Red Maple	14	<b>o-</b> 5	G	
54	Silver Maple	37	20	G	
<b>5</b> 5	# # <sup>-</sup>	26	<b>2</b> 8	•	
56	Sugar Maple	14	15	G	
57	Red Maple	20	30	X	Stubs
<i>5</i> 8	1 1	19	18	G	
-		-			

• • •

. . .1 ••

4th Street, N. E.

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	48, cont'd.				
59	Silver Maple	15	15	H	Broken limbs and hanger
60	Red Maple	15	20	G	
61	<b>H</b> H	14	18	X	Dead limbs
62	W W	9	30	M	Dead top
63	Silver Maple	20	30	G	-
			<b>c</b> -10		
BLOCK	42		_		
64	Red Maple	22	<b>6</b> 0	G	
65	Sugar Maple	14	50	X	Stubs
66	Red Maple	13	18	G	
67	Norway Maple	20	35	G	
68	A	14	18	G	
69 <b>2</b> 0	American Ilm	14	15	G	
70		23	23 <b>1</b> 8	G	
BLOCK	28		0-10		
71	Red Maple	18	0-15	G	
72	n n	23	35	Ğ	
73		12	30	Ğ	
74	<b>8 8</b> **	13	: 45	Ğ	
75		28	48	X	Heart rot and stubs
76	11 11	16	<b>5</b> 0	G	
			<b>c-15</b>		
BLOCK	17				
77	Red Maple	21	<b>0-30</b>	G	
78		14	25	G	
79	Sugar Maple	16	30 22	G	
80 81	Ped Versia	5	28 23	9	
82	Red Maple	20 30	33 48	X	Dead limbs
02	• •	90	o-20	n	Dead IImus
BLOCK	4		<b>U</b> -20		
83	Red Maple	15	<b>c</b> -40	G	
84	N N	19	30	X	Heart rot
85	American Ilm	30	35	G	
86		16	35	4	
87	Red Maple	18	25	0	
88	American Elm	18	20	G	
89	Red Maple	14	20	G	
			<b>~3</b> 0		

.

-•

·

•

•

3rd Street, N. E.

March 22, 1952

Tree	Species	DBM inches	Spacing	Tree Condit	tion - Remarks	B
BLOCK	112					
1	Silver Maple	1	<b>c-</b> 50	G		
2	N N	ī	35	Ğ		
3		ī	15	Ğ		
3 4	N N		20	G		
5		3	15	G		
6	Red Maple	2 3 <b>7</b>	95	G		
	•		<b>c-</b> 50			
BLOCK	122					
7	Red Maple	5	<b>-2</b> 5	G		
8	Norway Maple		15	G		
	_		<b>c-1</b> 20			
BLOCK	137					
9	Black Walnut	2	<b>0–1</b> 35	G		
10		9 4	25	G		
11		4	22	G		
12		3	20	G		
13		4	20	G		
	_		o-25			
BLOCK	138			_		
14	Sugar Maple	2 2 2 5 5 6	<b>0–35</b>	G T		
15		2	30	G		
16	# #	2	30	G		
17	Chinese Elm	5	195	G		
18		5	30	G		
19		6	45	G G		
20	Red Maple	2 2	125	G C		
21	• •	2	15 <b>85</b>	G		
BLOCK	120		<b>6-</b> 05			
<b>22</b>	139 Silver Maple	3	<b>0-</b> 95	G		
LL	pitagi wahit	, ,	<b>0-140</b>	<b>u</b>		
BLOCK	142		<b>~</b> 140			
23	Norway Maple	2		G		
24	n n	2	25	Ğ		
~,		_	o-110	_		
BLOCK	140					
25	Silver Maple	1	<b>0-1</b> 65	G		
26		5 6	35	G		
27		6	25	6		
		-	0-15			
BLOCK	136		-			
<b>2</b> 8	Red Alder	2	<b></b> 30	G		
29	Sycamore	1	25	G		
30	•	1	25	G		
31		1 3 5	45	Ģ		
32	W	5	55	G		
			<b>c-220</b>			

---

3rd Street, N. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	123			
33	Silver Maple	1	<b>0-20</b>	<b>G</b>
34	H H	3	20	G
35		3 3	20	G
36	# #	10	30	G
37		5	20	<b>G</b>
38		3	25	G
39	Sugar Maple	2	25	G
40	Silver Maple	1	105	G
41	# # # # # # # # # # # # # # # # # # #	1	20	G
42	Choke Cherry	8	20	G
	•		<b>~205</b>	
BLOCK	113			
43	Silver Maple	1	<b>c-1</b> 30	<b>G</b>
44	H 1	8	45	<b>G</b>
45	Red Maple	10	20	<b>G</b>
46		10	20	<b>G</b>
			<b>c</b> -65	

## Villow Avenue, N. E.

## March 22, 1952

BLOCK	200				
1	Basswood	8		G	
2	Sugar Maple	5	20 <b>c-1</b> 5	G	
BLOCK	138		_		
3	Silver Maple	8	<b>∽</b> 35	G	
3 4	Sugar Maple	<b>3</b>		. <b>G</b>	
5	i i	4	20	G	
5 6	Silver Maple	1	30	G	
BLOCK	137				
7	Silver Maple	7		G	
8	# # <sup>-</sup>	7	18	<b>G</b>	
9		6	15	G	
10		· 3	18	•	
11	Sycamore	6	30	G	
12		5	20	G	
13	Catalpa	7	100 <b>0-</b> 55	G	

Tree No.	Species	DBH inches	Spacing	Tree	Condition -	- Remarks
RLOCK	3					
1	Sycamore	45	<b>0-</b> 35	G		
2	1	56	<b>7</b> 0	Ğ		
	Red Maple	16	80	Ğ		
3 4	N N	15	22	Ğ		
7		رــ	o-25	· ·		
BLOCK	16		<i>(-2)</i>			
5	Red Maple	14	<b>c-1</b> 90	G		
	men schre	4	<b>6</b> –30	•		
BLOCK	27		ار <i>ح</i> ا			
6	Red Maple	3	<b>c</b> _40	G		
7	Black Locust		25	Ğ		
ខ	Box Elder	16	90	ě		
9	Silver Maple		<b>3</b> 0	G		
10	H H	12	25	Ğ		
11		8	23	Ğ		
**		•	<b>6-</b> 8	· ·		
BLOCK	41		<b>G</b> 0			
12	Silver Maple	34	<b>c-1</b> 2	G		
13	Red Maple	16	63	ě		
14	Ter Nabia	20	45	ě		
	Sugar Maple	11	20	Ğ		
16	Red Maple	23	<b>7</b> 0	Ğ		
10	mer wahre	2)	<b>-</b> 30	•		
BLOCK	47		<b>U</b>			
17	Red Maple	23	0-25	. G		
18	Silver Maple	23 7	28	Ğ		
19	a a	13	15	Ğ		
20	American Elm		30	Ğ		
21	Marron Tru	18	18	Ğ		
22	Red Maple	7	50	Ğ		
23	Silver Manle		35 35	Ğ		
24	H H		18	Ğ		
2 <del>5</del>		19 14	15	Ğ		
2)		<b>4</b> -1	o- 8	•		
BLOCK	52		<b>U</b>			
26	Red Maple	14	<b>c-</b> 6	G		
27	n n	12	12	Ğ		
28		12	15	Ğ		
<del>29</del>	Sugar Kaple	12	15	Ğ		
30	Slippery Ila		18	Ğ		
31	arpher, Tr	17	18	ē		
32	Red Maple	ii	80	ē		
33	Silver Maple	ī	15	ā		
34	Red Maple	19	13	ě		
35	# #	14	13	ě		
36		12	<b>25</b>	Ğ		
<b>J</b> U		-~	o-20	•		

.

:

•

**4** .

4.

-

<del>-</del>

3rd Street, N. E.

Tree	Species	DBH inches	Spacing	T	ree Condition -	Remarks
BLOCK	53					
37	Red Maple	15	<b>~</b> 30	M	Stubs	
38		15	20	G	Frost crack	
39		15	18	Ğ		
40		16	20	Ğ		
41		16	15	Ğ		
42		17	35	G		
43		14	18	G		
44	Silver Maple	10	15	G		
45	Red Maple	15	18	G		
46	Sugar Maple	16	15	G		
47	1 1	14	15	G		
48		14	15	G		
			0-15			
BLOCK	48					
49	Silver Maple	24	<b>c-</b> 25	G		
50	Slippery Elm	11	40	G		
51	Silver Maple	1	30	G		
52	Red Maple	8	33	G		
53	Norway Maple	19	18	G		
54	Silver Maple	16	200	G		
55	# #	12	25	G		
56	Sycamore	<b>2</b> 8	15	G		
			<b>c-</b> 38			
BLOCK	42					
57	Silver Maple	28	<b>6-</b> 8	G		
<i>5</i> 8	Sogar Maple	12	25	G		
59	Red Maple	16	25	G		
60	Silver Maple	20	18	G		
61	Red Maple	10	<b>35</b>	G		
62	White Ash	16	20	G		
63	Silver Maple	16	20	0		
64		14	20	•		
65	American Elm	40	18	G		
66	Red Maple	7	25	G		
67		14	20	G		
			<b>c</b> -10			
HLOCK	28			_		
68	Red Maple	19	0-25	G		
69	Sugar Maple	5	30	G		
70	American Ilm	24	25	G		
71	Sugar Maple	4	15	G		
72	American Ilm	13	15	G		
73	Red Maple	18	50	G		
74	American Elm	18	23	G		
75	Red Maple	20	30	•		
			<b>c-2</b> 8			

3rd Street, N. E.

Tree	Species	DBM inches	Spacing	T	ree Condition - Remarks
BLOCK	17				
76	Sugar Maple	15	<b>0-</b> 25	G	
77	Sycamore	26	20	G	
78	American Elm	45	30	G	
79	W W	3	20	G	
80	Carolina Poplar		20	G	
81	Silver Maple	24	<b>7</b> 5	M	Lightning injury
82	Sugar Maple	14	18	G	
			<b>∽</b> 5		
BLOCK	4				
83	Slippery Elm	30	c <u>-</u> 45	G	
84		25	40	G	
85	American Ilm	40	40	G	
86		39	45	G	
87	Sycamore	19	35	G	
			<b>~</b> 30		
2nd St	reet, N. E.				November 8, 1951
77 A 67					
BLOCK	15	<b>9.1.</b>	- 00	~	
1	Sugar Maple	14	<b>⊶</b> 80	G	
2	Red Maple	7	30	G	
3 4		12	18 15	G G	
~		13	15 <b>0-</b> 65	•	
BLOCK	26		<b>G</b> -05		
5	Silver Maple	15	<b>c</b> -20	G	
6	1 1	18	20	Ğ	
7	# #	16	22	Ğ	
8		21	15	Ğ	
9	American Elm	12	28	4	
10	Sugar Maple	15	23	P	Bad split
11	i i	10	20	0	-
12	Slippery Elm	24	20	X	Diseased
13	Red Maple	14	20	G	
14	Norway Maple	11	30	G	
			<b>∽</b> 20		
BLOCK	40	_	_	_	
15	Red Maple	12	<b>0-</b> 1	G	
16	Sugar Maple	15	40	X	Stubs
17	• •	13	35	G	
18	Red Maple	10	20	G	
19	Silver Maple	25	25	G	
20	W	26	20	G	
21	MorwayMaple	1	20	G	

•

<del>-</del>

-

<del>-</del>

2nd Street, N. E.

Tree No.	Species i	DBH .nches	Spacing	T	ree Condition - Remarks
BLOCK	40. contid.				
22	Red Maple	17	15	G	
23	N N	16	23	M	Stubs and hangers
24	Silver Maple	2	8	G	The state of the s
27		2	<b>o</b> –30	•	
BLOCK	46		<b>U</b> _)0		
25	Red Maple	18	<b>~</b> 58	G	
26	Sugar Maple	21	20	M	Top blown off
27	Red Maple	10	25	G	-op
28	n n	24	40	Ğ	
29	Silver Maple	19	40	Ğ	
<b>3</b> 0	Red Maple	13	40	Ğ	
	mou viiipio	<b>-</b> J	o-25		
BLOCK	51		· ~		
31	Sugar Naple	16	<b>0-1</b> 5	G	
32	1 1	11	18	G	
33	Red Maple	14	18	G	
34	N N	22	18	G	
33 34 35	Sugar Maple	14	50	P	Dead
36	1 1	15	35	G	
37		15	15	P	Dead
38	Red Maple	15	18	G	-
		-2	<b>0-</b> 55		
BLOCK	52				
39	Silver Maple	10	<b>0-</b> 90	M	Clump
40	Carolina Poplar	: 19	15	G	-
41	M N	19	10	G	
42	Basswood	11	20	G	
43		11	15	G	
			<b>c-</b> 85		
BLOCK	47				
44	Sycamore	20	<b>0-5</b> 5	G	
45	W	20	15	G	
46	Silver Maple	16	23	G	
47	Morse Chestnut	<b>2</b> 8	30	G	
48	Silver Maple	26	<b>55</b>	G	
49	Red Maple	18	20	G	
<b>5</b> 0	H H	15	20	G	
51		9	20	G	
			<b>c-1</b> 0		
BLOCK	41			_	
52	Red Maple	19	0-35	6	<b>4</b> . • .
53	<b>1</b>	19	20	X	Stubs
54	Allenthus	23	25	G	
55	Silver Maple	11	65	G	

-

<del>-</del> ,

<del>-</del>

. .

• 1

.

**)** (

2nd Street, N. E.

Tree	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	41, cont'd.			
56	Basswood	26	25	G
57	Red Maple	19	20	G
<b>5</b> 8	W W	13	23	G
59	Basswood	20	20	G
BLOCK	~3		<b>c-</b> 3	
60	27	4	c-18	G
61	Silver Maple Norway Maple	20		G
62	Sugar Maple	20	23 20	M Stubs and dead limbs
63	a a	20 14	45	G
64	Black Locust	14	40	G
O4	DIGCE DOCKET	<b>4</b> -7	<b>-</b> 90	•
BLOCK	16		<b>5 / 5</b>	
65	Sugar Maple	15	<b>c-1</b> 5	M Decay and rot
66	American Elm	9	38	<b>G</b>
67	Red Maple	18	50	<b>G</b>
68	W W	19	20	G
69		20	35	<b>G</b>
70		18	<b>35</b>	G
TT 0.000			<b>-</b> 20	
BLOCK	3	00	- 10	0
71	Sugar Maple	22	<b>0−12</b>	G C
72	Horway Maple	<b>18</b> 6	50 <b>28</b>	G G
<b>7</b> 3	Pin Oak	2	28 28	G
74	American Elm	2	<b>c-</b> 20	<b>G</b>
	r Road, N. E.			<b>March</b> 22, 1952
BLOCK	159	•	_	
1	Chinese Elm	6	o- 5	G.
2	Pear tree	1	30 45	<b>G</b>
3 4	Mountain Ash	12		G
4	Silver Maple	24	105	G
BLOCK	160			
5	Silver Maple	1		G
6	Sycamore	1 5 5	35	G
7		5	45 <b>0-</b> 260	G

---

• • 2

•

Tree No.	Species	DBM inches	Spacing	Tree	Condition - Remarks
BLOCK	110				
1	Sugar Maple	6	<b>0–</b> 155	G	
2	Norway Maple	4	20	G	
3 4	Silver Maple	13	60	G	
4		16	25	G	
<b>5</b> 6	American Elm	14	25	G	
	**	14	20	G	
7	Sugar Maple	10	40	G	
8	w w	9	18	G	
DIACE	111		<b>⊶</b> 35		
BLOCK	111	7.6	<b>0–1</b> 5	G	
9 10	American Elm Silver Maple	_	100	G	
11	a a	2 1	18	Ğ	
12		5	70	Ğ	
13		5 3	30	Ğ	
14	American Elm	13	23	Ğ	
15	1 1	9	20		Fertilization
16	Silver Maple	8	25	G	
17	H H	12	25	G	
			o-155		
BLOCK	138				
18	Silver Maple	<i>5</i> 8		G	
19			25	G	
20	* *	8	30	G	
707 A 678*	100		<b>c-1</b> 0		
BLOCK	137	•	<b>c-1</b> 5	G	
21 22	American Elm	2 5	15	G	
23	Red Maple	2 5 3 4	35	Ğ	
24	Catalpa	4	20	Ğ	
25	Apple tree	6	15	G	
26	Silver Maple	6	45	G	
27	<b>1</b> 11	4	25	G	
			<b>c</b> _80		
RIOCK	122		_	_	
28	Chinese Ilm	1	<b>0–205</b>	G	
29		1	35	Q.	
30		1	30	Ģ	
31	<b>~</b>	1	25	<b>e</b>	
BLOCK	100		<b>0-20</b>		
	109 American Elm	6	<b>0–</b> 30	G	
32 33	Chinese Elm	12	30	Ğ	
<b>3</b> 4	American Elm		<b>25</b>	Ğ	
35	Chinese Ilm	ì	ĩš		
<b>36</b>	American Ilm		25	G	
37	Red Maple	4	135	G	
<b>-</b> -	_		<b>30</b>		

•

. –

<del>-</del> .

Tree	<del>-</del>	H hes	Spacing	Tre	e Condition - Remarks
BLOCK	5				
1	Silver Haple	15	c-115	G	C1. 3
2		26	<b>7</b> 0 <b>c-</b> 75	М	Stubs
BLOCK	14		- 13		
3	American Elm	29	c-33	G	
4	M II	18	50 2.150	G	
BLOCK	29		<b>c</b> –150		
6	American Elm	24	c-100	M	Stubs
			<b>c-1</b> 50		
BLCCK	49 Silman Marala	0	• 05	G	
<b>7</b> 8	Silver Maple	9 14	c-25 27	G	
9	11 11	15	30	M	Dead limb
10	11 11	17	60	M	Dead limbs
11	11 11	12	<b>3</b> 3	G	
12	11 11	16	15 <b>c-</b> 65	G	
BLOCK	55		<i>(</i> -0 <i>)</i>		
13	Silver Maple	12	c-210	G	
14	11 11	12	20	G	
BLOCK	50		<b>c–</b> 20		
15	_	14	c-13	G	
16	Sugar Maple	4	42	G	
17	11 11	5	18	G	
BLOCK	19		c-175		
18	American Elm	16	<b>c-1</b> 40	G	
19	II H	13	30	G	
20	n n	13	30	G	
BLOCK	6		<b>c</b> –30		
21	American Elm	16	<b>~</b> 30	G	
22	Red Maple	10	25	G	
23	11 11	12	10	G	
24 25	Silver Maple Sugar Maple	15 9	16 18	G M	Suppressed
25 26	Torse-Chestnut	16	50	G	Daggressea
27	Red Maple	10	28	Ğ	
23	M 11	13	25	G	
29	11 11	13	<b>2</b> 3	G	
			c-27		

6th Street, N. E.

Tree	Species	DBW inches	Spacing	Tree Condition - Remarks
BLOCK 39 40 41 42 43 44 45 46 47 49	31 Sugar Maple " " Silver Maple Red Maple " " Silver Maple " " Sugar Maple Red Maple " " Silver Maple	12 12 29 10 13 17 17 13 13 17	c-30 35 25 20 18 23 21 45 40 20 20 c-85	G. G. G. M. Suppressed G.
50 51 52 53 54 55	20 Red Maple Sugar Maple Red Maple  # # #	16 7 12 22 15 22	<b>~</b> 100 18 18 25 25 23 <b>~</b> 30	G       G <t< td=""></t<>
7th St	reet, N. E.			October 29, 1951
BLOCK 1 2 3	7 Silver Maple	13 10 14	<b>~</b> 235 20 23 <b>~</b> 10	G G
BLOCK 4 5 6 7 8 9 10	20 Red Maple n n n n n n Silver Maple n n	14 11 13 12 20 31	<b>c</b> −23 2 <b>7</b> 25 25 42 55 20 <b>c</b> −30	G G G
12	32 American Elm	14 18	20 <b>C</b> –225	G G
BLOCK 13 14 15	21 Silver Maple Red Maple Red Maple	1 10 9	<b>c-160</b> 38 <b>15</b> <b>c-</b> 30	G M Butchered M Butchered

Tree No.	Species	DBM inches	S <sub>Dr</sub> cing	Tree Condition - Remarks
BLOCK 1 2 3 4 5 6 7 8	19 Red Maple Red Maple n n n Silver Maple Red Maple n n n	12 15 22 10 23 16 15	c- 25 24 25 28 33 25 25 25 c- 20	6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       7       8       8       9       9       9       9       9       9       9       9       9       9       10
BLOCK 9	50 Norway Maple	e 17	<b>c</b> -43	G-
10	Red Maple	11	20	G
11	Red Maple	16	23	G
12	Norway Maple		125	G
13	11 11	17	30	G
BLOCK	55		c-15	
14	Silver Maple	e 15	c-65	G-
15	n n	18	30	G
16	Red Maple	13	105	G
17	Silver Maple		25	G .
77.04	1.1.		<b>c-</b> 30	
BLOCK		2.1.	- 00	0
18 19	Red Maple	14 17	<b>c-</b> 20 25	G G
20	11 11	15	23	G
21	<b>11</b> 11	16	25	G
22	<b>11</b>	12	48	G
23	11 11	10	.25	G
24	n n	18	25	G
25	п п	12	25	P Top gone
26	Sugar Haple	1	30	G
27	Silver Maple	e 16 15	30 20	G G
2 <sup>ල</sup> 29	Red Maple Red Maple	17	25 25	G.
30	n n	16	45	G
31	American Elm		25	Ğ
32	Silver Maple		25	<b>G</b>
33	Basswood	18	25	G
34	Silver Maple		30	G
35	Basswood	31	25	G.
36 37	Red Maple	21	30 55	G nG
<b>37</b> 38	n n	25 <b>1</b> 3	55 25	G.
۰٫۰	···	رــ	<b>~</b> 50	-

•

7th Street, N. E.

Tree		DB <b>X</b> ches	Specing	Tree Condit	ion - Remarks
16 17 13	*	5 13 8	c-20 55 20 C-175	<b>G</b> <b>G</b>	
Raymor	nd Center, N. E.				October 23, 1951
BLOCK 1 2	57 Norway Maple	12 14	<b>c</b> -115 18	G G	
9th St	treet, N. E.				October 29, 1951
BLOCK 1 2 3 4 5 6	Catalpa Red Maple n n	17 10 10 23 22 22	c-15 28 20 38 20 53 <b></b> 70	G G G G	
8 9 10	63 Silver Maple " Sugar Maple Silver Maple	26 24 11 12	<b>c–1</b> 50 28 23 20	G M Stubs G G	
BLOCK 11 12 13 14 15 16	Norway Maple Norway Maple Norway Maple n n n n	12 10 12 13 13	24 20 23 20 20 <b>c-</b> 20	<b>.</b>	
BLOCK 17 18 19 20 21	10 Sugar Maple n n n n n n	13 12 11 12 12	<b>c-7</b> 5 65 33 26 30 <b>c-</b> 25	G G G	,

.

Tree No.	Species	DB# inches	<b>S</b> pacing	T	ree Condition - Remarks
BLOCK 1 2 3 4	5 Red Maple Sugar Maple Red Maple Sugar Maple	20 20 19 12	c-38 70 63 45 c-43	<b>ው                                    </b>	
BLOCK	21 Silver Maple	e 18		•	
<i>5</i> 6	n 11	22	<b>c</b> –10 30	G G	
7	M N	2	18	G	
8	11 H	10	15	G	
9	Red Maple	12	23	G	
10	11 11	12	75	G	
11	11 11	12	28	G	
12	91 11	12	28	G	
			<b>0−</b> 23		
BLOCK	32			_	
13	Sugar Maple	10	<b>c</b> –20	G	
14	11 11 11 11	6	19	G	
15	и и	12	25	G	
16		13	<b>2</b> 8	G	
17	Basswood	12	18	G	
18	Sugar Maple	12	20	G	
19		13	20	G C	
20	Norway Maple		70	G G	
21	Silver Maple	21 24	20 25	G	
22	11 11	24 21	25	G	
23 24	11 11	22	25 25	G	
2 <del>4</del> 25	n 11	18	50	G	
26 26	n n	17	25	P	Yollow trunk - dying
20		± 7	c-18	•	TOTION FIME - WING
BLOCK	45		0-10		
27	Sugar Maple	2	<b>c</b> –18	G	
28	Silver Maple		23	Ğ	
29	n n	25	25	Ğ	
30	11 11	19	25	G	
31	11 11	25	43	G	Kenger
' 32	n n	22	40	M	Dead limb
33	<u>M</u> n	17	40	G	
34	11 11	21	23	M	Dead limb
30 31 32 33 34 35 36 37	n n	19	15	G	
36	n n	17	15	G	
37	Red Maple	20	35	G	
<b>3</b> 81	White Ash	28	80	G	
39	H H	24	35	G	
40	Silver Maple	23	40	G	

Eighth Street, N. E.

Tree	Species	DBX inches	Spacing	Tree Condition - Remarks
BLOCK 41 42 43 44 45 BLOCK	45, cont'd. Red Maple " " " " Silver Maple Red Maple	14 14 10 20 13	35 18 13 65 25 <b>c</b> –40	G G G G
46 47 48 49 50 51	Red Maple  " " Silver Maple  " " Red Maple	9 12 17 9 21 11	c-18 20 18 23 15 55 6-80	M Stubs G G P Dying G
52 53 54 55 56 57	106 Silver Maple  " Red Maple " Catalpa Norway Maple	18 16 11 13 18 14	25 38 25 25 40 <b>c-</b> 35	G G G G G
59 59 60 61	Silver Maple	3 4 12 16	c-10 190 25 30 c-23	G G G
62 63 64 65	172 Sugar Maple  n  n  n	9 7 11 6	c-73 18 27 20 c-60	G G G
66 67 68 <b>59</b> 70	134 Silver Maple  n n n n	1 1 1 1	<b>c</b> -38 33 20 55 25 <b>c</b> -55	G G G P Clump
71 72 73 74 75	Silver Maple  " " Red Maple Norway Maple	11 19 1 10 10	<b>c-</b> 20 20 20 23 75	G G P Sprouts G

Eighth Street, N. E.

Tree No.	-	BX hes	Spacing	Tree Condition - Remarks
BLOCK 76 77 78 79 80 81 82 83 84 85 86 87 89	ll7, cont'd. Silver Maple  " " Sugar Maple Red Maple Silver Maple " " Red Maple " " Silver Maple " " Red Maple " " Silver Maple " " Red Maple " "	14 12 6 6 22 14 12 13 2 11 8 9	25 48 30 15 38 45 15 70 20 25 15 20 15 <b>~</b> 10	G G G G M Bark badly scared G G G G G G G G
90 91 92 93 94 95 97 99 100 101 102 103 104 105 106 107 108 109 111 112 113 114 115 116 117 119 120	Red Maple  Red Maple	15 7 11 10 10 17 12 19 11 18 8 13 12 13 16 6 15 14 14 13 12 14 13 12 14 13 12 11 11 11 11 11 11 11 11 11 11 11 11	25 25 25 30 13 17 30 20 28 13 15 20 20 20 20 20 20 20 20 20 20 20 20 20	GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG

Eighth Street, N. E.

Tree No.	-	DBX ches	Spacing		Tree Condition - Remarks
BLOCK	63				
121	Silver Maple	16	<b>c-1</b> 30	G	
122	11 11	17	20	M	Stubs
123	m n	16	20	G	
124	11 11	29	<b>3</b> 8	G	
125	11 11	28	35	M	Stubs
126	11 11	19	20	G	
127	и и	18	20	G	
128	H H	20	18	G	
129	Norway Maple	5	10	G	
130	M 91	5	20	G	
131	Silver Maple	17	40	M	Stubs
132	M H	20	<b>1</b> 3	G	
133	Red Maple	10	35	P	Decaying - fungus
134	Silver Maple	15	20	G	
135	11 11	23	18	M	Stubs
136	11 11	23	55	G-	
137	Red Maple	11	18	G	
138	Silver Maple	18	18	G	
139	11 11	20	17	G	
140	11 11	14	20	P	Keart rot
141	n n	20	20	M	Stubs and hanger
142	Norway Maple	25	35	G	
143	Silver Maple	13	<b>1</b> 5	G	
144		18	45	G G	
145	American Elm	13	20 40	G	
146	Silver Maple Silver Maple	29	18	G	
147 148	N H PITAGE WEDIG	2 15	24	G	
149	и и	18	20	G	
150	N 11	9	20	G	
150 151	<b>N</b> 11	20	23	Ğ	
1/1		20	<b>~1</b> 5	•	
BLOCK	33		v <b>–</b> 5		
152	Silver Maple	32	<b>c-</b> 20	G	
153	N N	30	25	G	
154	M N	24	50	G	
155	Red Maple	14	20	G	
156	n N	17	25	G	
157	Sugar Maple	3	30	G	
158	Silver Maple	10	18	G	
159	Sugar Maple	15	30	G	
160	White Ash	2	45	G	
161	Sugar Maple	2	6	G	
162	H H	15	33	G	•
163	Red Maple	18	<b>5</b> 5	G	
164	Sugar Maple	10	25	G	
			<b>c-</b> 15		

**1**:...

.

---

I:

٠.

Eighth Street, N. E.

Tree No.	Species DE		Spacing		Tree Condition - Remarks
BLOCK 165 166 167 168 169 170	22 Red Maple  " "  " "  " "  Sugar Maple Red Maple	16 16 17 19 17 22	c-33 55 35 35 35 33 c-21	G M M G G	Stubs and limbs Stubs and limbs Dead limbs and stubs
BLOCK 171 172 173 174 175 176	9 Sugar Maple Silver Maple Norway Maple Red Maple Sugar Maple Red Maple	13 22 2 17 20 17	c-23 <sup>-</sup> 10 18 33 28 55 c-85	G P G G G	Trunk infested with borers
Ertle	Avenue, N. E.				October 31, 1951
BLOCK  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 BLOCK	Silver Maple  """ """ """ """ """ """ """ """ """	26 14 13 19 12 6 7 9 10 10 8 15 11 7 4 16 18 7 3	c-15 23 20 20 20 48 60 25 150 25 30 23 25 20 375 120 -75 25 60 40 6-35	ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ ტ	
21 22 23 24	Silver Maple  " "  " "  Norway Maple	22 9 3 5	<b>c-7</b> 30 20 35 20	9 9 9	

Tree No.	Species	DBM inches	Spacing	!	Tree condition - Remarks
BLOCK 1 2 3 4 5 6	Norway Maple  " "  Mountain Ash  Norway Maple  " "	14 14 12 16 16 15	c-90 95 20 21 20 20 c-20	G G M G G	Frost crack
BLOCK 7 8 9	24 Sugar Maple n n Red Maple	9 12 15	<b>c−</b> 15 35 205 <b>c−</b> 15	<b>G</b> G	
BLOCK 10 11	35 Red Maple	6 13	<b>c–1</b> 80 20 <b>c–</b> 45	G G	
12 13 14 15 16 17	66 Red Maple n n n n Catalpa	12 12 20 16 12 14	<b>c</b> -20 18 20 30 30 25	ტ ტ ტ ტ ტ	
BLOCK 18 19 20 21 22 23 24 25 26 27	71 Silver Maple Red Maple Chinese Elm American Elm Red Maple "" "" "" "" "" "" "" "" "" "" "" "" ""	25 13 12 28 28 13 13 18 13	<b>c</b> −55 <b>c</b> −40 33 25 53 90 33 30 40 25 28 <b>c</b> −13	<b>&amp; &amp; </b>	Dead limb and heart rot
28 29 30 31 32 33 34 35 36	Red Maple  n  American Elm  White Ash  American Elm  n  n  n  n  Korse-Chestnu	11 10 15 9 12 12 14 16	c-20 20 20 15 20 16 15 38 18 c-10	<b>44444</b>	

11th Street, N. E.

Tree No.	Species	DBM inches	<b>S</b> pa <b>ci</b> ng	Tree Condition - Remarks
BLOCK 37 38 39 40 41 42 43	87 Norway Maple Sugar Maple " " Silver Maple Red Maple " " Norway Maple " "	9 4 12 18 17 13 6 7	c-10 13 23 43 25 12 15 15 c-30	G       G <t< td=""></t<>
45 46 47 48 49 50 51 52 53 54 55 56	99 Silver Maple American Elm " Silver Maple " " American Elm " " Silver Maple American Elm " "	12 16 16 15 20 18 16 19 6 12 21	2-100 120 35 25 23 35 24 35 70 15 38 112	6       6
57 58 59 60 61 62 63 64 65 66 67 72 73 74 75 76 77	Norway Maple Silver Maple " " Norway Maple " " Chinese Eln Silver Maple American Elm Silver Maple American Elm Sugar Maple American Elm Manerican Elm " Red Maple American Elm " " Red Maple American Elm " " " " Red Maple " " " " " " " " " " " " " " " " " " "	7 6 6 6 9 5 4 21 5 11 14 22 15 18 12 22 12 15 24	c-120 c-25 33 23 60 20 33 28 13 10 25 15 25 25 25 35 35 35 35 35 30 25 20 18 90	G G G G G G G G G G G G G G G G G G G

11th Street, N. E.

Tree	Species	DBX inches	Spacing	Tree Condition - Remarks
80 81	100, contid. Silver Maple	12 21	20 20 <b>c–</b> 30	G G
82 83 84 85 86 37 83	Red Maple  " "  " "  American Elm Silver Maple Red Maple Silver Maple	13 12 14 18 2 9	c-15 38 35 33 30 15 20 c-15	<b>ሪ</b> <b>ሪ</b> <b>ሪ</b> <b>ሪ</b> <b>ሪ</b>
89 90 91 92 93 94	Norway Maple Silver Maple Red Maple n n Sugar Maple	11 15 7 7 5 6	c-15 23 15 20 25 15 c-80	С С С С С
<b>BLOCK</b> 95 96	72 Black locust Catalpa	7 1	<b>c</b> −50 18 <b>c</b> −135	G G
97 93 99 100 101 102 103 104	67 Sassafras " Box Elder Norway Maple Red Maple Norway Maple " White Ash	1 5 9 9 12 12 21	c-15 15 20 15 20 18 20 65 c-15	ሁ ሁ ሁ ሁ ሁ
105 106 107 103 109 110	36 Red Maple Norway Maple "" American Elm Red Maple ""	15 10 11 11 10 2 17	c-35 20 90 30 20 15 20 c-20	M Rot in trunk G G G G G G
BLOCK 112 113 114 115	12 Silver Maple Norway Maple " Red Maple	27 3 14 16	<b>c</b> –90 <b>75</b> 20 45	G G G

11th Street, N. E.

Tree No.	Species	DEM inches	Spacing	Tree Condition - Remarks
BLOCK 116 117 113 119 120	12, contid. Norway Maple  ""  ""  ""  ""  ""  ""  ""  ""  ""	14 12 17 11 13	55 20 20 18 18 0~200	G G G G
Bennin	gton Avenue, 1	N. E.		March 20, 1952
BLOCK 1 2 3 4 5 6 7	157 Silver Maple " " White Oak Black Oak " " Silver Maple " "	1 6 6 2 25 10	<b>~</b> 50 30 270 20 25 55 20 <b>~</b> 115	G G G G G
BLOCK 8 9 10 11	158 Norway Maple  " " Silver Maple " "	1 1 22 12	<b>~</b> 235 45 65 20 <b>~</b> 250	G G G
12 13 14 15	154 Silver Maple  n Mountain Ash n	16 21 5 5	<b>~</b> 245 20 265 22 <b>~</b> 75	G G G
16 17 18 19 20 21 22 23 24 25 26 27 28	Silver Maple Red	1 1 4 8 10 10 6 14 11 1	c-120 25 90 25 25 85 35 20 18 25 25 20 20 30	G G G G G G G G G G G G G G G G G G G
			15 feet	from fire plug

Tree No.	Species	DEX inches	Spacing	Tree Condition - Remarks
BLOCK 1 2	172 Norway Maple Silver Maple	10 17	20 <b>-</b> -20	G G
BLOCK 3 4 5 6 7 8 9 10 11 12	187 Silver Maple  n n Red Maple n n Silver Maple n n n n American Elm	12 19 12 13 23 28 20 19 8	c-20 20 60 25 300 190 20 30 150	G Wangers G Frost cracks G G G G G
BLOCK 13 14 15 16 17 18 19 20	191 Norway Maple Red Maple Silver Maple  n n n n	3 2 3 3 5 6 6	15 15 15 15 15 15 30 <b>~</b> 20	G G G G G
21 22 23 24 25 26 27 28 29 30 31	186 Silver Maple  n n n Norway Maple n n American Elm Sugar Maple Red Maple n n	10 10 25 20 13 10 9 14 7	<b>c</b> -60 23 70 25 28 20 35 20 115 20 <b>c</b> -50	6       6
32 33 34 35 36 37 33	American Elm Norway Maple Silver Maple Red Maple Silver Maple " Norway Maple	17 14 18 10 18 13	<b>c</b> -90 25 60 20 30 30	ሁ ሁ ሁ ሁ ሁ

16th Street, N. E.

Tree No.	Species	DBX inches	Specing	Tree	Condition - Remarks
BLOCK 39 40 41 42 43 44 45 46	173, cont'd. Silver Maple  " " Sugar Maple  " " American Elm Red Maple	? 4 4 2 1	20 30 25 210 20 20 15 25	***	
Milbur	n Road, N. E	<b>J.</b>			<b>Fe</b> bruary 2, 1952
BLOCK 1 2	Silver Maple	14 16	<b>c</b> –165 30 <b>c</b> –225	G G	
BLOCK 3 4 5	181 Chinese Elm n Cherry Tree	2 3 6	<b>c-</b> 20 35 40	<b>ው</b> ው	
BLOCK 6 7 8 9	179 American Elm Silver Maple Box Elder Catalpa		c−285 25 30 20 <b>c−1</b> 5	<b>&amp; &amp; &amp;</b>	
Milton	Avenue, N.	E.			February 2, 1952
BLOCK  1 2 3 BLOCK 4	178 Sugar Maple Silver Maple 175 Chinese Elm	9	<b>c-</b> 235 45 20 <b>c-</b> 65 <b>c-35</b>	6 6 6	
5 6 7 8 9 10 11	Silver Maple American Elm Silver Maple Red Maple Silver Maple	8 10 <b>1</b> 0	23 30 10 10 20 75 25 <b>1</b> 35	6 6 6 6 6 6	

Tree No.	Species	DBX inches	Spacing		Tree Condition - Remarks
BLOCK  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	173 Silver Maple  n	12 9 6 10 7 12 7 10 10 11 12 10 13 9 12 16 8 3 11	c−95 25 20 20 30 25 50 45 100 25 25 25 25 50 50 50 50 50 50 50 50 50 50 50 50 50	ტტტტტტტტტტტტტტტტტ <b>ტ</b>	
21 22 23 24 25 26 27 28 BLOCK 29	186 Silver Maple  "" " "Chinese Elm Silver Maple American Elm Sugar Maple "  191 Black Oak	1 13 3 2 1 7	c-110 15 20 20 25 20 475 30 c-25	୯୯୯୯୯ ନେଜେ	Scale and dwarfed
30 <b>BLOCK</b> 31 32 33 34 35 36 37 38 39 40 41	185 Sycamore 11 Chinese elm 11 Mountain Ash Silver Maple 11 11 11 11 11 11 11 11 11 11 11 11 11		35 120 18 75 55 20 85 20 40 20 <b>~</b> 30	ტ ტტტტტტტტ <b>ტ</b>	

17th Street, N. E.

Tree No.	Species	DBH inches	Spacing	Tree Condition -	Remarks
HOCK 42 43 44 45 46 47 48 49 50 51 52	177 Silver Maple American El: Silver Maple """" """" """"" """" """" """" """"	n 20	<b>c</b> −410 40 30 25 20 20 30 25 50 20 50 <b>c</b> −50		
53 54 55 56 57 58 59	175 Silver Maple n n n n n n n n n n	e 13 11 14 1 14 11 12 13	<b>c-1</b> 20 25 65 65 30 45 25 20 <b>c-</b> 40	G G G G G G	
61 62 63 64 65 66 67	174 Red Maple n n Silver Maple n n n n n	11 12 7 7 8 7 9	<b>c−1</b> 5 25 50 25 20 20 50 <b>c−1</b> 00	G G G G G	

Lindbergh Avenue, N. E.

February 2, 1952

BLOCK	175				
1	Silver	Maple	16	<b>c-</b> 20	G
2	Ħ	ที	14	20	G
3	Ħ	ff	9	25	G
4	Ħ	Ħ	7	25	G
5	Ħ	Ħ	14	25	G
6	11	Ħ	9	25	G
7	11	11	4	25	G
•				c-55	

Lindbergh Avenue, N. E.

Tree No.	Species	DBX inches	Spacing	Tree Condition - Remarks
BLOCK 8 9 10 11 12 13 14	176 Silver Maple n n n n n n n n n n	15 15 11 12 14 15 16 6	c-45 25 30 25 30 20 50	6       7       8       9       10
16 17 18 19 20 21 22 23 24 BLOCK	Sugar Maple Norway Maple Mountain Ash Silver Maple  n n n n n n n	2	20 35 30 25 45 45 70 80 20 <b>-</b> 25	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
25 26 27 28 29 31 33 34 35 37 39 41 42 44 44	Silver Maple  n n n n n n n n n n n n n n n n n n	15 8 18 9 1 1 1 5 6 11 14 16 16 22 18 19 17 18 6	c-30 65 20 15 25 20 25 23 31 165 45 20 30 25 25 28 20 c-40	••••••••••••••••••••••••••••••••••••

SOUTHEAST SECTION

pages 122 - 159

Tree No.	Species	DBM inches	Spacing		Tree Condition - Remarks
BLOCK 1 2 3 4 5 6 7 8 9 10	70 Silver Maple " Sycamore Silver Maple Catalpa Silver Maple Sycamore Silver Maple American Elm Silver Maple	20 28 13 14 10 23 7 24 19	<b>c-15</b> 30 25 15 15 15 15 15 25	ммөөөөөөмөө	Stubs and limbs Stubs and limbs
12 13 14	Red Maple Silver Maple	20 3 18	23 25 40 <b>c-</b> 35	<u> </u>	
15 16 17 18 19 20 21	71 Sugar Maple  " " Box Elder  " " American Elm  " " Silver Maple		c-50 23 100 13 20 20	00040000	Dead
22 Block 23 24 25	74 Box Elder Norway Maple	12 13 8 7	15 <b>~</b> 35 <b>~</b> 20 50 13	<b>.</b>	
26 27 - <b>Block</b>	Catalpa Silver Maple	9 6	90 25 <b>c-</b> 115	G G	
28 29 30	Silver Maple	9 11 . 28	c-125 25 145 c-35	G G M	Large dead limbs
llth S	treet, S. E.				January 24, 1952
S J Brock	80 Silver Maple	15 22	<b>c–</b> 95 18	G M	Trunk injury

_						
Tree	Species	DBE	Spacing	Tre	e Condition	- Remarks
No.		inches				
BLOCK	59					
1	Silver Maple	20	<b>-</b> 90	G		
2	N N	23	30	G		
2 3 4		12	115	G		
4		10	25	M	Stubs	No.
			<b>0-7</b> 0			
BLOCK	60		• • •			
5	Red Maple	5	<b>c</b> –80	G		
6	# #	5 5 4	30		Bark injury	
7		5	20	G	Data Injus	
ģ		ر با	15	Ğ		
•		~	<b>c-1</b> 80	· ·		
BLOCK	61		G-100			
		Le 5	<b>e-8</b> 0	G		
9	Sycamore Mapl	L <del>o</del> 5	<b>6–</b> 00	u		
BLOCK	66					
		•	- 75	^		
10	Silver Maple	8	<b>0−7</b> 5	G.		
11		7	15	6		
12		12	15	6		
13		16	65	•		
14	Box Elder	8	95	G.		
15	Catalpa	10	25	G		
			<b>∽</b> 30			
BLOCK	65				_	
16	Sugar Maple	10	<b>0-1</b> 2		Stubs	
17		18	20	0		
18	Sugar Maple	6	23	•		
19	Silver Maple	7	<b>17</b> 5	G		
20		10	15	X	Stub	
21	Norway Maple	12	15	G		
	, , -		0-65			
BLOCK	64		_			
22	Sugar Maple	1	<b>c-</b> 60	G		
23	Silver Maple	26	<b>5</b> 5	G		
-		<del></del> -				
Edwin	Street, S. I.	•			Januar	y 16, 1952
BLOCK	67					
1	Silver Maple	20	<b>0–1</b> 05	G		
	n n	13	15	Ğ		
2		19	15	Ğ		
2 3 4 5		16	15	Ğ		
<del>-</del> ح		24	120	Ğ		
J		LT	-20	•		

Edwin Street, S. E.

Tree No.	Species	DBM inches	Spacing	1	Tree Condition - Remarks
BLOCK	67. cont'd.				
6	Norway Maple	9	<b>3</b> 8	G	
7		7	15	G	
			<b>c</b> –10		
BLOCK	68		_		
8	Catalpa	10	<b>~</b> 80	G	
9		8	15	M	Stub
10	Silver Maple	28	<b>5</b> 5	G	
11		7	55	9	
1.12	* *	13	28	G	
13		10	20	G	<b>*</b>
14	Buckeye	9	30	P	Meart rot, insect infested
15	Box Elder	10	15	6	
16	•	12	15	<b>G</b>	
BLOCK	66		o <del>-</del> 15		
17	Silver Maple	6		M	Meart rot
18	# #	6 8	<b>c-</b> 5 20	6	Heart Fot
		14	20 15	•	
19 20		13		G	
21	Buckeye	12	35 55	X	Stubs
22	Catalpa	14	25	Ğ	Dyaus
23 23	Silver Maple	28	50	N	Broken limb, hanger
24	N N	12	35	Ĝ	nioren Timo, mender
25	<b>8 8</b>	13	20	ē	
26		-5	30	Ğ	
27	H H	5	25	Ğ	
-,		•	c-20	_	
BLOCK	72		- 20		
28	Silver Maple	2	<b>0</b> –20	G	
29	H H	9	50	4	
30		8	20	G	
31		8	30	X	Stubs
32 33	H H	11	15	X	Buds seem to be dead
33		24	50	X	Stubs and limbs
34	Box Elder	10	50	Q	
35	Silver Maple	1	23	<b>Q</b>	
36		8	23	G	
<b>37</b>	Morway Maple	12	20	X	Stub
<b>38</b>		19	18	G	
			<b>0-15</b>		
BLOCK	71				
39	Silver Maple	22	<b>0-60</b>	X	Stubs and limb
40	* *	12	15	X	Stubs and limbs
41	* *	8	35	G	
42	<b>H H</b>	12	25	9	
43	Catalpa	16	<i>55</i>	G	

#### Edwin Street, S. E.

Tree No.	Species i	DBE nches	Spacing	Tr	ee Condition - Remarks
BLOCK	71, cont'd.				
44	Silver Maple	15	38	G	
45	# #	11	15	Ğ	
46		14	45	M	Stubs
		_,	o-55		
BLOCK	70		· ))		
47	Norway Maple	7	<b>c-</b> 20	G	
48	W N	7	30	G	
49	Red Maple	14	25	G	
50	Sugar Maple	16	30	Ğ	
51	N N	19	30	Ğ	
52		16	30	M	Dead limbs
53	Lorse Chestnut	11	20	G	
54	Dogwood	1	23	P	Buds seem dead
55	Silver Maple	14	23	G	
56	Ailanthus	14	25	x	Stubs
			<b>0–9</b> 0		
	venue, S. E.				January 13, 1952
BLOCK	<del>111</del>				
. 1	Carolina Popla		<b>0–</b> 55	P	Dead
2	**	28	50	G	
3 4		24	15	G	
	Silver Maple	13	85	G	
5	<b>n</b> •	14	40	G	
			<b>c-15</b>		
BLOCK	47		_		
6	Carolina Popla		<b>c–</b> 80	P	Dead
7	N N	24	30	G	
8		34	28	M	Stubs and hanger

••

. .

• • •

# Oak Street, S. E.

January 12, 1952

Tree No.	Species	DBM inches	Spacing	Tre	e Condition - Remarks
BLOCK	29				
1	Sugar Maple	9	c-210	M	Bad trunk injury
2	8 8	11	15	M	Dead limbs & trunk injury
3		7	25	G	
			<b>c-</b> 20		
BLOCK	30				
4	Norway Maple	10	<b>0-1</b> 25	G	
5	Slippery Elm	32	50	M	Stubs
			<b>0–25</b>		
HLOCK	31				
6	Slippery Elm	31	<b>0–25</b>	X	
7	American Elm	_	20	X	Suppressed
8		17	20	<b>G</b>	<b>-</b> . •
.9	Slippery Elm	24	20	M	Stubs
10	Sugar Maple	12	50	•	<b>.</b> .
11	Silver Maple	24	20	X	Stubs
12	•	20	20	G	
BLOCK	20		o <b>-1</b> 5		
	32 Silver Maple	21	<b>⊶</b> 75	-	Decoming heart
13 14	Slippery Elm	28	30	P	
15	Red Maple	14	130	Ĝ	pinns sur descriptions
19	went webre	74	o-25	•	
BLOCK	33		<i>-\omega</i>		
16	Red Maple	12	<b>~</b> 200	ĸ	Stubs
17	Norway Maple	15	15	•	
18	<b>1 1</b>	20	20	X	Stubs and limbs
19	Red Maple	8	33	G	
20	Morway Maple	24	35	X	Stubs
21	Silver Maple	15	65	0	
22	• •	13	1205	•	
23	<b>u u</b>	17	15	•	
24	Red Maple	8	15	G	
25	White Ash	23	<b>3</b> 0	X	Stubs
	- 4		<b>0–1</b> 20		
BLOCK	34		4.0	_	
26	Silver Maple	21	<b>6</b> 60	G	
27	Sugar Maple	11	65	6	
28	* *	10	45	•	
29	n n	16	25	6	
30	Red Maple	17	<b>25</b>	6	
31	Norway Maple	5	35	9	
32	Sugar Maple	12	23	•	
33		5	20	6	
34	₩ ₩	0	20 = 80	Ġ	
			<del>-</del> 80	•	

• --

• .

-...

Oak Street, S. E.

Tree No.	Species	DBM inches	Spacing	Tree	Condition -	Remarks
BLOCK	35					
35	American	Elm 10	0-135	G		
36	•			P	Dead	
37	•		40	Ğ		
38	•	<b>"</b> 12		Ģ		
39	•	* 10	38	Ģ		
40	•	<b>w</b> 8	35	G		
41	₩		35	G		
42	•	<b>*</b>	35	<b>G</b>		
43	•	*	' 35	4		
44	•		35	•		
45	•		70	G		
46	<b>*</b>	. 7	35	•		
47	•		35	<b>G</b>		
48	<b>*</b>	H	35	•		
49	•		•	•		
50	*			<b>G</b>	_	
51	*	,	35	P	Scale and due	arfed
52		# 8	45	2	Deformed	
53				G		
54	•	12		G.		
55	**	<b>"</b> 12		Ģ		
56		*	35	•		
56 57 58	*		35	G		
<b>5</b> 0	*		34	6		
<i>5</i> 9		<b>n</b> 2	35	6		
60				G G		
61 62		<b>"</b> 13		Ğ		
62 63		. 7		Ğ		
63 64	•	* 1		Ğ		
65				Ğ		
U		`	<b>9–25</b>	•		
BLOCK	175					
66	American	Eln :	<b>6-25</b>	G		
67			40	6		
68	•	• 10		G		
69	•	<b>#</b> 10		G		
70	•	* 10		G		
71				P	Girdled and l	roken
72	•	<b>n</b>		G		
73	*			X	<b>Fertilization</b>	1
74	•	* 7	' 35	G		
75	•	<b>"</b> 10	36	•		
76	•	<b>*</b> 13	35	•		
77		<b>"</b> 1	35	<b>G</b>		

Oak Street, S. E.

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	175, cont'd.				
78	American Elm	10	35	G	
79	# #	6	35	G	
80	<b>4</b>		35	•	
81	1 1	3	35	G	
82	<b>11</b>	3	35	G	
83		3 3 1	105	G	
84	# #	1	35	G	
85	# #	1 2 5 3 7 6	35	G	
86	11 11	5	70	G	
87	11 11	3	35	G	
<b>8</b> 8	11 11	7	35	G	
89	M M	6	<b>3</b> 5	G	
90	# #	12	35	G	
91	# #	9	35	G	
92	W W	28	115	M	Stubs, limbs & bark injury
93	Red Maple	8	190	G	
94	n N	12	35	G	
95	Silver Maple	7	38	G-	
	-		<b>0-</b> 250		
BLOCK	37		•		
96	American Elm	26	<b>0-18</b> 0	X	Stubs
97	Silver Maple	9	120	•	
98	W W	18	20	G	
99		26	25	M	Stubs and dead limbs
100	Sugar Maple	7	15	P	Suppressed
101	Silver Maple	20	18	· N	Dead limbs and hanger
102	H H	32	<b>55</b>	G	
103	<b>N N</b>	18	30	0	
104	W W	20	33	X	Limbs and hangers
105	<b>11</b>	30	15	•	
106	Red Maple	14	60	0	
107	# #	14	60	X	Stub
	_		<b>0-3</b> 0		
BLOCK	<b>38</b>				
108	Sugar Maple	4	<b>~</b> 55	G	
109	n w	12	20	X	Dead limb
110	Red Maple	15	30	0	
111		12	15	Ģ	
112		14	30	•	_
113	Sugar Kaple	14	25	•	Kanger
114	<b>#</b> #	14	85	•	
115	Red Maple	6	<b>7</b> 5	Ģ	
116		11	20	G	
117	Sugar Maple	13	43	G.	
118	Red Maple	12	25	X	Stubs

Oak Street, S. E.

Tree No.	Species	DBM inches	Spacing	T ree Condition - Remarks
BLOCK	38, cont'd.			
119	Red Maple	14	20	M Stubs
120		14	65	M Dead Limbs
121	Silver Maple		38	X n n
122	Red Maple	13	20	M Dead branches
123	W H	10	40	Ж и и
124		16	25	M Dead limb
			<b>0-</b> 25	
BLOCK	39			
125	Sugar Maple	26	<b>~</b> 48	M Dead limbs
126	American Elm	20	<i>5</i> 0	M Stubs
127		21	20	M a
128		11	20	X a
129		16	20	G
130		15	20	M Dead limbs
•			<b>0-</b> 15	
HLOCK	40			
131	Sugar Maple	14	<b>c-</b> 20	N Cavity work
132	<b>1 1</b>	14	20	<b>G</b>
133		12	20	<b>G</b>
134		8	20	<b>G</b>
135	<b>#</b> } #	15	20	•
136		18	35	<b>G</b>
137	Basswood	22	85	G
			<b>0–1</b> 5	
BLOCK	41			_
138	Slippery Elm		o- 5	Ģ.
139	American Elm	24	65	•
140	Red Maple	17	50	6
141	Silver Maple		20	•
142	American Elm	25	105	•
143		23	20	G
144		20	20	8
145		17	35	<u> </u>
146	<b>1 1 1 .</b>	20	20	•
147	Slippery Elm	37	25	•
148		23	60	•
	<b>1</b> . a		<b>0–15</b>	
BLOCK	42	•	. 30	M Read 14mbs
149	Buckeye	17	<b>0–10</b>	M Dead limbs
_	Silver Maple		50	<u>e</u>
151		22	160	X Santa and lanks
152		22	40	M Stubs and limbs
			<b>0–1</b> 5	

# Pine Street, S. E.

January 9, 1952

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	23			
1	Red Maple	9	<b>c</b> –30	G
2		14	30	G
3		14	35	G-
3	Norway Maple	16	35	G
5 6	Red Maple	10	<b>2</b> 8	G
6	Silver Maple	23	20	G
7	Norway Maple	15	<b>7</b> 0	G
			<b>c-1</b> 0	
BLOCK	4	_		_
8	Norway Maple	14	<b>c-1</b> 5	G.
9	Sugar Maple	20	28	G
10	Red Maple	14	30	G
11		16	15	<u> </u>
12	* *	18	20	G.
13		12	18	G.
14	H H	16	15	G W GALLY
15		12	15	N Stub
16	Sugar Maple	19	25	G W Dood businehou
17	Morway Maple	15	20	M Dead branches
BLOCK	2		<b>∽</b> 5	
18	5 Summ Manla	10	<b>c-</b> 20	G-
19	Sugar Maple	15	18	•
20	Red Maple	ñ	15	Ğ
21	n n	11	20	M Dead branches
22	Silver Maple	26	25	•
	H H	23	25	M Stubs
23 24	Red Maple	19	35	6
25		16	35	G
			<b>c-1</b> 2	
BLOCK	22			
26	Silver Maple	<b>2</b> 3	<b>-</b> 8	G
27	<b>M M</b>	29	43	•
27 28		11	60	G
29		18	25	M Root decayed
<b>30</b>	<b>H H</b>	18	20	M Root damaged
31		12	40	•
32		13	23	G
			<b>0−2</b> 3	

Tree	Species i	DBM nches	Spacing	Tre	ee Condition - Remarks
BLOCK	42				
1	Basswood	12	<b>0–1</b> 45	G-	
2	Carolina Popla	r 23	20	G	
3	Basswood	19	75	M	Stubs
			<b>~</b> 35		
BLOCK	41	_		_	
4	Silver Maple	8	<b>0–1</b> 30	G	
5	<b>N N</b>	15	20	M	Stubs
6		8	65	P	Dying
7	Norway Maple	14	20	M	Dead limbs
8	Sugar Maple	10	45	G	
9	Red Maple	15	20		Dead limbs
10	American Elm	28	43		Dead limbs and stubs
11	Red Maple	15	20		Dead limbs
12		15	20	P	Top dead
	•		<b>-25</b>		
BLOCK	40				9 - 1 14 - 1
13	American Elm	19	o- 5	X	Dead limbs
14	<b>1 1</b>	10	15	G	Church -
15	<b>H H</b>	16	20		Stubs
16		18	60	M	Limbs and stubs
17	<b>N N</b>	30	60	G	
18	Silver Maple	2	20	6	
19		2 6	20	G	
20	Sugar Maple	6	20	G	
			<b>-</b> 30		
<b>AFOCK</b>	39		- 301		Todamad
21	American Elm	5	<b>6-105</b>	P	Deformed
22		33	30	X	Stubs
23	Silver Maple	12	25 25	P G	Top dead
24	American Elm	28	20	•	
94 A 4T	<b>^</b>		o <del>-</del> 15		
BLOCK	38	🚕	<b>c</b> –70	x	Stubs and limbs
25	Carolina Pople		75	М	8
26		<i>2</i> 3 16	145	P	Almost dead
27		17	20	P	Dead
28		16	20	P	1
29	Vo1 -	11	40	Ğ	
30	Sugar Maple	6	18	G	
31			12	G	
32		5 14	18	Ğ	
33	•	1	40	G	
34	American Ilm	22	25	Ğ	
35	Red Maple	13	45	Ğ	
36	Silver Maple	ر⊾	עד	•	

**-**

.

~\*

•

South Avenue, S. E.

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	38, cont'd.			•
37	Ailanthus	5	25	G
38	Silver Maple	18	20	G
	•		<b>c-1</b> 5	
BLOCK	37			
39	Silver Maple	14	<b>c-1</b> 5	G
40	N N	14	25	<b>G</b>
41		14	20	<b>G</b>
42	N N	12	18	<b>G</b>
43		16	18	G
##	Sugar Maple	14	190	G
45	<b>n x</b>	12	15	M Dead limb
46		6	15	N Bad trunk injury
	_		<b>⊶</b> 300	
BLOCK	<i>5</i> 8	_	<b>A</b> -	
47	Sugar Maple	12	<b>6-40</b>	M Trunk injury
48	Morway Maple	12	20	G
49	Silver Maple	6	20	<b>G</b>
50	Sugar Maple	21	25	•
51		10	20	<b>G</b>
52	Norway Maple	16	25	•
53	Silver Maple	16	475	<u> </u>
54	* *	13	20	G.
55		16	20	G V V-11 14-b4 stab
56	Red Maple	20	7 <i>5</i>	M Mollow limb and stub
57	Sugar Maple	10	30 80	G W Stube and limbs
<i>5</i> 8	Red Maple	20	<b>8</b> 0	M Stubs and limbs M Stubs and limbs
<i>5</i> 9	Silver Maple	20 <b>18</b>	23 20	M Dead limbs
60 61		18	20 20	G Deski Timbs
62		16	20	N Stubs
63		15	35	6
9r	Box Elder	7	20	Ğ
65	1 1	10	18	G.
66	Sugar Maple	12	60	Ğ
-		-~	<b>~17</b> 0	-
BLOCK	46		, -	
67	Slippery Elm	24	<b>c-1</b> 0	M Stubs
68	American Elm		20	M W
<i>\$9</i>	Morse Chestnu		80	G
70		14	20	G
• -			0-45	

• '

South Avenue, S. E.

Tree No.	Species	DBM inches	Spacing	Tre	e Condition - Remarks
BLOCK	45				
71	American Elm	24	<b>0–</b> 15	M	Stubs and hanger
72	Sugar Maple	10	15	G	_
73	N N	14	35	M	Dead limb
74	American Elm	28	15	G	
75		22	33	G	
76		11	30	G	
77	Box Elder	17	40	G	
78	Norway Maple	7	20	G	
79	, <b>N</b>	9	18	<b>G</b>	
80	Box Elder	4	20	G	
81		5	15	G	
82		6	15	G	
83	Lombardi Popl	ar 3	30	- <b>:4</b>	
84		1	10	G	
<b>8</b> 5	American Rim	16	20	G	
86	# #	2	20	G	
87		3	15	G	
88		3 5 8	15	G	
<b>8</b> 9	Silver Maple	8	20	G	
			<b>0-12</b>		
Brock	पेरी				
90	Silver Maple	22	<b>0-1</b> 5	G	
91	Norway Maple	16	25	M	Dead limbs
92	<b>9</b>	21	15	X	Stubs
93		8	40	G	_
94	Silver Maple	16	20	X	Dead limbs
95	Cherry tree	1	20	G	
96	Red Maple	14	20	<b>Q</b>	
97	<b>1</b>	20	20	G	
	•		<b>~</b> 75		
BLOCK	43		4.7	_	
98	Catalpa	18	<b>0-</b> 65	G	
99	Slippery Ilm	20	15	G	
100	Red Maple	14	35	G	
101	Silver Maple	20	35	G	
102	₩ ₩	1	<b>25</b>	6	<b>6.1</b> - <b>5</b> -
103		19	45	X	Stubs
104	Red Maple	8	26	•	
			<b>0–</b> 35		

•

: •

. . .

e e

.

Tree	<b>S</b> pecies	DBM inches	Spacing		Tree Condition	- Rema	irics
BLOCK 1 2 3 4 5 6 7 8	Carolina Popi " " " Silver Maple " " " " " "		<b>c-</b> 25 30 50 25 35 15	6 M G G G G	Stubs <b>K</b> angers		
8 9	Norway Maple Chinese Elm	14 8	<b>7</b> 5 <b>1</b> 85	M G	Stubs		
BLOCK 10 11 12 13 14 15	85 Silver Maple Box Elder  " " Sugar Maple " " Red Maple	1 12 14 2 2 7	<b>c−1</b> 35 48 25 25 25 13 175 <b>c−</b> 20	0000000			
16 17 18 19 20 21 22 23 24	86 Box Elder Red Maple Sugar Maple Chinese Elm """ """ """ Silver Maple American Elm	12 5 8 7 10 12 12 4 6	c-150 15 15 15 15 20 25 30 15 c-130	ტ ტ ტ ტ ტ ტ ტ ტ			
3LOCK 25 26 27 28 29 30	87 Silver Maple Sycamore Silver Maple Red Maple Black Walnut	6 6 18 12 11 8	c=95 23 35 55 35 25	<b>&amp;</b> & & & & & & & & & & & & & & & & & &			
Fay St	reet, S. e.				J	Tanua ry	24, 1952
BLOCK 1 2	80 Silver Maple Sugar Maple	21 9	<b>~</b> -85 50	M G	Stubs		
2 3 4	Silver Maple Sugar Maple	18 12	25 20	G M	Stubs		

## Tremont Avenue, S. E.

December 10, 1951

Tree No.	Species	DBM inches	Spacing	T	ree Condition - Remarks
BLOCK	27				
1	American Elm	13	0-225	G	·
2		26	15	M	Stubs and dead limbs
•			<b>~</b> 65		
BLOCK	26				
3	White Ash	14	<b>0–</b> 15	G	
4	Sugar Maple	16	<b>1</b> 55	G	
			<b>c-1</b> 0		
BLOCK	25			_	
5	Silver Maple	13	<b>c-1</b> 0	G	
6	Red Maple	15	30	G	
7	Sugar Maple	13	20	G	
8		10	35	G	
9	Red Maple	15	35	G	
10		15	15	X	Deed limb
11	Norway Maple	6	25	G	
12	Red Maple	21	30	X	Stubs and hanger
13		14	15	X	
14	American Elm	2	18	G	
	~		<b>0–2</b> 0		
BLOCK	23	9.34	- 10	G	
15	Sugar Maple	14 14	<b>⊶</b> 10 18	Ğ	
16 17	Red Maple	17	18	G	
18		10	20	ě	
19		23	<b>55</b>	ē	
20	Sugar Maple	22	35	X	Stubs
21	Silver Maple	9	20	Ĝ	
22	# #	ıí	25	Ğ	
LL			<u>-45</u>	_	
BLOCK	21				
23	Sugar Maple	17	<b>⊶</b> 35	X	Stub
24		18	30	G	
25		8	15	G	
26		18	25	P	Butchered
27	Slippery Elm	21	45	G	
28	Red Maple	11	25	G	
29	Sugar Maple	6	18	G	
30	Red Maple	16	20	G	
31	Sugar Maple	7	25	•	
32	Silver Maple	22	30	G	
33	Slippery Elm	20	25	G	
34	Silver Maple	34	50	G	
35	<b>1</b> 1	35	60	G	
36	Red Maple	20	65	G	
-	-				

et et

•

## Tremont Avenue, S. E.

Tree No.	Species in	DBM aches	Spacing	Tr	ee Condition - Remarks
BLOCK	21, cont'd.				
37	American Elm	17	880	G	
<b>3</b> 8	White Ash	15	20	N	Stubs
39	Carolina Poplar	-	40	M	Dead limbs
40	# #	32	120	M	Stubs and hangers
41	Silver Maple	12	155	G	
			-33		
BLOCK	33				
42	Sugar Maple	13	<b>~</b> 1450	M	Stubs
43	1 1	12	20	M	Stubs
44		9	435	G	
45		14	25	G	
			_		
BLOCK	32				
46	Slippery Elm	19	<b>0-</b> 15	P	Only stubs remain
47	American Ilm	30	70	M	Stubs and limbs
48	Sugar Maple	16	18	x	Dead limbs
49	<b>i i</b>	14	35	G	
50	Red Maple	18	55	X	Dead limbs and stubs
_			<del>0-40</del>		
BLOCK	31				
51	American Elm	24	<b></b> 20	H	Stubs
52		6	25	N	Stub
53	<b>n</b> •	12	20	Ģ	
54		12	20	G	
55		11	20	G	
56	Red Maple	17	20	X	Dead limb
			<b>0-115</b>		
BLOCK	30				
57	Red Maple	22	<b>⊶</b> 25	X	Stubs
<i>5</i> 8	Silver Maple	11	20	G	
<i>5</i> 9		12	60	X	Dead limbs
			<b>c</b> -100		
BLOCK	29		242	_	
60	Basswood	14	<b>0–19</b> 0	G	
61	•	18	23 23	G	
62	•	12	23	G	
			<b>7</b> 0		

---

## Walnut Road, S. E.

December 7, 1951

Tree	Species	DBM inches	Spacing		Tree Condition - Remarks
BLOCK	54				
1	Red Maple	15	<b>c-1</b> 05	M	Stubs and limbs
2	Sugar Maple	9	80	G	
3	Norway Maple	18	100	M	Stubs and branches
4	W W	10	25	M	Stubs
			<b>0-11</b> 5		
BLOCK	53		_		
5	Cherry tree	9	c-175	G	
6		16	15	G	
			<b>c-</b> 28		
BLOCK	92				
7	Silver Maple	15	<b>0-1</b> 45	G	
8	W W	22	30	G	
9		22	<b>5</b> 5	M	Stubs
10			20	H	Kanger
11		25 2 3 3 5 15	25	G	
12	# #	3	25	G	
13		3	20	G	
14		5	25	G	
15		15	<b>7</b> 5	M	Stubs and limbs
16		17	20	M	Stubs
BLOCK	02				
17	93 Silver Maple	17	<b>c-18</b> 0	G	
18	arrag webre	16	25	Ğ	
10			<b>6</b> -30	•	
BLOCK	91				
19	Silver Maple	8		G	
20	N N	18	23	ā	
21	Cherry tree	20	38	X	Dead limbs and stubs
24	onerry eree	20	<b>0-170</b>	••	
BLOCK	90				
22	Box Elder	4	<b>~-8</b> 0	g	
23	Catalpa	5	33	Ğ	
24	Box Elder	5	25	P	Deformed
2 <del>5</del>		ŏ	25	ā	
26	Tulip Poplar	9 2 1	75	Ğ	
27	Mountain Ash	ĩ	i5	Ğ	
27 29	Silver Maple	8	15	Ğ	
29 30	Tulip Peplar	2	20	ē	
<b>)</b> ∪	- errin raheer	~	<b>c</b> -65	_	
BLOCK	81.		<del>-</del>		
31	Horse Chestnu	<b>2</b> 0	<b>0-25</b>	0	
	Silver Maple	3	270	X	Stubs
32 33	attact webre	2	40	Ĝ	
33		۷	o-30	•	
			<del>نر ت</del>		

Walnut Road, S. B.

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	80				
34	American Elm	19	0-215	M	Stubs
35		17	45	G	
			<b>0-</b> 150		
BLOCK	62				
36	Silver Maple	20	<b>0–1</b> 35	G	
37	Carolina Popl	_	40	P	Butchered
38	# <b>T</b>	18	20	X	Stubs
Charle	s Avenue, S.	E.			December 10, 1951
BLOCK	29				
1	White Ash	11	0-12	G-	
2	Slippery Elm	19	35	G	
3	Sugar Maple	10	40	G	
4		10	<b>5</b> 0	G	
			<b>0-</b> 35		
BLOCK	24				
5	Silver Maple	18	o- 5	G	
6	Sycamore	31	140	X	Stubs
7		<b>3</b> 8	<i>5</i> 0	G	
8		36	25	H	Mangers and stubs
			<b>0–</b> 30		
BLOCK	22				
9	Norway Maple	12	<b>0–</b> 80	G	
10	Ailanthus	15	20	G	
11	•	14	30	G	
			<b>0–11</b> 5		
BLOCK	23				
12	Silver Maple	23	<b>0–110</b>	X	Stubs and hangers
13	<b>N N</b>	14	35 33	X	N N N
14		20	33	G	
15	Norway Maple	16	35	G	
16	<b>#</b>	15	15	G	
			<b>0–1</b> 5		
BLOCK	25			• •	
17	Sugar Maple	16	0-115	M	Stub
			<b>0–1</b> 30		
BLOCK	26	<u>-</u> -		_	
18	Red Maple	12	<b>0-120</b>	Ģ	
19	Silver Maple	19	40	G	
			o-20		

#### Wellman Avenue, S. B.

December 10, 1951

Tree No.	Species	DBH inches	Spacing	Tree C	ondition - Remarks
BLOCK	15				
1	American Elm	40	<b>0-</b> 65	G	
2		30	50	G	
3		21	28	G	
4	Norway Maple	10	135	G	
			<b>0-</b> 45		
BLOCK	16			_	
5	American Elm	22	0-15	G -	
6		28	25		nk decay, dead limb
7	Carolina Popla		40	6	
8	Silver Maple	16	40	6	
9 10	Sugar Maple Silver Maple	9	<b>23</b> 20	e G	
11	Sugar Maple	20 5	20 20	6	
12	ander webre	12	20 20	ē	
13		8	20	Ğ	
14		6	15	ě	
15		6	18	Ğ	
16		6	15	•	
17		8	20	G	
18	Norway Maple	. 6	25	G	
	• •		<b>6-20</b>		
BLOCK	20	_			
19	American Ilm	8.	<b>6-65</b>	Ģ	
20		6	15	•	
21		5	17	6	
22	Sugar Maple	15	55	6	
23 24	Bod Mo-lo	12	<b>25</b>	•	
	Red Maple	12 <b>2</b> 8	30 33	e e	
25 26	Silver Maple Red Maple	12	33 35	ē	
26 27	Sugar Maple	18	35 35	6	
LI	ander unhra	10	<b>0−2</b> 0	•	
BLOCK	9		V 20		
28	Buckeye	16	o-25	G	
29	Red Maple	11	48	9	
30	Morway Maple	15	25	•	
31	American Elm	22	20	•	
32	Red Maple	12	15	<b>G</b>	
<b>33</b>		16	15	N Stu	bs
34	Pin Oak	18	75	•	
35		14	25	•	
36	Sugar Maple	14	25	8	
37	₩ ₩	13	25	G	
			<b>~</b> 5		

Wellman Avenue, S. E.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	8			
38	American Elm	15	<b>c-</b> 8	G
39	W W	19	20	G
40	Norway Maple	<b>8</b>	15	G
41	Red Maple	14	30	Ğ
42	H H	4	15	M Suppressed
43		14	15	G
44		18	15	G
45		10	30	G
46		14	15	G
47		14	15	G
•	;		<b>0-</b> 20	
BLOCK	7			
48	Red Maple	13	o- 5	G
49	n T	9	38	<b>&amp;</b>
50		12	20	•
51	Sugar Maple	16	20	•
52	N N	4	65	G
53	p n	5	20	G
			<b>0-10</b>	
BLOCK	6			
54	Red Maple	22	<b>e-2</b> 8	G
<b>55</b>		17	<b>38</b>	6
56	American Elm	8	40	Ģ
57	White Ash	22	<b>3</b> 0	<b>G</b>
<i>5</i> 8	Red Maple	11	20	•
<i>5</i> 9	<b>9 1</b>	7	15	6
60		5	23	<b>G</b>
61	Sugar Maple	13	15	6
62	* *	16	20	<b>G</b>
63		22	23	M Stubs and limbs
	_		<b>0-</b> 25	
BLOCK	5	-22	- 00	M 642
64	Silver Maple	21	<b>0-2</b> 0	X Stubs
65		27	<b>30</b>	X Stubs
66		30	30	X Stubs
67		16	30 28	M Stubs and dead limbs
68		26	28 25	
69 <b>2</b> 0		20	25 25	M Dead limbs
70		25 ot:	25 60	X Stubs
71		24 28	60 20	N Stubs and hangers G Hanger
72	•	28 16	30 28	G Kanger N Stubs
73	White Ash	15	28 20	M Stubs and limbs
74	Silver Maple	22	30 25	6 state and limbs
75	Red Maple	2	25 3.5	•
76	Norway Maple	12	15	•

· -

t

Wellman Avenue, S. E.

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	5			
77	Silver Maple	20	15	G
78	n n	20	35	M Stubs
79		26	25	G C
80	Norway Maple	14	28	M Stubs, butchered
81		15	15	6
82	Silver Maple	27	43	· G
83	<b>N N</b>	26	48	G
84	Red Maple	8	25	6
85	<b>n n</b>	14	23	Ğ
86		14	<u>15</u>	Ğ.
87	Sugar Maple	14	25	G
88	Basswood	19	25	G
89	Red Maple	18	30	•
90	Norway Maple	18	20	M Stub
•	• •		<b>0-2</b> 5	
BLOCK	170			
91	American Elm	15	o- 5	•
92	Sugar Maple	15	23	9 Frost crack
93	Red Maple	24	20	•
94	Silver Maple	15	90	<b>e</b>
95	Morway Maple	12	10	<b>G</b>
96	Sugar Maple	13	<b>5</b> 0	M Stubs
97	Red Maple	15	50	•
98	Silver Maple	12	25	•
99	Red Maple	12	55	•
100	Red Maple	11	53	•
101	<b>11 11</b>	7	18	•
102	Sugar Maple	7	40	<b>G</b>
103	Morway Maple	9	<b>38</b>	•
104	Silver Maple	21	25	<b>G</b>
105	Sugar Maple	9	20	M Cavity repair
106		11	20	<u>G</u>
107		15	20	•
108	Cherry tree	14	15	•
109	Red Maple	13	40	<b>G</b>
110	Silver Maple	18	<b>38</b>	<u> </u>
111	Red Maple	11	20	G
112		11	25	9
113		13	23	0
114		12	20	6
115		11	25	G
<b>37.4</b> —	43		<b>6-</b> 5	
BLOCK	21	• •	- 0"	<b>a</b>
116	Red Maple	18	o-25	<b>G</b>
117	Sugar Maple	8	15	
118	H H	6	15	G

• **4**1

Wellman Avenue, S. E.

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	21, contid.			
119	Silver Maple	24	25	M Stubs and dead limb
120	N N	20	65	P Stubs rotted
121		24	15	M Stubs
122	Paper Birch	3	18	G
123	Ä N	2	15	G
124	Red Maple	16	20	<b>G</b>
125	C atalpa	16	50	M Trunk decay
126	Sugar Maple	10	55	G
127	N N	9	18	G
128		12	<b>3</b> 5	G
129	Red Maple	9	<b>50</b> .	<b>G</b>
130	Morway Maple	11	40	•
131		8	20	G
132	Silver Maple	16	25	G
133	Pin Oak	14	<b>3</b> 5	G
135	Silver Maple	36	25	<b>G</b>
135	# #	7	30	•
136		20	30	G
137	1 1	20	15	•
138	Sugar Kaple	14	15	<b>G</b>
139		14	30	<u> </u>
140	Silver Maple	19	110	G
141		15	25	X Stubs
142	N N	24	23	M Stubs
143		15 14	<b>25</b>	M Stubs G
144	•		20	G
145 146	Sugar Maple Chinese Elm	20 7	30 28	G
147	Morse Chestny		18	Ğ
148	Red Maple	11	58	Ğ
149	M N	13	58	Ğ
150		13	20	ě
151	Sugar Maple	12	25	ō
152		14	23	<u>a</u>
153	American Ilm	10	45	Ğ
154	Red Maple	6	15	Ğ
155	N N	8	15	G
156		15	28	•
157		14	23	•
158	American Elm	2	30	•
159		22	30	<b>G</b>
160	Sugar Maple	6	25	G
161	<b>n</b> 10	10	105	<b>G</b>
162	American Elm	12	80	•

• 1

11

e! ••

<u>.</u>

Tree No.	Species	DB1 inches	Spacing		Tree Condition -	Remarks
BLOCK 1 2 3 4 5	97 Sugar Maple  ** Mophornbeam Red Maple Catalpa	5 5 5 12 6	<b>c</b> -15 25 15 85 20 <b>c</b> -15	G G G M	Bork injury	
PLOCK 6 7 8 9 10 11 12 13 14 15	Red Maple American Elm " Silver Maple " " " " " " " Norway Maple " " "	10 16 16 8 6 5 3 4	<b>c−15</b> 20 20 70 25 45 20 45 22 25 <b>c−</b> 35	M G G G G G G G G	Stubs	
16 17 18 19	Red Maple Norway Maple Red Maple	5 12 6 5	c-60 20 28 10 c-100	& & & & &		
BLOCK 20 21 22	Norway Maple Chinese Elm	12 9 7	<b>~</b> 45 33 15 <b>~</b> 235	G G		
23 24 25 27 28	Norway Maple Black Locut Norway Maple Silver Maple	4 10 5 6 6	c-20 10 15 20 20	G M G G	Broken Limbs	
28 29 30 31 32 33 34 35 36 37	106 Silver Maple  " "  " "  American Elm  " "  Red Maple  " "	8 9 5 4 8 9 12 19 8 12	c-160 15 25 15 25 18 20 20 15 20 c-18	<b>७७७७७७७७</b> ७		

#### Woodland Avenue, S. E.

Tree	Species	DBH	Spacing		Tree Condition - Remarks
No.		inches			
BLOCK	106				
		7 ~	0.0	~	
38	Silver Maple	15	<b>c</b> –90	G	
39	11 11	14	20	G	
40	Red Maple	9	270	G	1 · · · · · · · · · · · · · · · · · · ·
41	n În	9	13	G	1
. —			c-115	_	
BLOCK	105		<u>-11</u>		
	_	- 1	• •	_	
42	Norway Maple	14	<b>c</b> –10	G	
43	tt 11 · ·	14	20	G	
44	ff !!	14	25	G	<del>}</del>
45	Red Maple	12	13	G	•
46	11 11	16	35	G	#inger
47	Sugar Maple	8	120	M	Stubs
48	11 11	10	25	G	•
49	Catalpa	12	165	G	
50	American Ilm	15	20	G	
51	11 11	14	45	G	•
52	11 11	14	45	Ğ	
22			<b>c</b> -45	•	
			<b>6-47</b>		

## Pearl Avenue, S. E.

January 24, 1952

BLOCK 87				
l Silver Maple	10	<b>c-1</b> 30	G	
2 Norway Maple	8	85	G	
3 " <b>"</b>	10	18	G	
2 Norway Maple 3 " " 4 Box Elder 5 " "	10	20	M	Rotted main stem
5 " "	16	20	M	Stubs
6 " <b>"</b>	9	23	G	
7 Norway Maple	19	45	P	Dying - due to girdling root
BLOCK 98				
8 Silver Meple	18	<b>c</b> -20	G	
9 Box Elder	21	45	M	Stubs
10 Sugar Maple	13	33	M	Dead limbs and hanger
11 Mountain Ash		35	G	
12 Box Elder	1 1 1	20	G	
13 Silver Maple	1	65	G	
14 Catalpa		10	G	
15 Silver Maple	6	15	G	
		<b>c-</b> 5		
BLOCK 97				
16 Red Maple	6	<b>~</b> 25	G	
17 Silver Maple	1	35	G	
13 American Elm	1 3	40	G	
19 " "	3	125	G	
		<b>c-</b> 85		

•

•

ŧ

.

• •

.

. . .

.

Species	DBN inches	<b>S</b> pa <b>ci</b> ng		Tree Condition - Remarks
n n n n N n Sugar Maple Silver Maple American Elm n	8 10 11 15 1 1	c-190 15 15 15 15 130 170 25 45	мосомсосо	Stubs Stubs
Silver Maple  n  n  n	8 6 16 15	150 30 40 20 <b>c-</b> 30	С С И	Stubs
Street, S. E	•			<b>J</b> enuary 12, 1952
American Elm Norway Maple Silver Maple	13 22	c-165 35 40 45 c-20	M G M M	Stubs
20 Red Maple Pin Oak	21 16	<b>c-</b> 10 35 <b>c-</b> 165	G G	
	14 22 10 3 17 13 8 11 16 18 8	<b>c-1</b> 0 20 20 20 60 20 25 25 20 45 90 50	0 M 0 0 0 0 0 0 0 0 0 0	Dead limb  Dead limbs
	92 Tulip Poplar  """ """ Sugar Maple Silver Maple American Elm """ Silver Maple """ """ """ """ """ """ Silver Maple American Elm Norway Maple Silver Maple Silver Maple Silver Maple Pin Oak  16 Silver Maple Silver Maple """ Sugar Maple """ Red Maple Sugar Maple """ Red Maple Red Maple Red Maple Red Maple """ Sugar Maple """ Red Maple """ Red Maple """ Sugar Maple	Tulip Poplar 12  Tulip Poplar 12  Tulip Poplar 10  Tulip Maple 15  Silver Maple 1  American Elm 1  Tulip Poplar 1  Tulip Poplar 1  Tulip Poplar 1  Tulip Maple 8  Tulip Maple 8  Tulip Maple 22  Silver Maple 16  Silver Maple 18  Silver Maple 18  Silver Maple 19  Tulip Poplar 1  Tuli	## ## ## ## ## ## ## ## ## ## ## ## ##	## 10

--

--

### 1st Street, S. E.

January 14, 1952

Tree No.	Species	DBH inches	Spacing	Tr	ee Condition - Remarks
BLOCK	30				
1	Red Maple	8	<b>c</b> –98	M	Stubs
2	n in	16	<b>7</b> 5	M	Dead Limbs
3	Sugar Maple	10	55	P	Top out and heart rot
4	Red Maple	13	20	G	•
	_	_	<b>c-</b> 25		
BLOCK	41				
5	Slippery Elm	25	<b>0-</b> 45	G	
6	American Elm	28	60	Ģ	
7		25	23	X	Dead Limbs
8		19	20	M	<b>n n</b>
9		28	20	•	_
10	Morse Chestnut		20	M	Suppressed
11	Slippery Elm	29	20	X	Stubs and limbs
12	0	20	40	M	Dead limbs
13	Sugar Maple	10	15	G	
14	Norway Maple	14	35	G	
15	Sugar Maple	16	75	G	
BLOCK	1414		<b>0-</b> 15		
16	Red Maple	15	<b>6</b> –35	G	
17	American Elm	32	45	P	Dead
18	Wellcon win	26	35	M	Dead limbs
19	Red Maple	16	12	Ĝ	Dock Times
20	# N	12	15	X	Stubs and limbs
21		15	18	Ĝ	
22		19	25	X	Dead limbs
23	<b>M M</b>	12	15	X	Limbs and hangers
24		22	25	•	
25		14	30	X	Dead limbs
26	Silver Maple	18	<b>5</b> 5	X	Mellow limb
27		16	15	X	Stubs and limbs
			<del>0-40</del>		
BLOCK	60				
28	Catalpa	5 <b>7</b>	<b>c-1</b> 0	G	
29		7	15	G	
	4		0-125		
BLOCK	65	• •		_	
30	Box Elder	16	0-145	G	
31		7	15	G	
	40		0-45		
BLOCK	68	7	0-25	G	
32	Norway Kaple	1	0−35 0−125	•	
BLOCK	70		<del>-</del> 127		
	Silver Maple	20	o <b>-</b> 35	G	
33 34	N N	26 26	45	Ğ	
7		20	o-133	•	
			,,		

1st Street, S. E.

MIOCK 67  35 Norway Maple 7 c-18 G 36 " " 0-130  RLOCK 64  37 Silver Maple 9 c-35 G 38 " 15 15 G  RLOCK 43  39 American Elm 16 c-120 G 40 Red Maple 10 85 G 41 " 13 45 G 42 Norway Maple 14 20 M Stubs and limbs 44 " 15 35 M Stubs and limb 45 " 16 20 G 45 " 1 15 35 M Stubs and limb 54 " 16 20 G  BLOCK 42  47 Horway Maple 14 c-145 M Cavity 48 Red Maple 12 40 M Stubs and limbs 50 Sugar Maple 16 15 M Stubs and limbs 50 Sugar Maple 16 15 M Stubs and limbs 50 Sugar Maple 16 40 M Stubs 51 Red Maple 16 40 M Stubs 65 Horse Chestnut 17 60 6 53 " 8 Stubs 6-15 M Stubs 6-1						
35 Norway Maple 7 c-18 G 36 N N S 12 G c-130  ELOCK 64 37 Silver Maple 9 c-35 G 38 N S 15 S G 39 American Elm 16 c-120 G 40 Red Maple 10 85 G 41 N S Stubs and limbs 44 Norway Maple 14 20 M Stubs and limbs 45 N S Stubs 15 35 M Stubs 46 N N S Stubs 47 Norway Maple 14 c-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Norway Maple 16 15 M Stubs 50 Sugar Maple 16 15 M Stubs and limbs 50 Sugar Maple 16 40 M Stubs 51 Red Maple 16 40 M Stubs 52 Norse Chestnut 17 60 G 53 N Stubs ELOCK 29 54 American Elm 21 c-45 M Stubs 56 Red Maple 29 95 M Dead limbs and hange 57 Slippery Elm 35 c-55 G  ELOCK 14  2nd Street, S. E.  ELOCK 14		Species		Spacing	Tre	e Condition - Remarks
35 Norway Maple 7 c-18 G 36 N N S 12 G c-130  ELOCK 64 37 Silver Maple 9 c-35 G 38 N S 15 S G 39 American Elm 16 c-120 G 40 Red Maple 10 85 G 41 N S Stubs and limbs 44 Norway Maple 14 20 M Stubs and limbs 45 N S Stubs 15 35 M Stubs 46 N N S Stubs 47 Norway Maple 14 c-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Norway Maple 16 15 M Stubs 50 Sugar Maple 16 15 M Stubs and limbs 50 Sugar Maple 16 40 M Stubs 51 Red Maple 16 40 M Stubs 52 Norse Chestnut 17 60 G 53 N Stubs ELOCK 29 54 American Elm 21 c-45 M Stubs 56 Red Maple 29 95 M Dead limbs and hange 57 Slippery Elm 35 c-55 G  ELOCK 14  2nd Street, S. E.  ELOCK 14	BLOCK	67				
## 8 12 6			7	<b>c-</b> 18	G	
### Carry Maple   14   15   15   15   15   15   15   15					G-	
## BLOCK 64  37 Silver Maple 9 c-35 G 38 " " 5 15 G  ## BLOCK 43  39 American Elm 16 c-120 G 40 Red Maple 10 85 G 41 " " 13 45 G 42 Norway Maple 14 20 M Stubs and limbs 44 " " 27 40 M Large dead limb 45 " " 16 20 G c-25  ## BLOCK 42  ## Horway Maple 14 c-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Horway Maple 16 15 M Stubs 50 Sugar Maple 16 15 M Stubs 50 Sugar Maple 16 40 M Stubs 51 Red Maple 16 40 M Stubs 52 Horse Chestnut 17 60 M 53 " " 8 35 M Stubs  ## BLOCK 29  ## American Elm 21 c-45 E Stubs  ## Block 29 95 M Dead limbs and hange c-60  ## BLOCK 28  2nd Street. S. E.  ## January 14: 195:				<b>c-1</b> 30		
37 Silver Maple 9 c-35 G 38 " " 15 15 G   ELOCK 43  39 American Elm 16 c-120 G 40 Red Maple 10 85 G 41 " 1 13 45 G 42 Norway Maple 14 20 M Stubs 43 Red Maple 18 18 M Stubs and limbs 44 " 27 40 M Large dead limb 45 " 16 20 G c-25  BLOCK 42  47 Horway Maple 14 c-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Horway Maple 16 15 M Stubs 49 Horway Maple 16 15 M Stubs 50 Sugar Maple 16 40 M Stubs 51 Red Maple 16 40 M Stubs 52 Horse Chestnut 17 60 G 53 " 18 35 M Stubs  ELOCK 29 54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange C-60  ELOCK 28 57 Slippery Elm 35 c-55 G  Zand Street, S. E. January 14: 195:	BLOCK	64		•		
## 15			9	<b>c</b> -35	G	
## BLOCK #3  39 American Elm 16					G	
39 American Elm 16 c-120 G 40 Red Msple 10 85 G 41 " " 13 45 G 42 Norway Maple 14 20 M Stubs 43 Red Maple 18 18 M Stubs and limbs 44 " " 27 40 M Large dead limb 45 " " 15 35 M Stubs 46 " " 16 20 G 6-25  BIOCK 42 47 Horway Maple 14 c-145 M Cavity 48 Red Msple 12 40 M Stubs 49 Horway Maple 16 15 M Stubs 50 Sugar Msple 16 15 M Stubs and limbs 50 Sugar Msple 5 48 G 51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 G 53 " 18 35 M Stubs 6-15  BLOCK 29 54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange 6-60  MLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street, S. E. January 144 1955				-		
## ## ## ## ## ## ## ## ## ## ## ## ##	BLOCK	43				
## ## ## ## ## ## ## ## ## ## ## ### #		_	16	<b>c-1</b> 20		
#2 Norway Maple 14 20 M Stubs #3 Red Maple 18 18 M Stubs and limbs #4		Red Maple	10	8 <i>5</i>		
#3 Red Maple 18 18 N Stubs and limbs #4	41	# # T	13	45		
### # # # # # # # # # # # # # # # # #	42	Norway Maple				
### # # # 27 #0 M Large dead limb ### # # 15 35 M Stubs ### ## 16 20 G e-25  BIOCK #2 ## Horway Maple 14 e-145 M Cavity ### Red Maple 12 #0 M Stubs ### Horway Maple 16 15 M Stubs and limbs 50 Sugar Maple 5 ## 6 51 Red Maple 16 #0 M Stub 52 Horse Chestnut 17 60 6 53			18	18	N	Stubs and limbs
BIOCK 42  47 Norway Maple 14 e-145 M Cavity  48 Red Maple 12 40 M Stubs  49 Norway Maple 16 15 M Stubs and limbs  50 Sugar Maple 5 48 G  51 Red Maple 16 40 M Stub  52 Norse Chestnut 17 60 G  53 N Stubs  EMOCK 29  54 American Elm 21 c-45 E Stubs  55 Buckeye 13 70 G  56 Red Maple 29 95 M Dead limbs and hange c-60  MLOCK 28  57 Slippery Elm 35 c-55 G  2nd Street, S. E. January 14: 1955			27	40	X	Large dead limb
BIOCK 42  47 Horway Maple 14 e-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Horway Maple 16 15 M Stubs and limbs 50 Sugar Maple 5 48 G 51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 G 53 " " 18 35 M Stubs  EHOCK 29  54 American Elm 21 e-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange e-60  MLOCK 28  57 Slippery Elm 35 e-55 G  Znd Street, S. E. January 14: 1955	45		15	<b>3</b> 5	X	Stubs
## Horway Maple 14 e-145 M Cavity ## Red Maple 12 ## Norway Maple 16 ## Stubs ## Horway Maple 16 ## Stubs and limbs ## Horway Maple 16 ## Stubs and limbs  ## Horway Maple 16 ## Stubs and limbs  ## Stubs and limbs  ## Stubs ## St		# #	16	20	G-	
47 Horway Maple 14 e-145 M Cavity 48 Red Maple 12 40 M Stubs 49 Horway Maple 16 15 M Stubs and limbs 50 Sugar Maple 5 48 G 51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 G 53 N Stubs e-15  BLOCK 29 54 American Elm 21 e-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange e-60  BLOCK 28 57 Slippery Elm 35 e-55 G  2nd Street, S. E. January 14: 1959  BLOCK 14				<b>c-</b> 25		
#8 Red Maple 12 #0 M Stubs #9 Norway Maple 16 15 M Stubs and limbs 50 Sugar Maple 5 #8 G 51 Red Maple 16 #0 M Stub 52 Horse Chestnut 17 60 G 53 8 8 8 Stubs e-15  BLOCK 29 54 American Elm 21 e-#5 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Deed limbs and hange e-60  BLOCK 28 57 Slippery Elm 35 e-55 G  2nd Street. S. E. January 14: 1952	BLOCK	42				
#9 Horway Maple 16 15 M Stubs and limbs 50 Sugar Maple 5 48 G 51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 G 53 M 18 35 M Stubs  ELOCK 29 54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange c-60  ELOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 1952	47	Morway Maple	14			<del>-</del>
50 Sugar Maple 5 48 6 51 Red Maple 16 40 M Stub 52 Morse Chestnut 17 60 6 53 8 18 35 M Stubs c-15  BLOCK 29 54 American Mlm 21 c-45 M Stubs 55 Buckeye 13 70 6 56 Red Maple 29 95 M Deed limbs and hange c-60  BLOCK 28 57 Slippery Mlm 35 c-55 G  2nd Street. S. E. January 14: 1955	48	Red Maple	12		X	
50 Sugar Maple 5 48 6 51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 6 53 8 18 35 M Stubs c-15  BLOCK 29 54 American Elm 21 c-45 M Stubs 55 Buckeye 13 70 6 56 Red Maple 29 95 M Dead limbs and hange c-60  BLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 1955	49	Horway Maple	16			Stubs and limbs
51 Red Maple 16 40 M Stub 52 Horse Chestnut 17 60 6 53 N 18 35 M Stubs c-15  ELOCK 29 54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 6 56 Red Maple 29 95 M Dead limbs and hange c-60  ELOCK 28 57 Slippery Elm 35 c-55 G  2nd Street, S. E. January 14: 1955			5		<b>G</b>	
53						Stub
ELOCK 29 54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange c-60  NLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 1952	52	Lorse Chestnu			_	
ELOCK 29  54 American Elm 21 c-45 E Stubs  55 Buckeye 13 70 G  56 Red Maple 29 95 M Dead limbs and hange c-60  ELOCK 28  57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:	<b>5</b> 3		18		X	Stubs
54 American Elm 21 c-45 E Stubs 55 Buckeye 13 70 G 56 Red Maple 29 95 M Dead limbs and hange c-60  RLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:				<b>0-</b> 15		
55 Buckeye 13 70 6 56 Red Maple 29 95 M Dead limbs and hange c-60  RLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:					_	<b>.</b> .
56 Red Maple 29 95 M Dead limbs and hange c-60  NLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:	54	American Ilm		_		Stubs
c-60  RLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 1952  RLOCK 14	<b>5</b> 5	Buckeye				
NLOCK 28 57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:	56	Red Maple	29		M	Dead limbs and hangers
57 Slippery Elm 35 c-55 G  2nd Street. S. E. January 14: 195:  NLOCK 14				<b>6</b> -60		
2nd Street. S. E. January 14: 195:	BLOCK				_	
BLOCK 14	57	Slippery Elm	35	<b>0-</b> 55	G	
BLOCK 14						
	2nd St	reet, S. E.				January 14: 1952
	BLOCK	14		_	_	
	1	Carolina Popl		<b>c</b> -45	G	
2 N N 26 50 G		<b>H H</b>		50	G	
	_					
NLOCK 22	BLOCK	22				
3 Norway Maple 11 G			11			
4 Silver Maple 15 15 M Stub					M	Stub
o-40		_		040-		

-

: --

1st Street, S. E.

Tree	Species	DBH inches	Spacing	Tr	ee Condition - Remarks
BLOCK	67				
35	Norway Maple	7	<b>c-</b> 18	G	
36		8	12	G	
			<b>c-1</b> 30		
BLOCK	64	_		_	
37	Silver Maple	9	o-35	G	
<b>3</b> 8	•	15	15	G	
BLOCK	43				
39	American Elm	16	<b>c</b> -120	G	
40	Red Maple	10	85	Ğ	
41	n n	13	45	Ğ	
42	Norway Maple	14	20	X	Stubs
43	Red Maple	18	18	X	
44	H H	27	40	X	
45	<b># #</b>	15	<b>35</b>	X	Stubs
46	N N	16	20	G	
			<b>c-</b> 25		
BLOCK	42				
47	Morway Maple	14	<b>-1</b> 45	X	•
48	Red Maple	12	40	M	Stubs
49	Morway Maple	16	15	X	Stubs and limbs
50	Sugar Maple	5	48	•	
51	Red Maple	16	40	X	Stub
52	Morse Chestnut	•	60	•	O.L
<i>5</i> 3	• •	18	35	X	Stubs
BLOCK	20		<b>0-1</b> 5		
54	29 American Illm	21	<b>0-4</b> 5	H	Stubs
55	Buckeye	13	70	ē	
56	Red Maple	29	95	×	Dead limbs and hangers
	mon wapao	~/	o-60	•••	
BLOCK	26				
57	Slippery Elm	35	<b>0–</b> 55	G	
<b>-</b> •	••				
2nd St	reet, S. E.				January 14, 1952
BLOCK	14				
1	Carolina Popla	r 20	<b>-</b> 45	G	
2	n n	26	50	Ğ	
٠.				-	
BLOCK	22				
3	Norway Maple	11		G	
4	Silver Maple	15	15	M	Stub
	-		0-40		

•

--

2nd Street, S. E.

Student   Stud	Tree No.	Species	DBM inches	Spacing	Tre	e Condition - Remarks
6	BLOCK	23				
7				_	G	
8		••				
9 Sugar Maple 8 30 C 10 Silver Maple 9 25 G 11 Sugar Maple 8 30 G 12 Red Maple 2 C-60 P Sprouts 13 " 20 20 G 14 American Flm 23 80 M Limb 15 " 18 20 G 16 Morway Maple 15 25 G 17 Red Maple 16 6-170 M Stub 19 " 14 20 G 20 Red Maple 18 25 G 21 American Flm 13 18 M Stube and limbs 22 Slippery Flm 28 20 M " " " 23 " " 30 20 M " " " " 24 American Flm 19 20 M " " " 25 " " 15 20 G 26 Slippery Flm 18 20 M " " " 27 American Flm 17 20 G 28 " " 30 30 M " " " 30 30 M " " " 14 25 M Stube and limbs 27 American Flm 17 20 G 28 " " 30 30 M " " " " 31 Silver Maple 8 C-30 G 33 Silver Maple 8 10 G 34 Gatalpa 8 10 G 35 " " " 14 25 M Stub 37 Silver Maple 10 25 G 38 " " 14 95 P Cut back too far 36 " 16 25 P " " " " 37 Silver Maple 14 20 G 38 " " " " " " " " " " " " " " " " " " "		•				
10   Silver Maple   9   25   6     11   Sugar Maple   8   30   6		•	13	-		
BLOCK   32   12   Red Maple   2   c-60   P   Sprouts   13   " " 20   20   6   14   American Elm   23   80   M   Limb   15   " " 18   20   6   16   Morway Maple   15   25   G   17   Red Maple   16   45   6   c-20						
BLOCK   32   12   Red Maple   2   c-60   P   Sprouts   13   " " 20   20   6   14   American Elm   23   80   M   Limb   15   " " 18   20   6   16   Morway Maple   15   25   G   17   Red Maple   16   45   6   c-20		_	9			
BLOCK   32   12   Red Maple   2   2   20   6   14   American Elm   23   80   M   Limb   15   8   18   20   9   16   Morway Maple   15   25   6   17   Red Maple   16   45   6   6   6   6   6   6   6   6   6	11	Sugar Maple	8		G	
12   Red Maple   2   c-60   P   Sprouts     13	DT.OOF	20		<b>6-</b> 35		
13		_	•	- 40	ъ	Samana a
14 American Elm 23 80 M Limb 15 " 18 20 6 16 Norway Maple 15 25 6 17 Red Maple 16 45 6 e-20  MACK 40  18 Silver Maple 16 e-170 M Stub 19 " 14 20 6 20 Red Maple 18 25 6 21 American Elm 13 18 M Stube and limbs 22 Slippery Elm 28 20 M " " " " 23 " 30 20 M " " " " 24 American Elm 19 20 M " " " " 25 " " 15 20 6 26 Slippery Elm 18 20 M Stube and limbs 27 American Elm 17 20 G 28 " 13 20 M " " "  HACK 66  EMACK 66  EMACK 66  29 Red Maple 8 c-30 G 30 " " 14 25 M Stub 31 Silver Maple 8 11 G 32 Cat alpa 8 10 G 33 Silver Maple 10 25 G 34 Gatalpa 7 30 G 35 " 14 95 P Cut back too far 36 " 16 25 P " " " " 38 " 16 25 G 39 " " 10 25 G 39 " " " 10 25 G 39 " " " 10 25 G		Man wante				pprouts
15		American Elm				Link
16 Norway Maple 15 25 6 17 Red Maple 16 45 6 e-20  MLOOK 40  18 Silver Maple 16 e-170 M Stub 19 " " 14 20 6 20 Red Maple 18 25 6 21 American Elm 13 18 M Stubs and limbs 22 Slippery Elm 28 20 M " " " " " " " " " " " " " " " " " "			18			DIMO
17   Red Maple   16		Morway Manle				
### BLOCK 40  18 Silver Maple 16 e-170 M Stub  19 " 14 20 G  20 Red Maple 18 25 G  21 American Elm 13 18 M Stubs and limbs  22 Slippery Elm 28 20 M " " "  23 " " 30 20 M " " 1 imb  24 American Elm 19 20 M " " "  25 " " 15 20 G  26 Slippery Elm 18 20 M Stubs and limbs  27 American Elm 17 20 G  28 " " 13 20 M " " "  10 25 M Stubs and limbs  27 American Elm 17 20 G  28 " " 14 25 M Stub  31 Silver Maple 8 11 G  32 Cat alpa 8 10 G  33 Silver Maple 10 25 G  34 Catalpa 7 30 G  35 " 14 95 P Cut back too far  36 " 16 25 P " " " "  37 Silver Maple 14 20 G  38 " " 8 25 G  39 " " 10 25 G  39 " " 10 25 G  39 " " 10 25 G  39 " " " 10 25 G  30 " " " " " " " " " " " " " " " " " " "						
MACCK   40   18   Silver Maple   16   c-170   M   Stub   19   m   14   20   G	-,			_		
18 Silver Maple 16 e-170 M Stub 19	BLOCK	40		- 20		
19		Silver Maple	16	<b>c-17</b> 0	x	Stub
20 Red Maple 18 25 6 21 American Elm 13 18 M Stubs and limbs 22 Slippery Elm 28 20 M " " " " 23 " " 30 20 M " " " limb 24 American Elm 19 20 M " " " " 25 " " 15 20 6 26 Slippery Elm 18 20 M Stubs and limbs 27 American Elm 17 20 6 28 " " 13 20 M " " " " 20 EN TOTAL ELM 18 20 M Stubs and limbs 28 " " 14 25 M Stub 31 Silver Maple 8 11 6 32 Cat alpa 8 10 6 33 Silver Maple 10 25 6 34 Gatalpa 7 30 6 35 " 14 95 P Cut back too far 36 " 16 25 P " " " " " 37 Silver Maple 14 20 6 38 " " 8 25 6 39 " " 10 25 6 39 " " 10 25 6 39 " " 10 25 6			14		<b>G</b>	
21 American Elm 13 18 M Stubs and limbs 22 Slippery Elm 26 20 M H IIImb 23 H 30 20 M H IIImb 24 American Elm 19 20 M H IIImb 25 H 15 20 G 26 Slippery Elm 18 20 M Stubs and limbs 27 American Elm 17 20 G 28 H 13 20 M H II H 20 G 28 H 13 20 M H II H 20 G 21 Stubs and limbs 27 American Elm 17 20 G 28 H 13 D M H II H 29 Red Maple 8 c-30 G 30 H 14 25 M Stub 31 Silver Maple 8 11 G 32 Cat alpa 8 10 G 33 Silver Maple 10 25 G 34 Gatalpa 7 30 G 35 H 14 95 P Cut back too far 36 H 16 25 P H II H 37 Silver Maple 14 20 G 38 H 18 8 25 G 39 H 10 25 G 40 H 1 25 P Broken eff		Red Maple	18	25	0	
22 Slippery Fim 28 20 M	21		13		M	Stubs and limbs
24 American Elm 19 20 M W W W W 25 W Stubs and limbs 27 American Elm 17 20 G 28 W W W W W W W W W W W W W W W W W W	22		28	20	X	
25	23					TIMU
26 Slippery Elm 18 20 E Stubs and limbs  27 American Elm 17 20 G  28 " 13 20 K " " "  c-25  MIOCK 66  29 Red Maple 8 c-30 G  30 " 14 25 K Stub  31 Silver Maple 8 11 G  32 Cat alpa 8 10 G  33 Silver Maple 10 25 G  34 Catalpa 7 30 G  35 " 14 95 P Cut back too far  36 " 16 25 P " " " " "  37 Silver Maple 14 20 G  38 " " 8 25 G  39 " " 10 25 G  39 " " 10 25 G  40 " " 1 25 P Broken eff						
27 American Him 17 20 G 28 H 13 20 M H H H  c-25  MIOCK 66  29 Red Maple 8 c-30 G 30 H 14 25 M Stub  31 Silver Maple 8 11 G 32 Cat alpa 8 10 G 33 Silver Maple 10 25 G 34 Catalpa 7 30 G 35 H 14 95 P Cut back too far 36 H 16 25 P H H H H  37 Silver Maple 14 20 G 38 H H 8 25 G 39 H H 10 25 G						<b>a</b> . <b>a a a a a</b>
28						Stubs and limbs
## Country   Cou						
## MOCK 66  29 Red Maple 8 c-30 6   30	26	W W	13		H	
29 Red Maple 8 c-30 G 30 " " 14 25 M Stub 31 Silver Maple 8 11 G 32 Cat alpa 8 10 G 33 Silver Maple 10 25 G 34 Catalpa 7 30 G 35 " 14 95 P Cut back too far 36 " 16 25 P " " " " " 37 Silver Maple 14 20 G 38 " 8 25 G 39 " 10 25 G 40 " " 1 25 P Broken eff	TOT A CITY			<b>6-25</b>		
30			۵	- 20	•	
31 Silver Maple 8 11 6 32 Cat alpa 8 10 6 33 Silver Maple 10 25 6 34 Catalpa 7 30 6 35 8 14 95 P Cut back too far 36 8 16 25 P 8 8 8 37 Silver Maple 14 20 6 38 8 8 25 6 39 8 10 25 6 40 8 8 1 25 P Broken eff						Stab
32 Cat alpa 8 10 6 33 Silver Maple 10 25 6 34 Catalpa 7 30 6 35 8 14 95 P Cut back too far 36 8 16 25 P 8 8 8 37 Silver Maple 14 20 6 38 8 8 8 8 25 6 39 8 10 25 6 40 8 8 1 25 P Broken off	31 31			<i>2</i> 9		Stab
33 Silver Maple 10 25 G 34 Catalpa 7 30 G 35	32		Ř			
34 Catalpa 7 30 G 35 R 14 95 P Cut back too far 36 R 16 25 P R R R R R R R R R R R R R R R R R R		-				
35	477 77					
36	35	N N				Cut back too far
37 Silver Maple 14 20 G 38 H H 8 25 G 39 H H 10 25 G 40 H H 1 25 P Broken off	36	W				
38	37	Silver Manle		$\widetilde{\widetilde{\mathbf{zo}}}$		
39 " " 10 25 G 40 " " 1 25 P Broken off	38	N N				
40 " 1 25 P Broken off				25		
<b>⊶35</b>				25	P	Broken off
				<b>-35</b>		

-

<del>- ·</del>

. ,

.....\*..

•

-- ·

2nd Street, S. E.

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	74				
41	Silver Maple	7	<b>c</b> -10	G	
42	N N	20	25	M	Stubs
43	Pin Oak	22	50	G	
			<b>c</b> -70		
BLOCK	71		·		
44	Silver Maple	22	<b>c</b> -30	G	
	_		_		
BLOCK	68				
45	Box Elder	8	<b>c-</b> 35	X	Dead limbs
46		12	20	M	Stubs
47	Silver Maple	6	20	G	
48	# #	12	15	G	
49	H H	18	35	G	
<i>5</i> 0	H W	22		G	
51		12	35	X	Stubs
			<b>0–35</b>		
BLOCK	41		_	_	
52	Silver Maple	10	o-28	G	
<b>5</b> 3		11	23	G	
54		18	65	G	
55	Sugar Maple	12	43	X	Dying back
56	Silver Maple	12	25	G	
57		21	20	G	
<i>5</i> 8	American Elm	16	35	M	
<i>5</i> 9	# #	26	50	X	Butchered
<b></b>			<b>-95</b>		
BLOCK	31	<b>-</b> 1.	. 187	•	
60	Red Maple	14	<b>0−175</b>	G	
61		5 6	25 ***	G	
62		8	20	G	
<b>6</b> 3		0	20	4	
BLOCK	05		o <b>-</b> 35		
64	25 Red Maple	18	c-18	G	
04	ver wahre	10	c-195	•	
BLOCK	24		G-177		
	Silver Maple	12	<b>0-</b> 95	G	
65 66		14	40	6	
	Sugar Kaple Basswood	18	95	ē	
67	DES SWOOD.	10	95 <b>0-</b> 70	•	
			<del>-</del> 70		

# 3rd Street, S. E.

January 15, 1952

Tree No.	Species	DBE inches	Spacing	Tr	ee condition - Remarks
BLOCK	21				
1	Red Maple	14	<b>c-</b> 35	M	Stubs
	Sugar Maple	12	20	M	Stub
3	N N	12	40	M	Dead limbs
2 3 4	<b>n n</b>	8	75	G	
5	Red Maple	16	35	G	
6	American Elm	22	20	M	Stubs and limbs
7	n n	16	25	P	Top trimmed out
8	W W	14	25	G	
			<b>c</b> -20		
BLOCK	39				
9	Sugar Maple	6	<b>c</b> -35	<b>G</b>	
10	Ĭ Ĭ	14	25	M	Stubs
11	Silver Maple	15	28	G	
12	Sugar Maple	8	20	G	
13	N N	10	15	G	
14	Silver Maple	28	20	G	
15	Sugar Maple	5	20	M	Top out
16	Norway Maple	22	40	X	Limbs
17	H H	22	20	X	Frost crack
18	Red Maple	5	35	<b>Q</b>	
19	<b>1</b>	16	30	M	Dead limbs
20	Slippery Elm	20	50	P	Seems to be dead
21	Red Maple	7	25	M	Fertilization
22	Slippery Elm	23	25	M	Dead limbs
			<b>c-1</b> 5		
BLOCK	46				
23	American Elm	32	<b>c-</b> 23	M	Stubs and limbs
24	# #	14	65	G	
25	Norway Maple	10	20	G	
26		16	35	Q.	
27		11	20	M	Mollow
28	# #	20	20	M	Cavity - hollow trunk
29	American Ilm	12	30	G.	
30	Red Maple	11	35	G	
	1		<b>c-1</b> 0		
BLOCK	49	• -	<b>.</b>		
31	Red Maple	13	0-15	X	Smoke injury or fertiliza-
32	Silver Maple	22	75	G	tion
BLOCK	52				
33	Carolina Popla	r 24	c-40	M	Stubs and limbs
34	Silver Maple	12	20	G	

... **)**\*

·

• • •

3rd Street, S. E.

Tree No.	Species	DBM inches	Spacing	Tre	ee Condition - Remarks
35 36	53 Sugar Maple	12 6	<b>c-1</b> 2	G G	
37 38 39 40	62 Red Maple W W W W	7 8 8 5	<b>0-</b> 185 20 20 20 55	<b>G</b>	
HIOCK 41 42 43 44 45 46 47 48	79 Norway Maple  " " Chinese Elm Silver Maple " " Red Maple Silver Maple	1 3 3 6 1 1 1	e-170 55 28 35 35 20 20 20 e-25	0 0 0 0 0 0 0	
BLOCK 49	86 Silver Maple	4	o-275	G	
50 51 52 53 54 55 56 57 58	89 Lombardi Popi	lar 4 1 7 12 7 7 10 4 12	c-245 20 20 15 15 15 15 15 15	0 P 0 0 0 0 0 0 0 0	<b>S</b> prouts
BLOCK 60	101 Carolina Popl	lar 3	<b>~</b> 35	G	
61 62 63 64	78 Cherry tree  " "  " " Silver Maple	1 2 1 6	o-25 30 30 30 -40	& & & &	
FLOCK 65	61 Eilver Maple	32	o-15	M	Stubs and limbs

• <u>-</u> • · **→** 7

. -

<u>.</u>

3rd Street, S. E.

Tree No.	Species	DBE inches	Spacing	Tr	ee Condition - Remarks
BLOCK	55				
66	American Elm	6		G	
67	Silver Maple	11	45	Ğ	
68	1 1	13	40	Ğ	
69	<b>x x</b>	í	35	G	
70	Fr. Pussy Will			G	
71	American Elm	9	50	G	
72	N N	16	15	Ğ	
			<b>0</b> −55		
BLOCK	48				
73	Red Maple	20	<b>c</b> -60	M	Large dead limb & hanger
74	Morway Maple	13	23	M	Stub and limbs
<b>7</b> 5	<b>H H</b>	16	18	M	Stubs
76		15	15	X	Limbs
77	<b>11</b>	14	20	M	Dead limb
78		18	20	M	Stubs
·			<b>c-1</b> 0		
BLOCK	45				
79	Silver Maple	24	<b>0–1</b> 0	G	
80	N N	15	20	G	
81		23	23	X	Dead limbs
82		21	20	M	Stubs
83	American Elm	1	40	P	Sprouts
84		18	30	M	Stubs and limbs
			o <u>-35</u>		
BLOCK	40				
85	Red Maple	13	<b>0–</b> 65	G	
86	American Elm	28	20	M	Dead limbs
87		24	20	M	Stubs and limbs
88		32	20	M	Dead limbs
89		14	20	X	Stubs
90	Red Maple	13	65	G	
91	H N	20	<b>2</b> 3	M	Stubs
92		12	15	G	
93		12	20	X	Stubs
94	Sugar Maple	24	35	X	Stubs and dead limbs
95	W W	16	30	G	
96		16	40	M	Dead limb, hanger
			<b>c-1</b> 5		
BLOCK	32				
97	Slippery Elm	20	<b>0−1</b> 5	G	
98	<b>1</b>	18	<i>55</i>	G	
99		30	<i>5</i> 0	M	Stubs
100	Red Maple	14	30	X	Stubs
101	Slippery Elm	24	30	X	Stubs and limbs
102	Red Maple	20	30	X	Dead limbs

•

.

,

3rd Street, S. E.

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	32. cont'd.				
102	Red Maple	20	30	X	Dead limbs
103	American Elm	25	36	M	Large dead limbs
104	Red Maple	14	30	G	_
	-		o-15		
BLOCK	23		_		
105	Carolina Popl	ar 28	o-23	M	Stubs
106	H Ř	20	20	M	Large limbs dead
107	W W	24	20	M	Limbs
108	H H	26	20	M	Large dead limbs
109	W W	35	20	G	•
			o-115		
BLOCK	22		•		
110	American Elm	24	<b>c</b> -20	G	
111	Sugar Maple	15	15	G	
112	11 11	19	25	X	Stubs
113		22	43	M	Car injury
			<b>0−7</b> 0		

• •

Jan.	Street.	c	10
ALT: N	STTORT.	S.	E.

January 12, 1952

Tree No.	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
DT AAV	3.6				
BLOCK	16	70	- 25	•	
1	Slippery Elm		<b>~</b> 35	G G	
2		20	60	6	
3	American Elm	19	85 60	Ğ	
*	Wellcau win		<b>4</b> 0	66	
5		30 20		6	
7		20 20	30 30	Ğ	
7		20	30	•	
BLOCK	16		<b>0-15</b>		
	15	77	- 25	G	
8	American Elm			M	Dead limbs
	Slippery Elm	24		G	Dead limbs
10		24 34	30 70		Limbs
11		18	70	P	
	Red Maple	14	40 he		
13		14	45		Top dying out
			<b>c</b> -20		
BLOCK 1 2 3 4 5 6 7 8	American Elm  # #  # #  # #  # #  # #  # #	22 26 17 31 28 28 40	<b>2-7</b> 5 35 35 35 35 35 35	X X X G G	and limbs
8		28	35	X	Stubs
9	# #	16	35	X	Stubs and limbs
10		31 24	35	X	Stubs
11	* *	24	70	M	Stubs and limbs
Factor BLOCK 1 2 3	y Avenue, S. 25 Red Maple Sugar Maple American Elm	16 8 18	<b>⊶25</b> 25 25 <b>⊶1</b> 50	G G M	January 14, 1952 Stubs
			<u></u>		

• • • • 

•

### 10th Street, S. E.

January 12, 1952

Tree No.	Species	DBH inches	Spacing	Tr	ee Condition - Remarks
BLOCK	21				
1	Red Maple	16	<b>~</b> 70	M	Limbs and stubs
2	<b>0</b>	17	65	M	Dead Limbs
3		13	25	M	M W
3 4	Sugar Maple	9	35	G	
5		12	23	G	
6	Red Maple	15	<b>2</b> 8	G	
7	<b>R W</b>	12	25	G	
8		15	20	G	Frost crack
			c-15		
BLOCK	5	•			
9	Red Maple	18	<b>c</b> –10	M	Dead limb
10	<b>11 11</b>	3	25	G	
11	Silver Maple	18	18	G	
12	Red Maple	14	25	G	
13		14	20	G	
14		15	25	X	Stubs and dead limb
15	# #	14	15	G	
16		15	20	M	Stubs
17	Silver Maple	14	15	M	Stubs
18	Red Maple	18	35	M	•
19	Silver Maple	13	35	•	
20	W W	16	<b>33</b>	M	Stubs decayed
			<b>0-1</b> 5		
BLOCK	170		_		
21	Sugar Maple	18	0-45	M	Stubs
22	Sugar Maple	14	20	G	
23	Norway Maple	16	40	G	
24	* *	15	25	G	
			<b>0-4</b> 5		
BLOCK	21				_
25	Red Maple	6	<b>o-</b> 5	I	Stubs
26	Sugar Maple	15	25	X	Decay in upper limb
27	Red Maple	14	65	G	
			<b>c-1</b> 20		
BLOCK	6			_	
28	Sugar Maple	27	<b>0–</b> 85	G	
29		12	25	P	Top out - decayed
30	# #	16	25	G	Manger
31		22	<b>5</b> 0	X	Stubs and deed limb hanger
32	American Ilm	28	33	G	
33	Slippery Elm	34	40	X	Stub
34	Red Maple	12	33	G	
			<b>c-1</b> 0		
BTOCK	20				
35	Norway Maple	18	<b>0-1</b> 0	G	
36	Sugar Maple	18	30	X	Stubs

• ...

<del>-</del>

<del>-</del> .

.

<del>-</del>

**.** 

a**t** 

...

10th Street, S. E.

Tree	Species	DBM inches	Spacing	Tree condition - Remarks	Tree cond	- Remarks
37 38 39 40 41 42	20, contid. Basswood	22 23 22 16 20 17	50 25 25 25 25 25 23	G G G M Stubs	G G G M Stubs G	
43 44	Sugar Maple	20 12	23 20 <b></b> 50	M Dead limbs G	<b>G</b>	
6th St	reet, S. E.			January 12, 1952	J	<b>y</b> 12, 1952
1 2 3 4	American Elm Red Maple Sugar Maple English Elm	7 18 20 14	0-45 135 30 85	G M Dead limbs P Trunk decay, dead limb	M Dead 1 P Trunk	, dead limb
BLOCK 5 6 7 8 9 10 11	Sugar Maple  Red Maple  Red Maple  Red Maple  Red Maple	17 8 10 14 13 12 10	o- 8 o-105 20 48 35 20 20 25 o-20	G G G N Stubs and hanger G G	G G X Stubs G	anger
12 13 14 15 16 17 18 19 20	20 Silver Maple  N Red Maple Silver Maple Sugar Maple N N N Red Maple	13 12 18 10 19 10 10 18	o-40 33 35 40 38 20 18 20 28 o-15	G G G G M Dead limb, butchered G G M Bracing needed G	G G H Dead 1 G G N Bracin	
21 22 23 24 25 26	Sugar Maple	11 13 17 13 14 13	o-30 35 40 40 40 65 o-50	G G M Stubs G M Dead limb G	G M Stubs G M Dead 1	

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK 1 2 3 4 5 6 7	90 Box Elder n n n n n n	15 16 16 14 9 5	<b>c-</b> 15 25 25 25 23 25 45	G G G G
9 10 11 12 13	m m m m m m m m White Ash American Elm White Oek Red Maple m m	18 2 8 11 6 6	20 50 35 20 23 10	G G G G G
14 15 16 17 18 19 20		756564338	15 20 15 15 15 20 20	M Stubs G G G G G G
21 22 23 24 25 26 27	Tulip Poplar  " "  Box Elder  " "  White Ash	8 11 12 14 20 9	20 <b>75</b> 20 <b>15</b> 40 <b>1</b> 30 <b>1</b> 20	G G G G M Stubs G
28 29 30 31 32 33	Sycamore Mapl Tulip Poplar Morse-Chestnu Cherry Tree """	e 10 11 t 6 5 4	15 40 15 15 15	G G G G
34 35 36 37 38 39	Catalpa Sugar Maple  "" "" "" "" Catalpa	1 1 5 12 8	25 10 12 20 12 25	G G G G G Trunk decayed M Trunk decayed
40 41 42 44 45 46 47 8	Norway Maple Silver Maple Catalpa	951743896	25 35 18 20 45 15 730 20 15	M Trunk decayed G G G G G G G

13th Street, S. E.

Tree	<del>-</del>	Ba ches	Spacing		Tree Condition - Remarks
BLOCK	89				
49	Silver Maple	15		G	
50 51	81 17 81 18	19 11	15 15	G M	Stubs
52	Graft.Bl.Locut	6	20	G	<b>5</b> 0008
53	11 11 11	6	15	G	
54	11 11 11	6	15	G	
55	Pin Oak	7 6	30 20	G	
56 <b>57</b>	Silver Maple	14	20 20	G G	
53	II II	26	100	P	Girdled
59	11 11	10	85	G	
60	Pin Osk	4	145	G	
61 62	" " Silver Maple	7 6	' 45 93	G M	Stubs
63	n n	8	20	M	Stubs
64	Sugar Maple	4	10	G	
65	White Oak	8	250	G	
66	Black Oak	6	40	G	
67 63	n n	5 6	20 20	G G	
69	Box Elder	8	2.0 45	G	
<b>7</b> 0	11 11	3	15	G	
71	<b>H</b> II	7	15	G	
72	Carolina Poplar	23	8	P	Trimmed to stubs - rotting
73	11 11	18 13	18 18	P P	11 11 11 11 11
74 75	n H	21	15 15	P	и и и
76	Pin Oak	14	45	G	
77	n n	13	20	G	
<b>7</b> 8	Beech Tree	7	30	G ~	
79	American Elm	8	25 23	G G	
80 81	Pin Oek Buckeye	22 4	23 23	G	
82	Pin Oak	19	25	Ğ	
83	Basswood	10	<b>1</b> 5	G	
84	H	8	20 <b>*</b> 0	G	
85 86	Norway Maple Carolina Poplar	17 25	<b>5</b> 0 65	G M	Stubs
8 <b>7</b>	Silver Maple	10	35	G	<b>S</b> Caus
88	Box Elder	6	20	G	
89	Norway Maple	14	23	M	Stubs
90	Silver Maple	30	10	M	Stubs
91	Sugar Maple	8	60 35	G G	
92 93	Silver Maple	<b>7</b> 9	35 25	G	
94	<b>11</b>	17	105	M	Trunk injury
95	Box Elder	14	15	G	· · · ·
96	n ti	16	35	G	
			<b>c-</b> 210		

_					<i>*************************************</i>
Tree No.		BX he <b>s</b>	<b>S</b> pa <b>c</b> ing	:	Tree Condition - Remarks
BLOCK  1  2  3  BLOCK	131 Silver Maple American Elm Silver Maple	15 14 14	<b>0-1</b> 20 450 200 <b>0-</b> 55	<b>G</b> <b>G</b>	
5 6 7 8 9 10 11 12 13	Carolina Poplar Silver Maple  n n n n n n n n n n n n n n n n n n	25 2 2 2 1 1 1 1	<b>~</b> 25 50 25 20 30 40 15 15 15	11 G G G G G G G G G	Stubs and dead limb
BLOCK 14 15 16 17 18 19 20 21 BLOCK 22	Silver Maple  ""  ""  Sugar Maple Cherry tree Silver Maple Sugar Maple Silver Maple	2 15 13 5 14 2 7 12	c-30 25 20 85 12 25 30 25 c-23	<b></b>	
23 24 25 26	Chinese Elm  n  n  Carolina Poplar	12 10 11 32	95 15 15 c-115	G G M	Wetwood or slime flux Stubs - rotted
Forest	Avenue, So. E.				January 24, 1952
BLOCK 1 2 3 4 5	109 Ginkoo Sugar Maple Pin Oak Silver Maple Sycamore Maple Sugar Maple	16 15 17 1 24 15	25 30 30 35 25 <b>-</b> 45	G	Stubs

Tree No.	Species Di incl	ies ies	<b>S</b> pa <b>c</b> ing	T	ree Condition - Remarks
BLOCK 1 2 3	131 Silver Maple American Elm Silver Maple	15 14 14	<b>~</b> 120 450 200 <b>~</b> 55	С С С	
BLOCK 5 6 7 8 9 10 11 12 13	165 Carolina Poplar Silver Maple  n n n n n n n n n n n n n n n n n n	25 2 2 2 1 1 1 1	<b>2</b> 5 50 25 20 30 40 15 15 15 15	M & & & & & & & & & & & & & & & & & & &	Stubs and dead limb
BLOCK 14 15 16 17 18 19 20 21 BLOCK 22	Silver Maple  ""  ""  Sugar Maple Cherry tree Silver Maple Sugar Maple Silver Maple Silver Maple Chinese Elm	2 15 13 5 14 2 7 12	<b>~</b> 30 25 20 85 12 25 30 25 <b>~</b> 23 <b>~</b> 40 95	ტტტტტტტ ტტ	
23 24 25 26	n n Carolina Poplar	10 11 32	95 15 15 <b>c</b> -115	G G M	Wetwood or slime flux Stubs - rotted
Forest	Avenue, So. E.				January 24, 1952
BLOCK 1 2 3 4 5 6	109 Ginkoo Sugar Maple Pin Oak Silver Maple Sycamore Maple Sugar Maple	16 15 17 1 24 15	25 30 30 35 25 <b>-</b> 45	0 0 M 0 0 0	Stubs

SOUTHWEST SECTION

pages 161 - 195

### Brie Street, South

March 18, 1952

Tree	Species	DBH inches	Spacing	Tr	ee Condition - Remarks
BLOCK	29				
1	Silver Maple	17		M	Cavity work repair
_	_		<b>-1</b> 35		
BLOCK	43		•	_	
2	Red Maple	12	<b>0–</b> 85	G	
BLOCK	51				
3	Imerican Elm	13	<b>c</b> -60	G	
4	N N	25	55	M	Bark injury
5	Slippery Elm	22	35	И	Stubs and limbs
6	American Elm	30	<i>55</i>	M	<b># # #</b>
7	N N	26	95	G	
8		30	65	M	
9		22	60	M	W W
10	* **	30	30	M	•
			<b>c</b> -305		
BLOCK	56		-1	_	
11	American Ilm	15	<b>c-1</b> 45	G	
12		16	30	X	
13		23	30	M	<b></b>
14	* *	19	40	M	Stubs
15		22	30	K	•
BLOCK	50		<b>⊶</b> 50		
16	59 Slippery Elm	32	<b>c-</b> 115	Ж	Stubs
10	eribbera mm	22	c-40	A	50455
BLOCK	64		<b>5</b> -4, <b>6</b>		
17	White Ash	19	<b>~-5</b> 5	G	
18	Silver Maple	2	35	Ğ	
19	W W	4	25	G	
20		1	23	G	
21	<b># #</b>	22	100	X	Dead limb
22	American Ilm	20	55	ĸ	Stubs
23	Silver Maple	19	15	M	Stubs and limbs
24	Sugar Maple	10	40	X	Dead limb
	_		<b>c–</b> 30		
BLOCK	70				
25	Silver Maple	20	<b>c-</b> 15	G	
26		14	20	X	
27	Sugar Maple	14	140	X	
28	₩ ₩	11	15	P	Top removed and dead limbs
			<b>c-</b> 25		
BLOCK	73	al.		10	64
29	Silver Maple	24	<b>c</b> -25	М	
30	Catalpa	18	20	X	Stubs
31	Silver Maple	<b>2</b> 8	20	G	Chuba and libra
32	American Ilm	34	<b>55</b>	X	Stubs and limbs

Erie Street, South

Tree No.	Species	DBM inches	Spacing	Tre	ee Condition - Remarks
BLOCK	73. cont'd.				
33	Sugar Maple	10	115	M	Stubs
34	Silver Maple	25	50	M	Ħ
J .			<b>c</b> -50		
BLOCK	109		•		
35	Sycamore Mapl	le 1	<b>c-</b> 25	<b>G</b>	
36	TH N	1	25	G	
37	Moneylocut	23	600	G	
BLOCK	19				
38	Sugar Maple	15		G	
39	N N	15	35	M	Stub
40	11 11	16	35	M	Limb
41		17	35	M	Limbs
42	Red Maple	18	345	G	
43		14	170	G	
BLOCK	18				
44	Silver Maple		<b>0–1</b> 35	G	
45		26	35	G	
46		18	50	G	
47	* *	15	18	Ģ	
48	<b>N N</b>	17	35	G	
49	<b>8 8</b>	6	25	G	
50		15	120	X	Car injury
51	Sugar Maple	14	<b>6</b> 5	G	
52	Norway Maple		80	G	
53	Silver Maple		30	G	
54		15	<b>30</b>	G G	
55	# W	26	35		Chuba
56	# <b>#</b>	12	15	N G	Stubs
57	Slippery Elm		55 60	G	
<i>5</i> 8	Sugar Maple	16	60 70	P	Sickly buds, stubs
59	American Elm		70 20	Ğ	picti name and
60	Silver Maple	1	20 <b>40</b>	6	
61		4		Ğ	
62	₩ ₩	4	50	•	

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	80			
1	Silver Maple	15	<b>c</b> -60	G
2	# H	18	18	Ğ
3	Norway Maple	8	80	Ğ.
3 4		12	20	Ğ
5		13	50	Ğ
5 6	Red Maple	ž	75	, G
7	<b>9</b> - 9	6	20	G
8	American Ilm	5	<b>5</b> 0	G
9	Norway Maple	15	25	<b>G</b>
10	Silver Maple	10	20	<b>G</b>
11		11	30	•
12	W W	12	25	<u> </u>
13	<b>N N</b>	20	30	•
14		24	20	<b>Q</b>
15	* *	2	30	Ģ.
16		14	38	<b>Q</b>
17	N N	18	18	0
18	* *	6	30	6
19	# #	6	40	
20		3	45	P Canker on trunk
BLOCK	70		<b>c-</b> 30	
21	79 Silver Maple	10	<b>0-</b> 65	G
22	a a	13 1 <b>5</b>	25	4
		19	120	•
23 24		18	23	Ġ.
25	Red Maple	8	27	Ğ
26	Sugar Maple	12	20	Ğ
27	i i	īĩ	28	Ğ
28	Red Maple	5	20	Ģ
29	Chinese Ilm	11	25	G
30	Red Maple	6	20	G
31	Sugar Maple	2	50	<b>G</b>
32	i i	3	35	•
33		2	20 2 <b>8</b>	•
34	Silver Maple	2 3 2 3 18	28	·. <b>&amp;</b>
35			45	3€
36		16	18	•
37 38	American Ilm	10	30	<b>G</b>
<b>3</b> 8	Catalpa	14	15	<b>G</b>
39 40	Catalpa	8	20	9
40	#	9	35	G
			<b>c–</b> 80	

· •

Tree	Species	DBM inches	Spacing	T	ree Condition - Remarks
BLOCK	69				
1	Red Maple	23	<b>~</b> 70	G	
2	Catalpa	16	35	M	Stubs
3	•	24	30	G	
3 4	•	22	35	G	
5 6	Silver Maple	18	45	G	
6	W N	22	25	G	
7		5	23 28	G	
8	American Elm	5		G	
9	Silver Maple	24	43	G	
10		14	15	M	Stub
			<b>0–</b> 50		
BLOCK	68			_	
11	Red Maple	18	<b>0–20</b>	G	• • • •
12	Morse Chestnut	17	18	M	Cabling needed
13	Silver Maple	22	60	G	• •
14		16	20	X	Stubs
15		18	25	P	Decay and dead limbs
16		16	30	G	
17	•	23	30	G	David Marka
18	Slippery Elm	20	140	X	Dead limbs
19	•	20	20 6-10	x	<b>~</b> ~
BLOCK	65		0-10		
20	Red Maple	9	<b>0-1</b> 5	P	Badly damaged
21	# #	16	20	•	
22	Morway Maple	14	70	G	
23		8	20	G	
24		13	35	G	
25		12	25	G	
26	H H	16	40	G	
27		17	35	X	Replace cables
			<b>-</b> 30		
BLOCK	64	_		_	
28	Box Elder	16	<b>c</b> -20	G	_
29	<b>n v</b>	17	<i>5</i> 0	M	Stubs
30	Sycamore Maple	12	33	G	
31	Sugar Maple	9	28	G	
	40		<b>c</b> -10		
BLOCK	63	••		_	
32	Red Maple	10	<b>0-</b> 135	9	
33	Catalpa	15	50	P	
34	Box elder	16	145	G	
TIT A AW	(3		<b>0-20</b>		
BLOCK	61 Red Yearle	٦./-	o <u> 425</u>	G	
35	Red Maple	14	0-425 0-15	w	
			<u>-17</u>		

-

Green Street, S. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	54			
36	Silver Maple	30	<b>0–1</b> 70	G
37	N N	19	60	G
38	American Elm	22	30	G
39	Red Maple	14	65	G
	-		<b>0-25</b>	
BLOCK	55		_	
40	Silver Maple	20	<b>0-</b> 35	G
41		14	40	G
42		15	33	<b>G</b>
			<b>0–</b> 25	
BLOCK	56			
43	Red Maple	13	<b>c</b> -20	G
44		14	30	G
45	Box Elder	12	48	G
	Sycamore Maple	14	30	G
47	White Ash	20	25	G
			<b>c- 10</b>	
BLOCK	57			_
48	Silver Maple	21	<b>1</b> 0	<b>G</b>
49	American Ilm	19	20	G
	•		<b>c–</b> 80	
BLOCK	140	_		
50	Sugar Maple	8	o-220	P Trunk rotted
51	Morway Maple	10	30	<b>Q</b>
52	Sugar Maple	17	<b>30</b>	<b>6</b>
53	Silver Maple	<b>26</b>	45	# Stubs
54	" "	24	20	•
55	Norway Maple	19	130	<b>6</b>
56	Box Elder	18	35 38	6
57	_	12	18 18	<b>G</b>
<i>5</i> 8	Box W	11		6
<i>5</i> 9	Silver Maple	2	60 15	6
60	Norway Maple	- 9	15 25	M Stubs and limbs
61	Carolina Popla		25 25	M Stubs
62 63		22 <b>2</b> 2	25 20	N Stubs
63		LL	<b>0-4</b> 0	x 50405
BLOCK	प्री		<del></del>	
64	American Ilm	22	o-25	€
65		1	30	ě
66	Silver Maple	ī	60	ě
67	I I	13	28	•
68	American Ilm	20	60	G.
69	1 1	17	20	G.

· —

Green Street, S. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
70 71 72 73 74	44, contid. American Elm	18 22 20 18 18	20 20 50 25 23 <b>~</b> 25	G G M Stubs and limbs M Needs fertilization G
7th St	reet, S. W.			November 26, 1951
BLOCK	68			
1	Silver Maple	20	<b>0-</b> 95	G
2	Sycamore Maple	_	70	Ğ
~	of community config.		<b>-3</b> 0	
BLOCK	91		•	
3	Catalpa	14	<b>~</b> 35	<b>G</b>
4	•	3	20	<b>&amp;</b>
5	Norway Maple	14	48	•
6	Sugar Maple	12	20	•
7	Norway Maple	18	90	M Stubs
77 0.00	•		<b>9</b> 0	
BLOCK	96	•	- 10	^
8	Silver Maple White Ash	20 19	<b>0−1</b> 2 48	G G
9 10	MULTA WRIT	20	12	G
11	Silver Maple	10	45	Ğ
12	# #	14	18	6
13		32	25	Ğ
14		26	30	N Stubs
	<b>8 9</b>	16	15	6
15 16		18	15	Ğ.
17	<b>n v</b>	21	15	Ğ
18		9	15 15 15 20	G
19		21 9 14	23	G
			23 6-18	
BLOCK	100			
20	Silver Maple	16		P Mollow trunk
21		28	23	<b>G</b>
			<b>0-1</b> 0	-
BLOCK	95	_		
22	Silver Maple	5 3	<b>0–23</b>	G.
23		-	15	<b>Q</b>
24		<b>2</b> 3	70	X Stubs

7th Street, S. W.

Tree No.	Species	DEM inches	Spacing	Tree	Condition	n - Remarks
BLOCK	95, contid.					
25	Silver Maple	18	13	G		
26	N N	7	15	G		
27	Sugar Maple	14	15	G		
28	Red Maple	15	15	G		
29	Sugar Maple	12	15	G		
30	Norway Maple	11	18	G		
31	H 15	10	15	G		
32	# #	10	15	G		
33	Silver Maple	29	55	G		
34	* *	20	20	G		
			<b>-</b> 5			
BLOCK	90					
35	American Elm	28	<b></b> 20	Ģ		
36		16	15	G		
37	Sassafras	30	36	X	Limbs and	stubs
38	White Ash	18	30	X	Stubs	
39	Norway Maple	12	18	G		
40		14	45	Ģ		
41	Sycamore Mapl		45	G		
42	Silver Maple	22	25	H	Stubs	
			<b>~</b> 60			

McKinley Street, S. W.

November 13, 1951

BLOCK	116			
1	White Ash	8	<b>9</b> 0	G
2	Norway Maple	7	40	0

---

Tree	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
A0 •	•	THOTHER			
BLOCK	102				
1	Silver Maple	3	<b>c-1</b> 5	G	
2	Green Ash	2	20	P	Top cut off
	Silver Maple	5	20	ā	top cas off
3 4	N N	3 2 5 3	25	Ğ	
5	Catalpa	4	ĩio	Ğ	
		-	<b>c</b> -60	_	
KLOCK	101				
6	Silver Maple	22	<b>25</b>	G	
7	N N	9	38	G	
8		12	35	Q.	
9	Sycamore Maple	9 7	30	G	
10	Norway Maple	14	40	•	
11	• •	11	20	0	
12		14	25	G	
13		14	20	G	
14		10	25	G	
15		14	25	G	
			<b>0-23</b>		
MOCK	100			_	
16	Silver Maple	14	<b>0–38</b>	G	
17		14	25	Q.	
18		16	20	G	
19		20	45	G	
BLOCK	00		<b>C</b> -170		
	98 Ped Youle	14	a 05	Δ	
20 21	Red Maple Box Elder	14 19	<b>c</b> -25	G	
21 22	NOX TIGHT	24	50 40	6	
22	Norway Maple	11	95	ā	
23 2*	H H	12	18	ē	
25	Sugar Maple	5	30	ē	
26	N N	5	30	Ğ	
20			o-15		
BLOCKS	85, 86 and 125	5	,		
27		•			
thru					
47	Catalpa	12 to 2	24	M	Limbs and stubs
	1				
	84 and 133				
48					
thru		_			
74	Catalpa	8 to 2	ס	H	Stubs and limbs
27.6	0				
	82 and 128				
75					
thru		<b>.</b>	_	••	64.9
91	Catalpa	8 to 20	ט	M	Stubs and limbs

•

Overlook Avenue, S. W.

Tree	Species	DBN inches	Spacing	Tree	Condition	- Remarks
BLOCK	94					
92	Silver Maple	6	<b>c-</b> 25	G		
93	N N	6	20	Ğ		
94		12	20	G		
95	# #	12	20	Ğ		
96		11	25	Ğ		
97		1	55 55	G		
98		6	25	Ğ		
99	Red Maple	5	20	Ğ		
100	Norway Maple	7	20	Ğ		
101	<b>9</b>	1	23	G		
102	Silver Maple	6	25	Ğ		
			<b>c-</b> 15	-		
MLOCK	95					
103	Silver Maple	10	<b>-170</b>	G		
104	H N	12	20	G		
105	<b>1 1</b>	3	45	G		
106		3 5 3	20	G		
107	Norway Maple	3	23	G		
77.00			<b>c</b> -20			
BLOCK	96					
108	Silver Maple	13	<b>c-1</b> 8	<b>G</b>		
109	_	15	25	<b>Q</b>		
110	* *	18	18	•		
111 112		9	18	•		
		16	20	G		
113 114		10	18	<b>G</b>		
115		3	65	<b>G</b>		
116	Sugar Maple	3 14	25	<b>G</b>		
440	neget webte	74	62	G		
KLOCK	97		<b></b> 30			
117	Silver Manle	12	c-20	a		
118	N N	13 22	<del></del>	•		
119	<b>n v</b>	16	<b>4</b> 3 35	G G		
120	Catalpa	12	25	Ğ		
121	1	16	<i>25</i> 30	Ğ		
122	•	8	<b>30</b>	Ğ		
133	White Ash	i	30	Ğ		
		<del>-</del>	<b></b> 20	•		

## Spruce Street, S. W.

November 30. 1951

Tree No.	Species	DBM inches	Spacing	1	ree Condition - Remarks
BLOCK	96				
1	Sugar Maple	16	<b>c</b> –30	G	
2	1 1	14	20	G	
3 4	Silver Maple	19	55	G	
4	<b>H H</b>	23	18	M	Stubs
5 6		21	<b>75</b>	G	
6	Sugar Naple	15	45	G	
7	n n	8	23	M	Scarred trunk & dead limbs
			<b>c</b> –35		
BLOCK	95			_	
8	Silver Maple	19	<b>~</b> 2	G	
9		<i>2</i> 7 18	70	G	
10 11		16 24	50 <b>1</b> 20	G G	
12	Sugar Maple	9	<b>2</b> 5	G	
12	angar wahre	,	<b>2</b> 5 <b>0−2</b> 5	•	
BLOCK	94		<i>G-25</i>		
13	Norway Maple	12	<b>c-</b> 20	G	
14	American Elm	9	145	G	
15	11 11	8	35	G	
16	Sugar Maple	1	35	G	
17	American Elm	7	40	G	
			<b>c</b> –25		
BLOCK	90				
18	Morway Maple	6	<b>0–175</b>	G	
19		5	23	6	
20	Catalpa	9	50	G	
21	Silver Maple	7	23	G	
BLOCK	91		<b>0-35</b>		
22	Carolina Poplar	28	<b>6-</b> 30	N	Stubs
23	A N	<b>38</b>	95	Ĝ	
24	Catalpa	6	35	Ğ	
25	<b>9</b>	7	15	Ğ	
26	Sugar Maple	10	70	G	
27	Silver Maple	29	25	G	
	•	-	0-25		
BLOCK	92				
28	Silver Maple	8	<b>⊶</b> 30	G	
29	•	14	33	X	Stubs
			<b>c</b> –50		

## Tremont Avenue, S. W.

November 14, 1951

Tree	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	村井			
1	Sugar Maple	8		G
2	Ĭ Î	4	18	G.
			<b>c</b> -160	_
BLOCK	140			
3	Red Maple	3	<b>∽</b> 50	G
4	Silver Maple	3 7	20	<b>10</b>
5 6	Red Maple	4	20	<b>G</b>
6	Silver Maple	6	20	G
<b>7</b> 8	W W	14	25	<b>G</b>
	* *	8	40	Ģ
9	Norway Maple	14	25	G
10		18	20	G
11	Sycamore	18	35	G
12	<del></del>	15	30	G
BLOCK	57		<b>-</b> 35	
13	<b>H</b> oneylocut	26	0-45	<b>G</b>
14	American Elm	26	50	G.
15	1 1	34	50 50	ō.
16	₩ 1º ₩	<b>3</b> 8	25	g.
17		32	25	Ğ
_,		<b>J</b> ~	<b>⊶</b> ̃5	•
BLOCK	56			
18	Catalpa	9	<b>c-</b> 50	G
19	Sugar Maple	26	20	G
20	i i	5	25	N Reart rot
			<b>0-160</b>	
BLOCK	51			
21	Red Maple	10	<b>⊶7</b> 0	G-
22		9	12	<u>G</u>
23	Sugar Maple	12	115	G
24	Silver Maple	14	20	G
25		15	20	6
20		22 24	25	G.
20		24	<b>30</b>	<b>G</b>
<i>2</i> 0		23 22	30 36	G G
30		1	35	ō .
31		ī	)) 5	•
25 26 27 28 29 30 31 32		1 1 1	36 30 15 35 5 35	6
		-	<b>⊶55</b>	•
BLOCK	50		- 33	
33	Silver Maple	7	<b>c-18</b>	G
34		14	23	G
35		10	35	<b>G</b>
			- 1	

-.. - - - -

·

Tremont Avenue, S. W.

Tree	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	50, cont'd.			
36	Sugar Maple	3	23	G
37	11	3 4	20	Ğ
38	Silver Maple	13	50	G
39	# #	13	15	G
			<b>0-19</b> 0	
BLOCK	49			
40	Silver Maple	2	<b>~</b> 50	G
41	White Ash	18	55	G
42	Silver Maple	14	50	<b>G</b>
43		14	23	<b>G</b>
44		7	20	<b>G</b>
45		13	15	G ·
46	Sugar Maple	5	15	G ·
	_		<b>c</b> -40	
BLOCK	•			
47	Silver Maple	12	o- 5	G
48	* *	9	18	M Broken top
49	7 1	14	75	G
	B		<b>~210</b>	
BLOCK	_			_
50		10	o-35	G
	Red Maple	10	18	G
52	Silver Maple	13	18	6
53		15	15	G.
54		22	20	<b>G</b> G
55	Sugar Maple	9	25 40	G
56	Buckeye White ash	22	50	6
	Morse Chestmut	20	25	ē.
59	Box Elder	5 17	15	G
60	Morway Maple	6	15	G Suppressed
<u>ഒ</u>	Box Elder	23	18	G Suppressed
62	Buckeye	ĩ	23	Ğ
63	Sycamore	19	<b>2</b> 5	•
64	Sugar Maple	5	70	G Heavily pruned
•		•	o-435	
BLOCK	65		- '00	
65	Silver Maple	4	<b>0-</b> 135	G
66	Silver Maple	6	20	Ğ
67		20	415	G
68	Sugar Maple	20	325	P frunk split
69	Ñ N	20	55	G

•

-,.

- ·

e see de la company de la comp

.

Tremont Avenue, S. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	50, cont'd.			
36	Sugar Maple	3	23	G-
37	1 1	3 4	20	G
38	Silver Maple	13	50	G
39	<b>A A</b>	13	15	G
		-5	<b>⊶1</b> 90	_
BLOCK	49		,	
40	Silver Maple	2	<b>∽</b> 50	G
41	White Ash	18	55	G
42	Silver Maple	14	50	G
43	<b>1</b> 1	14	23	G
44		7	20	G
45		13	15	G-
46	Sugar Maple	5	15	G '
	· -		<b>c</b> -40	
BLOCK	47			
47	Silver Maple	12	<b>-</b> 5	G
48		9	18	M Broken top
49		14	<b>75</b>	G
			0-210	
BLOCK		_		_
<i>5</i> 0	Morway Maple	10	<b>0-35</b>	G
51		<b>10</b> /	18	<b>G</b>
52	Silver Maple	13	18	G
53	W W	15	15	G .
54	1 1	22	20	G
55	Sugar Maple	9	25	G
	Buckeye	22	40	G
•	White ash	20	50	<b>6</b>
	Horse Chestmut	5	<b>25</b>	G G
	Box Elder	17 6	15	
60	Norway Maple		15 18	G Suppressed G
61	Box Elder Buckeye	23 1	23	6
62 63	Sycamore	19	<b>2</b> 5	<b>e</b>
64	_	5	70	G Heavily pruned
<b>0</b> 4	nafer wehre	,	o-435	- sourcest brance
BLOCK	65		,,	
65	Silver Maple	4	<b>0-1</b> 35	<b>G</b>
66	Silver Maple	6	20	<b>G</b>
67	1 1	20	415	G
68	Sugar Maple	20	325	P Trunk split
69	1 1	20	55	<b>G</b>
			- <del>-</del>	

Tremont Avenue. S. W.

Tree	Species	DBM inches	Spacing	Tree (	Condition	-	Remarks
BLOCK	20						
70	Silver Maple	3		G-			
71	n n	3 4	35	Ğ			
72		i	220	Ğ			
73	# #	ī	25	Ğ			
74	# #		80	Ğ			
75	<b>#</b> #	2 2	18	G			
76	n n	3	255	G			
77		3 4	20	G			
78		2	20	G			
79		18	95	G			
80	Red Maple	8	15	G			
81	Silver Maple	18	15	G			
-			o- 5				
BLOCK	23		_				
82	Norway Maple	1	<b>~</b> 65	G			
83		1	20	G			
84	Silver Maple	14	90	G			
85	W W	15	20	G			
86	Sycamore	7	35	<b>G</b>			
87	Silver Maple	<b>1</b> 5	23	G			
88	Chinese Elm	10	25	G			
			<b>⊶</b> 35				•
BLOCK	24			_			
89	Silver Maple	19	<b>0-25</b>	G			
90		21	23	G			
91		? 1	35	G			
92	* *	1	35	G.			
93	# #	5	68	G			
	~=		<b></b> 195				
BLOCK	25	12	0-40	G			
94	Silver Maple	17		Ğ			
95 04		20 <b>20</b>	20 20		cayed trun	<b>-</b>	
96	; ; ;	20 20	40	<b>36</b>	sayen um		
97		20	<b>⊶19</b> 0	ANT .			
BLOCK	26		<b>G-190</b>				
97a	Catalpa	10	<b>0-</b> 35	<b>G</b>			
98	Arearba	9	23		ınk decaye	đ	
99	Silver Maple	15	23	<b>∕</b> . <b>6</b>		_	
100	N N	14	25	Ğ			
101		13	23				
102		20	23	G G			
103		32	35	Ğ			
104		23	23 25 25 23 23 25 28 28	G			
105	11 11	27	28	Ģ			
~~)		~;		-			

Tremont Avenue, S. W.

Tree No.	Species	DBH inches	Spacing	Tr	ee Condition	- 1	Remarks
BLOCK	26, cont'd.						
106	Silver Maple	6	30	G			
107	N N	24	25	Ğ			
108		14	25	M	Stubs		
200		•	<b>0−1</b> 0	••			
BLOCK	29		0-20				
109	Silver Maple	17	<b>c-</b> 20	G			
110	H H	16	28	X	Stubs		
111		24	28	G			
112		18	23	G			
113	<b>n n</b>	21	25	G			
114		22	25	G			
115	9 9	10	30	G			
116	W #	17	20	G			
117	<b>W W</b>	9	<i>5</i> 0	G			
118	# #	18	35	G			
			0-115				
BLOCK	30						
119	Norway Maple	12	<b>0-</b> 65	G			
120	American Elm	1	25	G	•		
121	Chinese Elm	5	15	G			
122	Silver Maple	. 2	23	G			
123	American Ilm	. 3	10	G			
124	Red Maple	12	30	G			
125	# #	8	15	G			
126	Morway Maple	16	20	G			
127	Sugar Maple	6	<b>28</b>	G			
			<b>0−1</b> 0				
BLOCK	31	_		_			
128	American Ilm	16	0-15	G			
129	Silver Maple	25	<i>5</i> 0	G			
130	* *	22	30	G			
			<b>⊶</b> 230				
BLOCK	32	~	- 00	•	No. 4 145		
131	Silver Maple	27	<b>0-90</b>	X	Dead limb		
132	Sugar Maple	. 17	75	G			
133	<b>.</b>	13	55	G	Bood 14mb		
134	Red Maple	14	15	X	Dead limb		
135	Sugar Maple	14	18	<b>G</b>			
136	Silver Maple	21	35 115	G			
137		24	45	G			
D7 A	20		<b>0–1</b> 5				
BLOCK	38	7.	- 20	Δ			
138	Silver Maple	15	<b>0–3</b> 0	9			
139		18	15		Manuale da danse		
140		18	15	X	Trunk injury		
141	Sugar Naple	14	18	G			•

## Tremont Avenue, S. W.

Tree	Species	DBH inches	Spacing	Tree	Condition - Remarks
BLOCK	38, cont'd.				
142	Sugar Maple	12	20	G	
143	11 11	12	15	G	
144	W #	10	25	G.	
145	* 18 18	10	40	G	
146	# #	12	12	G	
147		10	28		op dead
148	Silver Maple	24	<i>2</i> 8	G	•
	-		<b>c</b> -10		
BLOCK	39		•		
149	White Ash	25	<b>c</b> -100	G	
150	Sycamore	22	30	G	
151	Red Maple	12	18	G	
	Sycamore	16	23	M D	ead limb
153		18	15	G	
	American Ilm	18	30	G	
155	Sugar Maple	18	55	G	
			<b>-</b> 65		
Pike A	venue, S. W.				November 26, 1951
BLOCK	75				
1	Silver Maple	10	<b>0-7</b> 5	G	
_	erract water	10	<del></del>	•	

	tremme, p. w.				201 2772
BLOCK	75				
1		10	<b>~</b> 75	<b>G</b>	
		8	30	G	
2 3		7	23	Ğ	
		•	0-33	•	
BLOCK	73		<del>-</del> 55		
4	Chinese Elm	4	<b>0-</b> 30	G	
	M N	4		ē	
5 6		10	23 23	G	
7		9	25 25	G	
•	•	7	25	G	
BLOCK	69				
8	Norway Maple	3	0-215	G	
9	Red Maple	3 3	50	G	
10	Buckeye	16	115	G	
			0- 2		
BLOCK	<b>7</b> 0				
11	Red Maple	8	<b>0–1</b> 8	G	
12	H H		30	G	
13	Dogwood	9 5	13	Ğ	Badly initialed
14	Sugar Maple	3	90	Ğ	
7-4	nater swhra	)	o-15	•	

Warren Street, S. W.

Sugar Maple

BLOCK 25 10

November 30, 1951

				1.010mbb2	-
Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks	
BLOCK	84				
1	Catalpa	3.14		•	
	oatalpa	14	<b>c</b> -30	G.	
2 3 4		14	20	<b>G</b>	
<u>ر</u>		11	25	G	
	Silver Maple	17	475	G	
5	• •	36	35	G	
	•		<b>с−</b> 50		
RIOCK	83				
6	Catalpa	3 3	<b>~5</b> 0	G	
7	•	./3	30	G	
8	Silver Maple	27	40	<b>G</b>	
9	<b>*</b> •	22	45	M Hollow limb over street	
10		17	35	G	
11	Carolina Poplar	23	100	M Stubs and limbs	
		~,	0-245	vano ana limbs	
	street, S. W.			November 30, 1951	
BLOCK	26		_		
1	American Elm	9	<b>c-1</b> 8	G	
2 3 4		12	33	•	
3		11	33	<b>G</b>	
4		11	40	<b>G</b>	
5 6	# #	11	20	G	
6	# #	5	<b>7</b> 5	G	
7	# #	5 5 6	23	Ğ	
8	Silver Maple	6	205	P Clump	
9	<b>n n</b> •	2	50	p #	
-		_		•	

**0-220** 

15

G

5th Street, S. W.

November 13, 1951

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	43			
1	Norway Maple	9	<b>0-210</b>	<b>G</b>
2	Sugar Maple	8	15	G
<u>3</u>	Silver Maple	7	15	G.
4	Sugar Maple	18	8 <sub>5</sub>	•
5	Silver Maple	2	20	G.
6	Sugar Maple	11	20	G.
7	n n	8	33	œ.
8	* *	11	15	G.
9		10	12	G
10		10	15	<b>G</b>
11		11	15	<b>G</b>
12		6	15	P Suppressed
13	Silver Maple	16	20	G .
14	Red Maple	17	35	G
15	Sugar Naple	13	15	G
	•		<b>0-3</b> 5	
BLOCK	70			
16	Red Maple	11	o- 5	X Stubs
17	n	12	40	<b>G</b>
18		12	20	•
19		16	35	G
20		14	20	M Dead limb
21	American Ilm	<b>28</b>	15	<b>G</b>
22	Red Maple	14	80	<b>G</b>
23	Sugar Maple	15	15	G
24	Red Maple	15	30	<b>G</b>
25	* *	14	15	<b>G</b>
26	Sugar Maple	18	53	<b>G</b>
27	Red Maple	14	18	<b>G</b>
28		20	15	G
			<b>0–20</b>	
BLOCK	75	- •	•-	
29	Sugar Maple	14	o-60	G.
30	Silver Maple	1	35	<u>G</u>
31	Sugar Maple	10	20	G
32	Silver Maple	15	20	<b>G</b>
33	American Elm	1	20	G
34		1.1	20	<b>Q</b>
35	Pfitzer Juniper	. 1	23	G .
36	<b>.</b>	1	10	G
			<b>0–175</b>	
BLOCK	74		- 01	<b>a</b>
37	Silwer Maple	26 ~	<b>0-25</b>	<b>G</b>
<b>38</b>		23 37	15	G G
39	<del>-</del> -	)(	20	•

• \* • 1 

5th Street, S. W.

Tree	Species	DBH	Spacing	Tree Condition - Remarks
No.	phecres	inches	phacing	1166 COUNTAIN - Memoras
<b>40.</b>		THOMAS		
BLOCK	74, contid.			
40	Silver Maple	23	20	G
41	Sugar Maple	6	20	G
42	N N	10	20	X Stubs
43	. # #	9	15	G
44	Carolina Poplar		20	M Lightning injury
45	n n	24	20	G
46	Catalpa	8	15	M Suppressed
47	Silver Maple	28	20	G Suppressed
48	# #	34	33	Ğ
49	Catalpa	15	25	Ğ
	<del></del>	16		G.
50	Silver Kaple	26	23	6
51			15	G
<b>52</b>		19	15	6
53		16	15	
54	•	17	15	
55	American Elm	20	15	G
77.647	10		<b>~-2</b> 0	
BLOCK	69	al.	- 00	•
56	Buckeye	24	<b>0–33</b>	G
57	Red Maple	10	30	G
58		18	15	6
<b>59</b>	Silver Maple	18	18	G.
60	1 1	18	23	G .
61	Unknown	1	20	G
62	Silver Maple	28	15	Ģ
63	Buckeye	7	25	•
64	American Elm	1	30	<u> G</u>
65	* *	6	10	G.
66		24	<b>3</b> 0	G
67		27	43	Ģ
68	Sugar Maple	16	<b>2</b> 3	<u>G</u>
69	₩ ₩	21	42	G
			<b>0–25</b>	
BLOCK	<del>-</del>			_
70	American Elm	25	0-43	<u>G</u>
71		21	20	Ģ
72	Sugar Maple	8	11	G
73	<b>T</b>	4	20	<b>G</b>
74		7	40	<b>G</b>
<b>7</b> 5	Red Maple	21	25	Ģ
76		16	20	Ģ
77	Sugar Maple	10	28	•
78	Red Maple	18	20	G
79	American Ilm	26	40	•
80		12	20	G
81		14	<b>2</b> 3	G

--

5th Street, S. W.

Tree No.	Species	DEM inches	Spacing	Tree Condition - Remarks
82 83 84 85 86 87	44. contid. Silver Maple Sugar Maple	20 17 2 2 2 2	38 20 30 35 33 : 25 6-40	G P Bad trunk G G G
Walnut	Road, S. W.			November 14, 1951
BLOCK 1 2 3 4 5 6	77 Sugar Maple  # #  # #  Norway Maple # #	12 11 10 15 5 20	•-100 15 15 30 73 27 •-130	G G Cavity work deteriorating G G
PLOCK 7	64 Pear tree	3	o-60 o-85	G
BLOCK 8 9	61 Silver Maple	3 1	<b>0−21</b> 0 30 <b>0−225</b>	G G
10 11 12 13	Silver Maple	27 25 21 29	6-340 20 38 20	M Dead limb G G M Stubs and limbs
14 15 16 17 18 19	84 Silver Maple Sugar Maple 8 8 8 8	5 9 8 6 7 8	0-25 15 20 20 20 20 20 0-175	C C C C C C C C C C C C C C C C C C C
20 21 22 23 24	86 Silver Maple 8 8 8 8	2 2 Clump 5 1	°-25 25 130 28 25	G G P Deformed G P Clump

.

1 . •

.: .

5th Street, S. W.

Tree	Species	DEE inches	Spacing	T	ree Condition - Remarks
82 83 84 85 86 87	44. contid. Silver Maple  Sugar Maple	20 17 2 2 2 2	38 20 30 35 33 : 25 •-40	6 P G G G	Bad trunk
Valnut	Road, S. W.				November 14, 1951
BLOCK  1 2 3 4 5 6  BLOCK	77 Sugar Maple  H H H H H Norway Maple H 64	12 11 10 15 5 20	•-100 15 15 30 73 27 •-130	G G N G	Cavity work deteriorating
7 BLOCK	Pear tree	3	<b>0–</b> 60 <b>0–</b> 85	G	
8 9 BLOCK	Silver Maple	3 1	<b>0-21</b> 0 30 <b>0-22</b> 5	G G	
10 11 12 13	Silver Maple	27 25 21 29	940 20 38 20	H G G M	Dead limb Stubs and limbs
14 15 16 17 18 19	84 Silver Maple Sugar Maple 8 8 8 8	5 9 8 6 7 8	°-25 15 20 20 20 20 c-175	• • • • •	
20 21 22 23 24	Silver Maple  # # #  # # #	2 2 Clump 5 1	<b>c-</b> 25 25 130 28 25	G P G P	Deformed Clump

•

•

• •

Walnut Road, S. W.

Tree	Species	DBH inches	Spacing	T	ree Condition - Remarks
BLOCK	86, contid.				
25	Silver Maple	1	20	P	Clump
26	n n	3 1	20	G	•
27	* *	ì	20	P	Deformed clump
			<b>c-</b> 20		•
BLOCK	87				
28	Silver Maple	22		G	
	-		<b>0–</b> 15		
BLOCK	88				
29	Silver Maple	24	c-195	G	
30	# N	22	20	G	
			<b>0-1</b> 00		
BLOCK	89				
31	Carolina Poplar	29	<b>c-</b> 135	G	
32	Silver Maple	22	35	G	
			o-15		
BLOCK	90				
33	Sugar Maple	17	<b>∽</b> 35	G	
		-•	- 55		
BLOCK	91				
34	Sugar Maple	16	<b>⊶</b> 30	G	
35	Sycamore Maple	7	40	<b>G</b>	
36	Norway Maple	2	15	G	
37	<b>A B</b>	2	15	P	Low crotch
38	Red Maple	7	105	Ğ	
39	Sugar Maple	6	18	G	
40		10	20	X	Stube
41		14	12	X	Stubs and limbs
,-			<b>-</b> 50		
lst St	reet, S. W.				November 18, 1951
BLOCK	7				
1	Red Maple	12	<b>c</b> -60	G	
2	Ailanthus	29	35	•	
3	Carolina Poplar		55	P	Dying or Deed
	- Jan 0		o-125	_	• · · · · · · · · · · · · · · · · · · ·
BLOCK	8				
4	Sycamore	30	<b>0-</b> 28	G	Leaning over street
5	Basswood	16	35	Ğ	
6	Buckeye	16	25	Ğ	
7	American Elm	26	40	G	

\_

. . .

• • • •

• • • • • •

\_ .

<del>-</del>

• •

•

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	41			
1	Red Maple	13	<b>c</b> -66	G
2	Sugar Maple	9	20	<b>G</b>
	Silver Maple	18	20	Ğ.
3 4	8 8	15	20	G
5		14	33	M Stubs
<b>5</b> 6	Horse Chestnut	14	20	G
7	Silver Maple	18	25	G
8	W W	16	20	G
9	Norway Maple	17	40	G
			<b>c-1</b> 20	
BLOCK	44			
10	Sugar Maple	15	<b>-1</b> 45	<b>G</b>
11		13	25	M Dead limbs
12	Silver Maple	13	105	G
13	Sugar Maple	8	17	M Suppressed
14	Red Maple	15	20	G
15	1 1	19	23	M Limbs dead and heart rot
16	Sugar Maple	12	<b>38</b>	G .
17		13	35	G Frost crack
18	American Elm	21	103	G.
19		18	36	G
BT OOF	40		<b>6-</b> 5	
BLOCK	69 American Elm	1	- 16	G
20 21	Red Maple	18	0 <b>-</b> 15	M Stubs
22	N N	14	15 20	M #
23	American Elm	38	20	Ĝ
24	Werren was	<b>2</b> 0	15	6
25		19	20	M Dead limbs
26	Slippery Elm	20	15	<b>e</b>
27	Red Maple	7	15	•
28	American Elm	$\dot{z}$	25	Ğ
29	Red Maple	8	28	G
30	American Elm	26	30	M Stubs and limbs
31		27	27	<b>Q</b>
32	Silver Maple	22	20	M Dead limbs
33	# #	33	45	M Stubs
34		12	33	<b>G</b>
35	Sugar Maple	13	20	<b>G</b>
			<b>0–</b> 15	
BLOCK	74			_
36	Sugar Maple	16	o-25	G.
37	<b>T T</b>	15	20	<b>6</b>
38		13	15	X Stubs
39		15	40	G

и и и

i i

.

•

<del>5</del> .

٠.

6th Street, S. W.

Tree	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	74. cont'd.			
40	Sugar Maple	13	10	M Stubs
41	Red Maple	16	10	M Broken limb
42	Norway Maple	7	25	G BIOREM TIME
43	norway rapre	12	23	G
44	Silver Maple	22	60	Ğ
45	arran wahra	20	30	G
46		10	30	G
47		12	12	G
48		20	15	G
48a	American Elm	8	23	G.
49	Norway Maple	3	25 33	Ğ
77	MOLAS Mebra	)	<b>0−15</b>	•
BLOCK	92			
50	Silver Maple	11	<b>c</b> -110	G
51	# #	2	25	•
52	Sycamore	22	43	Ğ
53	Norway Maple	10	40	6 Frost crack
54	#UIWAY MADIO	17	20	9
<b>)</b> 4		-1	o-33	•
BLOCK	97			
55	Silver Maple	18	0-15	X Stubs
56	Norway Maple	3	10	<b>Q</b>
57	Silver Maple	20	8	N Stubs
<b>58</b>	n n	19	20	M Stubs and rot
59	Red Maple	11	18	6
60	Sugar Maple	12	15	<b>G</b>
61	Silver Maple	16	20	M Stubs
62	8 8	17	15	N Stubs
63		18	<b>2</b> 8	G
64	<b>n n</b>	24	20	<b>G</b>
65	<b>M M</b>	23	20	G
66	Catalpa			G
67	Sugar Maple	9 8	35 48	<b>G</b>
68	Silver Maple	20	25	<b>G</b>
			0-15	
BLOCK	102		-	
69	Catalpa	18	c-18	G
70	Silver Maple	7	15	•
71	Black Walnut	20	55	@ 8 ft. log, clear
72	Silver Maple	30	25	•
73	11	22	25	<b>G</b>
74	Sugar Maple	15	30	<b>G</b>
75	<b>n n</b>	7	30	G
76	Red Maple		30	•
77	11 11	2 2	35	Ğ
• •			0-75	
			-	

6th Street, S. W.

Tree	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	101			
78	Sugar Maple	20	<b>0–</b> 15	G
79	Silver Maple	24	130	G
80	W W	1	190	G
81	Norway Maple	10	25	<b>G</b>
	•		<b>c</b> -20	
BLOCK	96			
82	Silver Maple	30	0-12	G
83	• •	20	15	G
84		22	33	M Stubs
<b>8</b> 5		25	30	•
86	Sugar Maple	18	35	<b>G</b>
87	White Ash	12	25	G
<b>88</b>		10	23	G
89	Silver Maple	1	23 8	•
90		10	15	<b>G</b>
91		26	30	M Trunk decay
92	White Ash	11	33	<b>G</b>
93	Red Maple	14	15	<b>G</b>
94	Sycamore Maple	18	18	<b>G</b>
95	Red Maple	13	18	<b>G</b>
96	Sugar Maple	12	20	<b>G</b>
			c-15	
MLOCK	91			
97	Silver Maple	30	<b>0–3</b> 0	<b>G</b>
98		<b>29</b>	20	<b>G</b>
99	Sugar Maple	11	25	<b>G</b>
100	Sugar Maple	12	30	•
101	Sycamore Maple	3	20	<b>Q</b>
102	Silver Maple	16	18	6
103	Sugar Maple	11	25	Ģ
104	<b>1 1</b>	12	25	6
105	₩ ₩	11	20	€
-			<b>0–100</b>	
BLOCK	??		•••	
106	Box Elder	16	<b>~1</b> 00	6
107		13	68	•
108	Morway Maple	3	25	<b>6</b>
109	# # #	14	30	G
110	Morway Maple	22	25	G G
111	<del></del>	15	25	•
ሚስ ሊጥታ	72		<b>0-12</b>	
BLOCK	73	2).	- 25	a
112	Red Maple	24 10	<b>0-25</b>	G G
113	Norway Maple	18	15 50	6
114	Silver Maple		50 20	6
115	-	16	20	▼

-

6th Street, S. W.

Tree No.	Species	DBM inches	Spacing	T	ree Condition	- Remarks
BLOCK	73. cont'd.					
116	Silver Maple	21	20	G		
117	N N	12	16	M	Top off	
118		13	15	Ģ	10p 011	
119		14	15	Я	Stubs	
120		17	18	Ĝ		
121		16	30	Ğ		
122		28	18	Ğ		
123		18	20	G		
124		19		G		
125	Red Maple	- 14	18	ā		
-~	aca mopeo		<b>0-1</b> 0	•		
BLOCK	68		<b></b>			
126	Norway Maple	16	<b>0-</b> 45	G		
127	8 8	15	15	G		
128		14	15	G		
129		23	25	G		
130	Silver Maple	18	60	G		
131	<b>1</b> 1	20	25	6		
132		24	38	G		
133	Morse Chestnut	16	15	4		
134		16	20	4		
135	Red Maple	16	40	4		
136	n	15	15	G		
137		19	33	G		
			<b>c</b> -20			
BLOCK	140					
138	Silver Maple	14	<b>~</b> 50	G		
139		16	25	0		
140	Red Maple	12	25	G		
141		13	10	G		
142		14	25	G		
143		22	25	G		
144	Silver Maple	18	40	G		
145		20	15	•		
146		14	15	•		
147	Red Maple	14	26	6		
148	Sugar Maple	16	3 <del>9</del> 6–190	G		
BLOCK	40		-			
149	Silver Maple	24	<b>100</b>	G		
150	W W	16	20	•		
151		16	15	0		
152	•	11	25	X	Stubs	
153	• •	18	15	G		
154		17	15	X	Stubs	
155		14	15	G		

. -

-

. <del>-</del>

. .**-** ,

: :

6th Street, S. W.

Tree	Species	DBM inches	Spacing	T	ree Condition	- Remarks
BLOCK	73. cont'd.					
116	Silver Maple	21	20	G		
117	<b>N N</b>	12	16	M	Top off	
118		13	15	G	10p <b>411</b>	
119	W W	14	15	й	Stubs	
120		17	18	Ğ	5000	
121		16	30	6		
122		26	18	Ğ		
123		18	20	G		
124		19	115	G		
	Red Maple	- 14	18	Ğ		
125	wen wabre	7.4	<b>0-1</b> 0	•		
BLOCK	68		<b>6</b> -10			
126	Norway Maple	16	<b>0-</b> 45	G		
127	n n	15	15	Ğ		
128		14	15	Ğ		
129		23	25	G		
130	Silver Maple	18	60	Ğ		
131	# #	20	25	Ğ		
132		24	25 38	Ğ		
133	Morse Chestnut	16	15	Ğ		
134		16	20	Ğ		
135	Red Maple	16	40	ē		
136	n n	15	15	Ğ		
137		19	33	Ğ		
<b>-</b> J1		-/	<b>-20</b>			
BLOCK	140		- 40			
138	Silver Maple	14	<b>∽</b> 50	G		
139		16	25	G		
140	Red Maple	12	25	G		
141	<b>1 1</b>	13	10	G		
142		14	25	G		
143		22	25	Ğ		
144	Silver Maple	18	40	G		
145	1 1	20	15	G		
146		14	15	Ğ		
147	Red Maple	14	26	G		
148	Sugar Maple	16	39	G		
			o-190			
BLOCK	40		, -			
149	Silver Maple	24	<b>0-1</b> 00	G		
150		16	20	•		
151		16	15	G		
152		11	25	X	Stubs	
153		18	15	G		
154		17	15	X	Stubs	
155		14	15	<b>G</b>		

\_\_\_\_\_\_ ‡ **V**2 • ., 

6th Street, S. W.

Tree No.	Species	DRE inches	Spacing	Tree Condition - Remarks
BLOCK	40, contid.			
156	Silver Maple	18	20	G
157	Red Maple	16	35	G
158	Silver Maple	28	25	<b>G</b>
159	Norway Maple	12	50	- <b>G</b>
160		12	20	<b>G</b>
161	Red Maple	10	20 <b>0–15</b>	G
Perry	Avenue, S. V.			November 26, 1951
BLOCK	77			
1	Sugar Maple	9	<b>~</b> 35	G
	<b>N N</b>	8	25	<b>G</b>
2 3 4 5 6	Norway Maple	10	25	<b>G</b>
4	Sugar Maple	12	25	<b>G</b>
5	Morway Maple	14	50	<b>G</b>
	Sycamore Maple		23	<b>G</b>
7	Silver Maple	16	40	<b>G</b>
8		16	35	<b>G</b>
	<b></b> .		<b>c-1</b> 00	
BLOCK	• •			_
9	Sycamore Maple		<b>0-90</b>	<u> </u>
10	Norway Maple	10	15	G G
11		8	15	G 2
12		10	25 25	<b>G</b>
13	American Elm	8 11	25 28	G G
14		14	20	4
15 16		14	20 22	4
17	H H	14	35	ē
-1		•4	<b>-8</b> 0	•
BLOCK	74			
18	Morway Maple	5	o-25	G
19	Silver Maple	15	210	<b>G</b>
20	Morway Maple	11	33	<b>G</b>
21	Silver Maple	17	25 48	•
22	Catalpa	15	48	<b>G</b>
23	Silver Maple	20	20	G-

•

. 1

• • •

-1

-

Tree	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	33			
1	Norway Maple	12	c-15	<b>G</b>
	# # # # T	16	20	<b>G</b>
2 3 4		20	20	G
4		10	<b>3</b> 5	<b>G</b>
5		18	28	G
6		16	25	G
			<b>~</b> 35	
BLOCK	<b>38</b>			
7	Silver Maple	12	<b>c</b> -10	Ģ
8		21	15	•
9	Sugar Maple	10	15	6
10	Silver Maple	19	15	P Only trunk remains
11	Morse-chestn		25	•
12	_	6	23	P Deformed
13	Basswood	28	<b>5</b> 8	•
14	Norway Maple	12 12	30 18	G G
15 16	Silver Maple	7	140	å
10	piller wabie	•	o-35	•
BLOCK	58			
17	Norway Maple	15	<b>-375</b>	<b>G</b> .
-,	actual confer	_,	<b>c</b> -20	_
BLOCK	140			
18	Norway Maple	15	<b>c-1</b> 0	G
19	American Ill	-	<b>5</b> 0	•
20		22	20	G
			<b>c-1</b> 00	
BLOCK	67			_
21	Morway Maple	22	<b>0–</b> 65	<b>G</b>
77.04	•			
BLOCK	90	10	- 10	<b>A</b>
22	Sugar Maple	13	<b>6–1</b> 0	G G
23 24	Silver Maple	20 16	105	G G
24	•	10	20 6-160	•
BLOCK	95		<b>6-160</b>	
25	Sugar Maple	14	<b>-</b> 30	•
26	N N	16	15	ě
27		1	75	ā
28		ī	23	Ğ
29	Silver Maple	ī	25	•
30		1	20	•
31	Red Maple	5	30	•
32	<b>9</b>	5 7	20	•
33		4	35	P Dying - scale on bark
			<b>0-</b> 30	
BLOCK	99			_
34	White Ash	2	<b>0−</b> 75	<b>G</b>
35		2	40	
			<b>∽25</b> 0	

•

8th Street, S. W.

Tree No.	Species	DBH inches	Spacing		Tree Condition - Remarks
BLOCK	94				
36	Silver Maple	13	<b>~</b> 20	9	
37	W W	7	20	0	
<b>3</b> 8	Red Maple	6	90	G	
<b>3</b> 9		4	20	•	
40	Norway Maple	14	105	M	Stubs
41	Red Maple	12	30	0	_
<b>3</b> 7 007	90		<b>0–1</b> 5		•
BLOCK	89	2.7	- 160	G	
42	Sugar Maple	11	<b>6-160</b>	•	
BLOCK	57		<b>0–1</b> 35		
43	Norway Maple	12	<b>o-</b> 230	<b>Q</b>	
44	# #	20	20	Ğ	
45	Sugar Maple	14	45	ā	
46	Silver Maple	22	60	4	
47	N N	20	105	G	
48		22	15	G	
			<b>c-7</b> 0		
BLOCK	32				
49	Sugar Maple	9		G	
50	* *	12	20	G	
51	* *	13	20	X	Stubs and limbs
52		14	23	G	
<b>5</b> 3	Silver Maple	1	20 c-140	Ģ	
Taylor	Street, S.V.	•			November 29, 1951
BLOCK	87				
1	Silver Maple	1	<b>0-</b> 25	G	
2	N N	6 6		G	
2 3 4	# #		12	0	
	Box Elder	1	75	•	
5	Sugar Maple	1	35 <b>⊶</b> 35	G	
BLOCK	86				•
6	Catalpa	3	<b>e-5</b> 5	Ģ	
7		3 2 3 5 4 5		0	
8	Sugar Maple	3	15	6	
9		5	15	9	
10		<b>₹</b>	20 20	G	
11	<del></del>	J	<b>-18</b>	•	
			<b>-</b> 20		

Tree No.	Species	DBN inches	Spacing	Tree Condition - Remarks
BLOCK	89			
1	Red Maple	7	<b>c-</b> 20	G.
2	Sugar Maple	10	18	G.
_			<b>0-2</b> 60	
BLOCK	94			
3	American Elm	8	<b>c-</b> 20	G
4		9	23	G
5	Silver Maple	18	215	G
6		18	23	G
			<b>c-2</b> 0	
BLOCK	99			
7	Sagar Maple	15	<b>0–</b> 35	G
8	Silver Maple	16	75	G
9		14	25	G
10		3	21	<b>Q</b>
11		22	23	•
12	* *	20	20	•
13		14	35	<b>G</b>
14	Sugar Maple	20	<b>30</b>	<b>G</b>
15		19 21	30 26	M Stubs and limbs
16 17		20	25 23	M Stubs, limbs and decay
18		8	25 25	e
20			<b>6-5</b>	•
BLOCK	98			
19	Sugar Maple	7	<b>c-20</b>	•
20	Silver Maple	i	35	•
21	Paper Birch	4	35	•
22	Sugar Maple	16	30	•
23	<b># #</b>	12	33	•
24	Red Maple	16	15	•
25		12	20	P Decaying trunk
26		12	15	G
			c-15	
MOCK	93	- 1		
27	Catalpa	16	0-125	<b>G</b>
DIAGE	40			
BLOCK	65 843mam Vanla	17	c-140	<b>e</b>
28 20	Silver Maple	17 22		ě
29 30	Sugar Maple	6	23 45	•
31	Silver Maple	ì	<b>25</b>	•
32	Box Elder	20	20	ě
33	Red Maple	11	20	N Bad cavity
33 34		10	20	6
35	Sycamore Mapl		28	•
36	Norway Maple	11	25	Ğ.
37	Sugar Maple	16	90	G
	<u> </u>		-	

e e

n q

e ·

.

•

Buclid Avenue, S. W.

free	Species DB1	(	Spacing	Tree Condition - Remarks
No.	inch	108		
BLOCK	47			
	65, contid.			_
38	Sugar Maple	16	70	G
39	Red Maple	11	20	G .
40	Silver Maple	29	45	G
41	# # <u></u>	32	20	<b>G</b>
42		27	55	Ğ.
43	# #	45	20	ē
ر-		7)	<b>0-1</b> 5	
			<b>G-1</b> 5	
Oth St	reet, S. W.			November 29, 1951
<b>/ 12</b>	2000, 21			MOVEMBEL 27, 1771
BLOCK	56			
1	Silver Maple	23	<b>0-14</b> 0	G
2	n n	21	15	•
3 4	Basswood	14	40	•
4	•	18	18	Ğ
5	Sugar Maple	36	80	6
6	Silver Maple	22	50	•
7	N N	19	15	M Stubs
8	Box Elder	20		<b>6</b>
			30 65	
9	Carolina Poplar	24	65	•
7700	1.0		<b></b> 85	
BLOCK	65	_		
10	Morway Maple	5	<b>0-105</b>	N Bed bark injury
11	Silver Maple	30	45	G
12		22	18	M Dead limbs
13		30	<b>1</b> 8	•
14	Red Maple	8	15	<b>G</b>
15		14	25	<b>Q</b>
16		28	55	6
17	<b># #</b>	20	60	۵
18	Sugar Maple	10	105	ā.
19	Silver Maple	2	110	ě ·
47	pirage, webre	2		•
BLOCK	<b>88</b>		o-20	
20	Sugar Maple	Q	<b>c-2</b> 3	<b>G</b>
21	a a	,		Ğ
		<i>⊃</i>	23	•
22	643 V- 3 -	2	23	
23 24	Silver Maple	9 5 3 5	<b>30</b>	6
24	w w	12	28	•
25	₩ ₩	12	15	G
			<b>0–1</b> 50	
BLOCK	93			
26	Morse-chestnut	13	o-20	•
27		14	15	•
28	Buckeye	10	15	•
	· - <del>-</del> · · - <del>- •</del>			

### 9th Street, S. W.

Tree DBX Spacing Tree Condition - Remarks Species No. inches MOCKS 103, 125 and 126 29 thru 158 Catalpa 8 to 24 15 M to P Varying degrees of decay

The street is undeveloped. However, there are 130 Catalpa trees along it, in all manner of spacing, decay and deterioration.

BLOCK	87				
159	American Elm	16	o-23	G	
160		14	25	G	
161	Carolina Poplar	40	25	G	
162	Sugar Maple	9	75	•	
163	i i	7	25	4	
164	Carolina Poplar	38	25	M	Stubs and limbs
165	n n .	38	33	X	
166	Silver Maple	27	30	<b>Q</b>	
167	Carolina Poplar	46	35	Ж	Stubs
168	Silver Maple	21	20	G	
169	# # <sup>-</sup>	29	20	G	
170		32	20	G	
171		23	20	G	
172		18	23	G	
173		28	20	•	
174		30	65	G	
175		24	23	G	
176		20	25	P	Stubs
177		21	30	G	
178		19	30	G	
·		-	o-20		
BLOCK	64				
179	Silver Maple	26	<b>0-5</b> 0	G	
180	Red Maple	21	50	•	
181	, W W	18	50	G	
182		14	15	X	Stubs
183		24	15	G	
184		24	30	G	
185	# #	18	30	•	
186		14	18	•	
187		15	15	M	Dead limb
<b>188</b>		19	15	•	
189		24	<b>30</b> ·	4	
190	# #	17	30	G	
191		<b>2</b> 3	30	•	
192		15	15	Ģ	
193		22	75	0	
194		22	<b>3</b> 0	•	
195		13	15	0	
			<b>~4</b> 0		

9th Street, S. W.

Tree No.	Species	DBM inches	Spacing	T	ree Condition - Remarks
MLOCK	55				
196	Silver Maple	16	<b>c-25</b>	G	
197	n n	18	30	G	
198	Norway Maple	13	65	G	
199		19	15	<b>G</b>	
200	Silver Maple	30	180		Stubs and hanger
201	N N	14	15	G	
202	Red Maple	14	20	G	
203	Catalpa	11	65	G	
204		10	20	G	
			<b>c-1</b> 00		

#### 11th Street, S. W.

November 29, 1951

BLOCK	30				
1	Silver Maple	1	<b>c-1</b> 5	P	Scale
	W W	2	63	ĸ	Suckers
2 3 4	Sugar Maple	11	25	9	
Á	Red #	9	<del>3</del> 0	Ğ	
5	Silver Maple	<b>2</b> 0	25	Ğ	
5	<b>N N</b>	26	18	Ģ	
7		18	18	6	
<b>?</b> 8	American Ilm	12	25	Ģ	
9	White Ash	8	25	6	
10	American Ilm	12	20	G	
11	Norway Maple	15	40	G	
12	Red Maple	14	20	G	
13	Silver Maple	12	33	•	
14	Norway Maple	18	35	G	
15	N N	15	20	•	
16	Silver Maple	<b>5</b>	40	•	
17	Red Maple	8	20	0	
18	Norway Maple	4	20	Q.	
19	Catalpa	19	25	6	
20	Norway Maple	12	35	G	
21		14	30	G	
			<b>20</b>		
BLOCK	29				
22	Sycamore	21	<b>0-1</b> 55	G	
23	Norway Maple	16	130	G	
24	W W	12	23	G	
25	Red Maple	14	23	G	
26	<b>1</b>	25	23	0	
27		18	25	G	
28	<b>N N</b>	20	12	•	
29		7	80	G	
30		13	<i>5</i> 3	G	

11th Street, S. W.

Tree No.	Species	DBH inches	Spacing		Tree Condition - Remarks
31 32	29, contid. Sugar Maple Red Maple	14 10	30 25 <b>-</b> -30	G G	
15 <b>th</b> 8	treet, S. W.				November 30, 1951
BLOCK	24				
1	American Elm	16	<b>c-1</b> 70	G	
	W W	14	25	Ğ	
2 3 4 5	Red Maple	2	<u>15</u>	Ğ	
4	N Ñ	3	15	4	
5	Chinese Elm		155	•	
6	Sycamore Maple	• 3	40 <b>0-</b> 45	G	
KLOCK	46				
?	Pear Tree	1	<b>-</b> 35	P	•
8	Silver Maple	1	320	<b>G</b>	
9	•	1	45	<b>u</b>	
BLOCK	81		<b>0-</b> 25		
10	Red Maple	1	<b>0-</b> 255	G	•
11	N N	î	20	G	
12	Sugar Maple	7	45	ā	
13	Catalpa	14	15	G	
14	Sugar Maple	8	15	•	
15	Catalpa	14	10	G	
16		7	25	G	
17	Silver Maple	3	20	•	
18	Sugar Maple	7	50	G	
	80		<b>0-15</b> 0		
BLOCK	79 Silver Maple	•	0-115	G	
19 20	a a	2	15	Ğ	
21		2	25	ō	
22		3	25	Ğ	
23		í	25 25 65	•	
22 23 24 25	Sugar Maple	2 2 3 1	20 20	G P	
25	* *	1		P	Dead
BLOCK	45		<b>6–1</b> 50		
26	Sugar Maple	11	<b>6</b> 0	G	
27	Sycamore	15	28	ē	
28	Pin Oak	25	90	Ğ	
29	Silver Maple	26	15	H	Dead limbs
30	Sugar Maple	14	35 <b>-1</b> 80	G	

•

• •

u u

A Section 1995

••

.

•

15th Street, S. W.

Tree No.	Species	DBM inches	Spacing		Tree Condition - Remarks
31 32 33 34	Chinese Elm Sugar Maple American Elm	13 1 16 9	<b>c-4</b> 0 80 260 20 <b>c-5</b> 5	M G G	Slime flux
Borden	Avenue, S. Y	ſ <b>.</b>			November 30, 1951
BLOCK	59				
1	Catalpa	7	o-115	G	
2	n	8	10	G	
3	•	8	10	G	
			<b>-</b> 320		
BLOCK	48		_		
4	Silver Maple	18	<b>6</b> 0	G	
5 6		18	30	G	
6	Sugar Maple	1	95	G	
7	White Ash	17	35	G	
8	Sugar Maple	10	25	G	
9 10	Silver Maple	10	30 20	G M	Stubs and hanger
11		15 15	20	G	pages with month er
12		6	85	P	Clump
13		2	25	P	Low clump
-5		_	o-25	_	
BLOCK	52		•		
14	Box Elder	10	<b>~7</b> 5	G	
15		15	20	0	
16	Silver Maple	1	120	•	
17		? 4	20	G	
18	Sycamore	6	65 30	e P	Many 3-1 and and
19	Silver Maple	0	10 c-100	-	Top blown out
Bernar BLOCK	d Street, S.	٧.			November 30, 1951
1	-	26	<b>-</b> 380	G	
2	Silver Maple		<b>3</b> 0	M	Stubs
	-aartes :mpse	20	o-250	••	~

Tree	Species i	DBN nches	Spacing	Tree Condition - Remarks
BLOCK	28			
1	Silver Maple	18	<b>c-7</b> 0	G
	N N	18	25	G Roots breaking walk
2 3 4 5 6		17	25	<b>G</b>
4	Sugar Maple	15	35	<b>.</b>
5	<b>n</b>	16	38	•
	Silver Maple	13	18	<b>G</b>
7	Sycamore Maple	1	5	<b>G</b>
8	Mock Orange	Clump	20	<b>G</b>
9	Sugar Maple	14	15	M Dead limb
10 11	Box Elder	<b>4</b> 12	15 22	G G
12	Sugar Maple	5	33 50	G G
13	Silver Maple	14	25	G
14	Sugar Maple	11	18	Ġ
15	N N	10	18	G.
16		7	18	<b>G</b>
17	# #	15	25	G Girdling root
18	W W	16	55	G Gifdling root
19	Silver Maple	16	25	<b>G</b>
20	<b>#</b>	16	23	<b>Q</b>
			<b>c-</b> 25	
BLOCK	53			
21	Chinese Elm	10	<b>c-210</b>	o .
22	Sugar Maple	2	20	<b>G</b>
23	Chinese Elm	9	20 <sup>7</sup>	•
BLOCK	61		<b>-35</b>	
24	Sugar Maple	1	<b>c-1</b> 50	P Badly scarred
25	Pfitzer Juniper		10	G G
26	N N	1	5	•
27	Sugar Maple	3	20	G
	•		c-15	
BLOCK	60			
28	Catalpa	18		G
			<b>0-25</b>	
BLOCK	59	42	- 996	
29	Silver Maple	21	<b>6-110</b>	G.
30	. •	21	20	<b>G</b>
BLOCK	48		0-155	
31	Catalpa	12	<b>0-</b> 50	P Mollow trunk
<b></b>	en em la	-2	<u> </u>	s — Jacon Valles
BLOCK	27			
32	Silver Maple	18	<b>~2</b> 3	G
33	<b>N N</b>	30	265	<u> </u>
33 34		6	55	<b>G</b>
35 36	W W	13	25	G
36		16	80	G
37		15	25	G

<del>-</del>

12th Street. S. W.

Tree No.	Species	DBN inches	Spacing	Tree Condition - Remarks
38 39 40	27. contid. Silver Maple	30 16 18	30 25 20 <b></b> 20	G G G
17th S	Street, S. W.			November 30, 1951
MLOCK 1 2 MLOCK 3 4 5 6 7 MLOCK 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 25	Sugar Maple  80 Silver Maple  8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	43 65143 6114624 194218 19456 1314	-285 -120 -120 -20 275 20 75 20 75 20 -70 -18 33 25 25 27 20 25 27 20 25 27 20 25 27 20 25 27 20 25 27 20 25 27 20 25 20 25 20 20 20 20 20 20 20 20 20 20 20 20 20	G G P Beetle infested G G G G G G G G G G G G G G G G G G G

NORTHWEST SECTION pages 197 - 216

# Main Street, West

November 20, 1951

Tree No.	Species	DRM inches	Spacing	Tree Condition - Remarks
BLOCK	: 33			
1	Sugar Maple	16	<b>c</b> -95	<b>G</b>
2		12	20	G
BLOCK	32		<b>0-</b> 25	
3	Catalpa	7	a 105	4
4	Red Maple	14	<b>0-1</b> 05	G C
5 6		13	23 12	G G
6		10	15	Ğ
7	•	17	15	G
8	Sugar Maple	9 9	35	G
9		9	15	G
BLOCK	21		<b>0-1</b> 2	
10	American Elm	19		16 Th. 1
11	Slippery Elm	22	<b>∽</b> 5 15	M Butchered G
12	Norway Maple	7	25	6
13	# N	i	30	G.
			<b>~</b> 20	-
BLOCK	31	_		
14	Red Maple	14	<b>0-23</b>	<b>G</b>
15 16	# #	8	15	N Reart rot at stubs
17		14 11	15	6
18	Silver Maple	23	15 25	<b>G</b>
19	Box Elder	12	35 35	<b>G</b> <b>G</b>
`` <b>20</b>	# #	16	25	6
21	Sugar Maple	15	125	•
22	11 1	15	30	G
TOT A COT			<b>~10</b>	
BLOCK	30			_
23 24	Basswood Sugar Maple	13	<b>0-90</b>	0
2 <del>5</del>	Red Maple	16 1	15	<b>G</b>
26	Silver Maple	20	15 18	G G
27	Sugar Maple	10	45	8
28	Silver Maple	1	25	•
	_		o-20	-
BLOCK	29	_		
<i>2</i> 9	Silver Maple	14	<b>0-</b> 85	G
30 31		19	15	G
32	Box Elder Silver Maple	15	90	G
عر	errier webre	12	20 225	G
BLOCK	26		0-225	
33	Silver Maple	20	<b>c-2</b> 5	G
34	1 1	17	40	G
35	Sugar Maple	2	33	G
			-	

• .. ·

Main Street, West

Tree	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK 36 37 38 39 40 41 42 43 44 45	26. cont'd. Silver Maple Sugar Maple Silver Maple Sugar Maple Sugar Maple Sugar Maple	16 12 14 15 14 13 14 14 15 6	25 48 35 15 18 15 15 15 15 18 6-10	G G G G G
46 47 48 49 50 51 52 53	Sugar Maple Red Maple Sugar Maple Red Maple Silver Maple Sycamore  Sugar Maple	13 14 18 20 2 12 16 14	-45 18 18 60 38 75 15	G N Stubs - frost crack G N Stubs P Almost girdled G P Decaying
54 55 56 57	Vhite Ash Red Maple Box Elder	23 18 14 26	<b>~</b> 55 50 70 105 <b>~</b> 15	G G G
58 59 60 61 62 63 64	Sycamore Maple  Silver Maple  M  American Elm  M  22	9 13 18 18 5 16 20	0-15 15 43 23 45 40 30 0-115	G G G S M Bad trunk injury G
65 66 67 68 69 70	White Ash Silver Maple 8 8 8 8 8 8	2 9 9 10 10	<b>0−20</b> 25 25 20 25 25 25 0−10	G G G G

• •

•

→ Control of the Con

•

-

.

Main Street, West

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
BLOCK	20. contid.			
71	Sugar Maple	10	<b>c</b> –20	G
72	American Elm	10	15	<b>G</b>
73	Apple tree	9	30	G
74	American Elm	11	15	G
75	Sugar Maple	6	300	<b>G</b>
76		4	18	<b>G</b>
77	Red Maple	18	165	<b>G</b>
78		21	500	M Trunk cavity work needed
<b>79</b>	Silver Maple	1	165	G -
80		1	20	· <b>G</b>
81	* *	4	330	G.
82		2	10	G
83	Cherry tree	2	13	G
BLOCK	144			
84	American Elm	13		•
85	Sugar Maple	-5	800	G
86	•	5 5	30	G
87	White Ash	11	160	G
88	Sugar Maple	29	845	•
89	Mophorn Beem	8	15	<b>G</b>
90	Box Elder	14	25	<b>&amp;</b>
91	Sugar Maple	13	45	<b>G</b>
92	* *	16	15	G
			<b>0–1</b> 5	
BLOCK	30	_		•
93	Silver Maple	5 5 5	o-25	6
94		ي ح	25 25	<b>G</b>
95 06	-	21	25 35	•
96 97	American Elm Mountain Ash	1	35	G
98	Silver Maple	22	60	•
99	Sugar Maple	20	50	ě
100		16	25	Ğ
			0-25	
BLOCK	145			
101	Sugar Maple	11	0-25	P Dead trunk
102	i i	14	40	•
103		14	25	G
104		14	25	<b>G</b>
105	Silver Maple	18	25	Ģ
106	Red Maple	14	40	G
107	# #	13	60	<b>G</b>
108	Sugar Naple	10	15	G
109	Red Maple	16	55	G.
110	American Elm	6	<b>30</b>	<b>G</b>
111	Silver Maple	4	35	G

•

•••

Main Street, West

e see ee

Tree No.	Species	DBN inches	Spacing	Tree	Condition	-	Remarks
BLOCK	145. cont'd.						
112	American Elm	25	30	G			
113	N N	26	25	Ğ			
114	N N	5	25	Ğ			
115	Red Maple	5	40	Ğ			
116	American Elm	15	15	Ğ			
117	Sugar Maple	11	20	<b>G</b>			
118	Red Maple	13	25	Ģ			
119	Black Walnut	8	45	Ğ			
120	Sugar Maple	14	25	G			
	· -		0-40				
BLOCK	<b>28</b> :						
121	Silver Maple	8	<b>c-</b> 80	G			
122	Red Maple	18	160	<b>G</b>			
123	Silver Maple	14	30	<b>G</b>			
124		17	345	<b>G</b>			
125	# #	8	65	<b>G</b>			
126	# #	6	15	G-			
127	# #	15	30	<b>G</b>			
128	# #	16	20	G-			
129	Norway Maple	20	220	G-			
130	# #	23	30	G			
131	Red Maple	25	130	G	•		
132	Silver Maple	20	25	æ			
133	Red Maple	<b>20</b> 0	25	<b>G</b>			
134		20	15	G			
135	Sugar Maple	18	25	G			
136		16	110	<b>G</b>			
137		14	30	<b>G</b>			
			<b>c-3</b> 0				

Tree	Species	DBM inches	Spacing	Tr	ee Condition - Remarks
BLOCK	28				
1	Silver Maple	13	<b>0-25</b>	G	
2		16	15	G	
3	Box Elder	18	80	G	
3 4	American Elm	12	125	G	
5		16	30	G	
6	White Oak	3	65	P	Trunk cankers and injury
7	Box Elder	4	20	G	
8	Buckeye	6	15	G	
9	Red Maple	5	15	G	
10	<b>Basswood</b>	16	40	G	
11		16	15	G	
12	*	13	25	G	
13	Sycamore	14	30	G	
14	<b>K.</b> '	15	<b>1</b> 5	G	
15		18	<b>3</b> 3	G	
16	<b>N</b>	14	15	Ģ	
17	•	20	15	G	
18	Red Maple	8	33	G	
19	Basswood	11	10	G	
20	#	20	12	X	Stubs
21	Red Maple	10	25	Ģ	
22		11	<b>55</b>	4	
23		5	15	X	Badly damaged trunk
24	Silver Maple	10	45	Ģ	
25	Norway Maple	8	23	G	
26	Red Maple	14	25	X	Stubs and dead limbs
27	* *	17	15	X	Dead limbs
28		?	15	G	
29	Silver Maple	5	20	0	Day 3 34mbm
30	Morse Chestnut	16	30 18	X	Dead limbs
31		15	18	X	Dead limbs
<b>32</b>		4 11	18 18	G	
33	Sugar Maple	14	85	G	
34 25		9	40	Ğ	
35 36		10	20	Ğ	
36 37		11	20 20	Ğ	
37 38		16	20	Ğ	
		14	40	Ğ	
39		47	o-55	•	
BLOCK	29				
40	Norway Maple	8	<b>c-</b> 500 <b>c-</b> 265	G	
BLOCK	30		- ~-,		
41	Silver Maple	11	<b></b> 260	G	
42	# # #	11	23	Ğ	
43	American Ilm	10	<del>20</del>	Ğ	

<del>-</del>

### Lincoln Way West

Tree	Species	DBN inches	Spacing	Tree Condition - Remarks
MLOCK	30, cont'd.			
प्रम	American Klm	12	20	G
BLOCK	31		<b></b> 20	
45	Sugar Maple	16	<b>c-1</b> 8	G
46	N N	16	30	G.
47		9	12	G
48		16	30	G
49		16	30	<b>G</b>
<i>5</i> 0		18	35	<b>G</b>
51	* *	16	40	G
52		11	40	G
BLOCK	51		<b>c-</b> 65	
53	Sugar Maple	17	<b>-</b> 155	G
54		16	20	Ğ
BLOCK	55	_		
55	Sugar Maple	5 5	20	G G
56	•	)	30 <b>105</b>	•
BLOCK	54		0-107	
57	Paper Birch	6	<b>0</b> −95	G
58	Red Maple	4	25	<b>G</b>
59	N N	2	20	<b>G</b>
<b>37.00</b>	h <b>o</b>			
BLOCK 60	47 Sugar Maple	15	<b>-</b> 33	M Car injury to trunk
<u>61</u>	Red Maple	14	33	e
				_
BLOCK	39			
62	Silver Maple	15		<b>G</b>
MLOCK	20		<b>-</b> 30	
63	32 Norway Maple	1	<b>0-25</b>	G
64	Sugar Maple	24	5	G
65	Red Maple	5	40	G
66	Sycamore Maple	5 3 18	35	Ğ
67	Sugar Maple	18	35	G .
68	Sugar Maple	12	-	<b>Q</b>
69	Morse Chestnut	12	15	G
BI COM	22		<b></b> 20	
BLOCK	33 Sugar Vanla	15	<b>0-1</b> 30	G
70	Sugar Maple	<b>A</b> 3	<b>c-1</b> 40	•
BLOCK	34		<u> </u>	
71	Red Maple	14	<b>~</b> 85	G
72	Silver Maple	20	20	G
	_			

<u>-</u> 

## Lincoln Way West

Tree No.	Species	DBI inches	Spacing	T	ree Condition - Remarks
BLOCK	34, contid.				
	Sugar Maple	6	15	G	
73 7 <b>4</b>		18		G	
	Slippery Elm American Elm	16	75 25	G	
<b>7</b> 5	American min	18	25 25	G	·
76	Box Elder	18	25 130	G	
77 78	N N	18	130	X	Decem de America
			35	G	Decay in trunk
<b>7</b> 9 80	Silver Maple	10 8	15 18	M	Might ematch emlis
81		14	18	m G	Tight crotch, split
01		14		G	
BLOCK	25		c-15		
82	35 Norway Maple	9	<b>0-</b> 95	G	
	MOLASA WEDTA	10	20	Ğ	
83 84	Silver Maple	12	20 35	G	
85	Red Maple	8	130	Ğ	
86	Mer webte	7	20	G	
87	American Elm	4	40	Ğ	
01	will or your TH	7	<b>0-1</b> 50		
MLOCK	27				
88	American Ilm	22	<b>c</b> -220	G	
<b>8</b> 9	1 1	7	15	G	
90		12	<b>1</b> 5	ē	
91		14	15	Ğ	
92		15	15	G	
93	Sugar Maple	9	35	G	
94	American Elm	26	75	•	
95		29	145	G	
96	Catalpa	14	30	G	
97	Silver Maple	22	45	G	
98	# # ·	18	65	G	
99	₩ ₩	16	20	G	
100	Sugar Maple	16	20	M	Stubs
101	American Ilm	22	60	Q.	
102		20	35	G	
103	Silver Maple	18	260	G	
104		11	20	G	
105	Box Elder	17	20	G	
106		17	<b>3</b> 3	G	
107	Morse Chestnut	20	60	G	
108		6	20	X	Broken limb
109	Box Elder	9	43	G	
			<b></b> 90		

• \*

## Cherry Road, N. W.

March 24, 1952

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks	ree	e Condition - Remarks
BLOCK	4					
1	White Ash	15	<b>c</b> -325	G-		
2	American Elm	20	25	M Stubs		Stuhe
	H H	20	12	M Stubs		
3 4		26	80	M Stubs		
5		16	15	M Stubs		
6	N N	22	15	M Stubs and limbs		
7		<b>2</b> 8	15	M Stubs and limbs		
8	Silver Maple	7	15	G G		DUGUS And IImus
9	Sycamore Maple	-	15 15	G		
7	pacamore water	3 12	<b>c</b> -40	•	,	
BLOCK	12		0=40			
10	Box Elder	18	<b>c</b> -240	M Stubs	<b>C</b> 4	Stude
11	10 M	22	25	M Stubs and limbs		
7.7		LL	<b>6−1</b> 90	M Digos and limbs	, 51	Drub and Timbs
BLOCK	84		<b>6-190</b>			
12	American Elm	18	<b>c</b> -110	<b>G</b>		
	American min	22		G		
13 14		14	25 25	G-		
			25 35	G.		
15	Red Maple	12	15			
16	Silver Maple	21	<b>5</b> 5	G G		
17		12	25	<b>G</b>		
BLOCK	80					
18	Silver Maple	3		G		
19	N N	3	23	G		
20	<b>n</b> •	3 3 2	55	P Broken		Broken
21	Sugar Maple	ĩ	20	G		
	- ment		o-65	•		
BLOCK	79					
22	Box Elder	10	c-160	M Stubs	St	Stube
23	1 1	11	20	G		
24		18	50	P Main stem dead		Main stem dead
25		15	35	M Limbs and stubs		
~		-/	o-25			
BLOCK	11					
26	Box Elder	1		G	•	
27	# #	ī	15	Ğ		
28		ī	15	Ğ		
29	Silver Maple	3	25	G.		
30	N N	2	10	Ğ		
31		3 2 1	15	G		
32	<b>H H</b>	ī	20	G		
<i></i>		_	c-45			

Cherry Road, N. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
33 34 35 36 37 38	Silver Maple  N  N  N  N  N  N  N  N  Norway Maple	18 21 13 18 18	c-50 15 15 15 15 160 c-260	G G G G
Cliff	Street, N. W.			March 24, 1952
7 8 9	Box Elder Silver Maple  ### ###  Box Elder American Elm Norway Maple ####################################	7 20 18 15 18 3 1 14 17	c-30 20 20 15 18 55 35 25 80 335 125 c-20	G G M Stub M Stubs M Stubs and limbs G G M Stubs M Limbs G G
12 13 14 15 16 17 18 19 20	78 Silver Maple Norway Maple  8 American Elm  8 8 8 Rorse Chestnut	28 7 10 14 14 18 5 6	20 20 200 25 25 30 20 20	G G G G G G M Trunk injury

# 6th Street, N. W.

December 7, 1951

Tree No.	Species	DRM inches	Spacing	Tree Condition - Remarks
ELOCK 1 2 3	25 Box Elder Red Maple Sugar Maple	16 12 8	<b> 2</b> 8 200 <b>1</b> 5	G G P Badly decayed trunk
3 4 5 6	Catalpa Sugar Maple Silver Maple	13 4 7	18 20 25 <b>e-</b> 30	G G G
8 9 10	24 Silver Maple  " " Carolina Popla	16 22 14 r 18	<b>~</b> 25 25 35 45	G G G P Dead
11 12 13 14 15	Silver Maple  " "  " "  Sugar Maple  Red Maple	22 16 18 4 4	25 20 <b>20</b> 20 15	ፁ ዑ ዑ ዑ
16 17 18 19	Sugar Maple	10 8 12 10	45 12 15 20	G G
BLOCK 29	Box Elder	16	<b>0−1</b> 5 <b>0−</b> 90	G
21	Basswood	10	50 <b>⊶</b> 55	<b>G</b>
25th	Street, N. W.			December 2, 1951
BLOCK 1 2 3	56 Horse Chestnu n Buckeye	t 8 10 9	<b>~-35</b> <b>20</b> 35	G G G
BLOCK 4 5 6 7 8 9	57 Norway Maple Silver Maple Silver Maple Chinese Elm Norway Maple	3 5 7 1 3 2	20 20 400 155 20 <b>31</b> 0	G G G G

•

• • • • •

12th Street, N. W.

December 7. 1951

Tree	Species	DBH	Spacing	1	Pree Condition - Remarks
No.		inches			
BLOCK	145				
1	Sugar Maple	16	<b>c-</b> 20	G	
2	# #	12	30	Ğ	
_		-~	c-185		
BLOCK	29		0 209		
3	Sugar Maple	11	c- 5	G	
4	Red Maple	11	25	G	
	Sugar Maple	6	20	G	
5 6	11 1	17	410	G	
7	Horse Chestnut	12	65	G	
8	N N	16	25	G	
9	Box Elder	11	18	M	Stubs
			<b>c</b> –50		
BLOCK	<b>2</b> 8				
10	Silver Maple	28		G	
11	N	22	40	G	
12		2	25	P	Deformed
13	Sugar Maple	2	15	G	
14	American Elm	10	30	G	
15		5	30	G	
16	Red Maple	16	60	G	
17	Sugar Maple	11	15	G	<b>5</b> . •
18		16	45	M	Stubs
19	•	16	20	G	
			<b>c-</b> 18		
Water	Avenue, N. W.				December 7, 1951
BLOCK	24				
1	Red Maple	6	<b>23</b>	G	
2	<b>n</b>	11	20	Ğ	
<u>3</u>	C atalpa	18	85	Ğ	
-	<b>-</b>	-	o-10	_	
BLOCK	20				
4	Box Mider	20		M	Stubs and limbs

. .

•

-

·

15th Street, N. W.

December 6th, 1951

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	144			
1	Silver Maple	15	<b>0-</b> 23	G
2	Apple tree	5	15	G
~	Red Maple	18	25	G.
3 4	Arborvitae	5	100	G.
5	Sycamore	6	85	G
6	Silver Maple	ì	40	G-
7	N N	i		6
8		i	25 25	Ğ
	Chinese Elm	i	35 <b>25</b>	
9		6	20 140	G G
10	American Elm			
11		7	35	G 2
12		3 4	40	G
13			35	G
14		22	65	6
15		20	60 <b>0-</b> 5	M Stubs and dead limbs
BLOCK	31		<u> </u>	
16	American Ilm	15	<b>∽</b> 50	<b>G</b>
17	A H H	16	25	•
18		11	20	G
19		20	25	G
20		16	18	G.
21		17	28	M Limbs dying back
22		20	15	M Limbs dying back
		16	25	e
23 24		16	20	<b>G</b>
2 <del>5</del>		16	25 25	Ğ.
25	W W	18	20 20	<b>G</b>
26 27	W W	14	68	<b>G</b>
27 50		16		Ğ
28 80		14	20 25	N Dead limbs
29		16	25 20	G Description
30	••			_
31	Sugar Maple	6	25	X Trunk injury
32	Norway Maple	<b>6</b> 6 6	130	<b>G</b>
33 34		0	20	<b>G</b>
34	• •	0	20	G
BLOCK	20		<b>0-20</b>	
	30	14	<b>-48</b>	G
<b>35</b>	American Elm	14		
36		15	<b>25</b>	G G
37		19	25 h s	G G
38		14	45	G
39	1 1	17	25	G
40		17	25	<b>G</b>

• • . 

•

15th Street, N. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks	
BLOCK 41 42 43 44 45 46 47 48 49 50 51 52 53 53 55 55 57 58 59	30, cont'd.  American Elm	16 18 15 14 16 16 14 15 120 18 3 6 12	23 23 20 23 45 45 23 20 23 45 22 20 25 180 16	M Stubs M Stubs M Stubs M Stubs M Stubs and bark injury M Stubs and dead limbs M Stubs and dead limbs M Stubs and dead limbs M W W B branches M W B limbs G P Infested with bark beetle G G G G G	
	Avenue, N. V.  145 Silver Maple  **  **  **  **  **  **  **  **  **	1 1 1 1 3 1 15 7 6 7 4 5 5 22	75 -60 -25 18 15 60 25 35 40 95 -25 -25 -25	December 7. 1951  G G G G G G G G G G G G G G G G G G	,

,,

• \*

•

17th Street, N. W.

December 5, 1951

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks	
BLOCK	36				
1	Silver Maple	3	<b>c</b> -520	G	
2	N N	4	10	G	
2 3 4		1	10	Sprouts	
4	Box Elder	5	10	Ġ	
5	Sugar Maple		75	<b>G</b>	
6	W W	3 3 3	23	G	
7		3	23	G	
8	* *	3	25	G	
BLOCK	32				
9	Sugar Maple	1		G	
10	Tulip Poplar	5	300	<b>G</b>	
11	W W	6	30	G	
12	W W	2	30	G	
13		4	40	<b>G</b>	
14		1	20	G	
15		<b>:4</b>	25	G	
16		4	25	<b>G</b>	
17		3	20	<b>G</b>	
0-45					

### Woodruff Avenue, N. V.

### December 5, 1951

BLOCK	143			
1	American	Elm 16		G
2	Silver Ma	ple 24	25	G
	<b>.</b>	15	25	G
3 4		16	25	G
5			25	G
5 6		19	25	G
7		12	25	G
Š		_	25	ē
9		18	25	Ğ
10		22	45	G
11		18	25	G
12		20	25	G
13		18	25	G
-2			0-23	
BLOCK	62		· <b>-</b> 25	
14	Red Ash	7	o-25	G
15	N N	7	25	Ğ
16		ė.	25	Ğ
17		8	25	Ğ
-1		•		•

December 5, 1951

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK 1 2 3 4 5 6 7 8 9 10 11 12 13	37 Slippery Elm English Elm  8 8 8 8 8 American Elm English Elm American Elm	15 10 11 20 17 16 18 26 12 20 12 18 17	<b>~1</b> 5 35 35 35 35 35 35 35 45 30 35 35	G G G Frost crack G W G G G G G G
14 15 16 17 18 19 20 21 22 23 24	English Elm American Elm	18 11 12 10 18 15 15 14 16 16	35 70 25 30 55 28 25 25 30 25 30	G G G G G G
25 26 27 28 29 30 31 32 33 34	American Elm  # #  # #  # #  # #  # #  # #  # #  #	24 11 14 15 17 8 10 9	6-10 28 25 30 25 25 60 20 28 25	G G G G G G
35 36 37 38 39 41 42 44 45 46 47	Silver Maple  Reglish Elm  R  R  R  R  R  R  R  R  R  R  R  R  R	12 14 14 15 14 14 14 12 13 11	30 25 80 33 35 35 35 35 35 35 35	G G G G G G

.

. . .

• •

•

18th Street, N. W.

Tree No.	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK 48	36, contid. English Elm	10	35 <b>c-1</b> 5	G
23rd 8	treet, N. W.			December 2, 1951
BLOCK	58			
1	Sugar Maple	15	<b>c-</b> 320	G
	i i	14	20	Ğ
2 3 4	Slippery Klm	14		G
4	Sycamore Maple	5	70	<u>G</u>
5 6	Disch Charme	6	20	G
0	Black Cherry	18	30 2.355	G-
BLOCK	57		<b>0–1</b> 55	
7	Sugar Maple	13		G
8	Box Elder	18	80	M Dead limbs and stubs
9	Silver Maple	30	20	M Dead limbs and stubs
	Ailanthus	16	20	M Stubs and heart rot
11	•	23	20	M Stubs and limbs
12	Red Maple	20	20	M Stubs
13	* *	16	20	M Stubs
BLOCK	39		<b>c</b> –20	
14	Red Maple	8	<b>0–</b> 155	G
15	n n	15	15	Ğ
26th S	treet, N. W.		•	December 2, 1951
27.6				
BLOCK	56			
1	American Elm	15	o-25	G
2	Black Cherry	12 8	50 55	G G
4	Sugar Maple	10	300	G
2 3 4 5	II II	8	15	Ğ
_		-		-
BLOCK	55			
6	Apple tree	19	<b>c</b> -45 <b>c</b> -470	G

v

Tree	Species	DBH inches	Spacing	Tree Condition - Remarks
BLOCK	<b>3</b> 8			
1	Red Maple	8	<b>c</b> -140	G-
2		4	18	<b>G</b>
2 3 4		6	135	G
4		15	25	<b>G</b>
5	Silver Maple	2	25	<b>Q</b>
6	# #	2 5 3 4	15	<b>G</b>
7	Sugar Maple	3	15	<b>Q</b>
8			23	<u>Ģ</u>
9	Red Maple	6	25	<u> </u>
10	Ailanthus	10	15	<b>G</b>
11	Black Locut	19	25	M Dead limbs and stubs
12	Red Maple	11	135	Q.
13		8	23	0
14	Sugar Maple	19	30	<b>G</b>
707 A A 77	9.69		0-145	
BLOCK	141	0	- 0"	0
15	Norway Maple	8	<b>0-</b> 25	G C
16		7	23 355	<b>G</b>
17	Sugar Maple	11	<b>1</b> 55	G
18		5	<b>33</b>	•
19 20	American Elm	6 9	30 33	Ğ
21		4	33 25	M Stunted by vines
22		8	25 28	G
22		O	20	•
BLOCK	142			
23	American Ilm	5		G
24		6	23	Ğ.
25		6	30	G
26		4	18	G
27	<b>1</b>	6	25	G
28		_	20	•
29		9 7 8 8	25 18	<b>Q</b>
30	Chinese Ilm	8	18	<b>G</b>
31	American Elm		25	<b>G</b>
32		7	25 25 25 25	G
33		14	25	<b>G</b>
34		14	25	G
35	<b># #</b>	7	30	<b>G</b>
36	# #	15	23	G
			<b>c-</b> 23	
BLOCK	37			_
37	Sugar Maple	25	<b>0</b> –30	G.
38	Silver Maple	6	25	<b>G</b>
39	Sugar Maple	22	35	G W Don't Market and decorate Assumb
41	* *	21	30	M Dead limbs and decayed trunk
42	<b>"</b>	18	90	<b>G</b>

19th Street, N. W.

Tree No.	Species	DBM inches	Spacing	Tree Condition - Remarks
43 44 45 46 47 48 49 50 51 52	Sugar Maple	23 12 8 1 13 13 12 13 14 18	40 100 18 43 40 23 170 28 30 55 6-20	& G G G G G G G G G G G G G G G G G G G
20th S	treet, N. W.			December 5. 1951
BLOCK  1 2 BLOCK	143 Sugar Maple	14 12	35 <b>c-</b> 30	G G
3 4 5 6 7 8	Silver Maple  Sugar Maple  Silver Maple  Red Maple  Silver Maple	12 14 7 18 20 21	c-20 25 25 30 30 25 c-15	G G G G
9	Apple tree	6	<b>c-</b> 80 <b>c-</b> 95	P Deformed and wild
14th S	treet, N. W.			December 6, 1951
1 2 3 4 5 6 7	28 Silver Maple  " " Silver Maple  " " Sugar Maple  " "	5 8 5 18 10 9 6	25 23 20 20 25 25 <b>c-2</b> 80	P Girdled P W P W M Trunk decay P Leaning with decayed trunk G

## 21st Street, N. W.

December 2, 1951

Tree No.	Species	DBE inches	Spacing	Tree Condition - Remarks
BLOCK	60			
1	Shingle Oak	3	<b>c-</b> 20	G
2	Silver Maple	26	35	G
<u>3</u>	White Ash	6	20	Ğ
4	Silver Maple	46	35	<b>G</b>
	American Elm	15	50	Ğ.
5 6	Silver Maple	24	50	<b>G</b>
7	H H	31	28	<b>G</b>
8			120	N Bark injury
9		3	20	N u u
10	Norway Maple	2	30	G
11	# #	3 2 7 2 2	23	<b>G</b>
12		2	33	G
13		2	23	G-
14	American Elm	4	120	G
15		6	30	<b>G</b>
16	Ailanthus	3 4	65	<b>G</b>
17	Red Maple		25	G
18	American Elm	9	20	Ģ
19	Red Maple	6	12	<u>G</u>
20	American Elm	14	12	<u> </u>
21	Pussy Villow	5 2	15	G
22	Silver Maple	2	10	G.
23	Pussy Willow	3	15	G
24	Silver Maple	2	10	G
BLOCK	59			
25	Pin Oak	4		<b>G</b>
26	Rock Elm	Š	2	G.
27	Silver Maple	í	210	G
28	Red Maple	1	65	<b>G</b>
29	, <b>M</b>	16	70	· <b>3</b>
30	` B B	20	23	3
31	Sugar Maple	6	50	G
32	Red Maple		58	<b>G</b>
33	Sugar Maple	5 5 5	28	G
34	Silver Maple	5	35	<b>G</b>
-	_		<b>0-3</b> 0	

. . .

9

• • •

•

•

## 21st Street, N. W.

December 2, 1951

Tree No.	Species	DBE inches	Spacing	Tree Condition - Remarks
BLOCK	60			
1	Shingle Oak	3	<b>c-</b> 20	<b>G</b>
2	Silver Maple	26	35	G
	White Ash	6	20	Ġ.
3 4	Silver Maple	46	35	G.
	American Elm	15	50	G
6	Silver Maple	24	50	G.
5 6 7 8	H H	31	28	G
8			120	M Bark injury
9		3	20	M u u
10	Norway Maple	2	30	G-
11	W W	7	23	G.
12		2	33	G
13		3 2 7 2 2 4	23	G-
14	American Elm	4	120	G
15		6	30	<b>G</b>
16	Ailanthus	3 4	65	G
17	Red Maple	4	25	<b>G</b>
18	American Elm	9 6	20	<u> </u>
19	Red Maple		12	<u> </u>
20	American Ilm	14	12	<u> G</u>
21	Pussy Willow	<b>5</b> 2	15	G.
22	Silver Maple	2	10	G.
23	Pussy Willow	3 2	15	G
24	Silver Maple	2	10	G
BLOCK	59			
25	Pin Oak	4		<b>G</b>
26	Rock Elm	5	2	G
27	Silver Maple	ĺ	210	G
28	Red Maple	1	65	G-
29	, <b>n</b>	16	70	· <b>3</b>
30		20	23	<b>3</b>
31	Sugar Maple	6	50	G
32	Red Maple	5	<i>5</i> 8	G
33	Sugar Maple	5 5 5	<b>2</b> 8	G
34	Silver Maple	5	35	G
			<b>∽</b> 30	

De la companya de la

### REFERENCES CHAPTER IV.

1. Solotoroff, William, Shade Trees in Towns and Cities. New York J. Wiley and Sons, 1911, XVIII, 287 pp., Chapter 12 p. 248.

#### CHAPTER V

#### DATA ANALYSIS. OBSERVATIONS AND SUMMARY

Many interesting types of analysis can be made from the information collected in this tree census. Information such as the percent of maple growing along the streets, an estimated economic evaluation of the trees, physical condition of the trees, the number of undesirable species, and other facts become apparent through a close study of charts, graphs and tables which are presented in the following pages.

Included also are interpretations and/or descriptions of tree spacing, species distribution, tree condition, and tree size distribution. Much of this information is broken down from summaries of the city as a whole to individual sections. All were compiled from the tree census data found in Chapter IV.

#### DATA ANALYSIS

Tree spacing. The spacing arrangement follows a pattern of extremes, being either of a high or a low density. Where streets are densely planted the trees are usually from 15 to 25 feet apart. Such overcrowding appears chiefly on older residential streets. Whereas more recently developed residential areas of the past fifty years are very sparse in planting, with distances of from 60 to 160 feet between trees.

 $\mathbf{c}$ 

•

A random spacing sample was made in the northeast section of the city. There were 600 trees in the sample which is about 20 percent of the total number of trees in this section. The method used in obtaining this sample was by tallying every fifth data sheet of that section and deleting all trees over 100 feet spacing.

600

Number of trees deleted for spacing greater than 100 feet,	27
Adjusted tree sample used,	573
Combined total of spacing distances,	16,304 feet
Average spacing,	28 feet
Actual spacing of trees in adjusted sam	ple
Trees with spacing over 29 feet,	211 or 37%
Trees with spacing under 29 feet.	362 <b>or</b> 63%
Total	. 573 100%

Number of trees sampled,

A spacing average of 28 feet is much too close for trees such as maple and elm which make up over 89 percent of the trees in the northeast section of the city. It should be pointed out that of the 573 tree adjusted sample, 63 percent had actual spacings of less than the 28 feet average obtained by the sample.

Tree species. Only two tree families make up over 86 percent of the total number of trees found in Massillon. They are maple and elm Figure 3, page 221. Extremes of this kind where only two families make up most of the city tree population invite disaster and should be guarded against. Such a few number of families indicates the need for more diversified species planting programs.

TABLE I
TREE SPECIES DISTRIBUTION OF MASSILLON, OHIO

Species Name	Number of Trees
Silver Maple	1,992
Red Maple	1,276
Sugar Maple	800
American Elm	693
Norway Maple	494
Catalpa	290
Box Elder	103
Sycamore	94
Carolina Poplar	77
Chinese Elm	76
Slippery Elm	66
<b>A</b> sh	60
Horse-Chestnut	54
Basswood	48
Sycamore Maple	29
Fruit trees	25
Mountain Ash	24
Tulip Poplar	24
English Elm	24
Pin Oak	22
Ailanthus	19

TABLE I (continued)

TREE SPECIES DISTRIBUTION OF MASSILION, OHIO

pecies ame	Number of Trees
Oak (Var.)	
Buckeye	15
Black Locust	12
Lombardy Poplar	12
Miscellaneous Species	71
<del>-</del> .	Total 6.408


Species included under miscellaneous are Dogwood, Black Walnut,
Paper Birch, Hophornbeam,, Pussy Willow, Beech, Ginkoo, Wild Cherry,
Bigtooth Aspen, White Spruce, Japanese Chestnut, Sassafras, Red Alder,
Honey Locust, Juniper, Arbovitae, and Black Cherry.

The varieties included under Oaks are, Pin Oak, Shingle Oak, White Oak, Red Oak, Burr Oak and Black Oak.

FIGURE 3

TREE SPECIES DISTRIBUTION FOR MASSILLON, OHIO

(Based on a total of 6,408 trees)



•

4

•

TABLE II
TREE SPECIES DISTRIBUTION

NORTHEAST SECTION

Sp <b>ecies</b> Nam <b>e</b>					==	==			==							1	Number of trees
Silver Maple .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1,054
Red Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	862
Sugar Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	317
American Elm .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	282
Norway Maple .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	269
Sycamore	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	69
Chinese Elm	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	47
Carolina Poplar	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	26
Horse-Chestnut	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	25
Ash	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	23
Basswood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	21
Slippery Elm .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	21
Mountain Ash .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	21
Catalpa	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	20
Oak	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	18
Miscellaneous	•	•	•	•				•	•	•		•	•		•	•	71

Total 3,146

(Species included under miscellaneous are: Birch, Tulip
Poplar, Red Alder, French Pussy Willow, Black Locust,
Fruit, Ginkoo, Ailanthus, Sassafras, White Spruce, Black
Walnut, Bigtooth Aspen, and Sycamore Maple)

TABLE III


TREE SPECIES DISTRIBUTION

SOUTHEAST SECTION

Species Name		_		_			_										umber of trees
Silver Maple .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	315
Red Maple	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	222
Sugar Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	185
American Elm .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	183
Norway Maple .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	95
Box Elder	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	45
Carolina Poplar	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	35
Slippery Elm .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	33
Catalpa	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	25
Basswood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	16
Pin Oak	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	14
Miscellaneous .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	105

(Species included under miscellaneous are: Sycamore,
Buckeye, Horse-Chestnut, Dogwood, Ailanthus, Sycamore
Maple, White Ash, Lombardy Poplar, Fruit, Chinese Elm,
Black Walnut, Tulip Poplar, Mountain Ash, Birch,
Hophorn Beam, Black Locust, Ginkoo and Beech.)

FIGURE 4
SPECIES DISTRIBUTION BY SECTIONS



Southeast Section (Total of 1,273 trees)




TABLE IV

TREE SPECIES DISTRIBUTION

SOUTHWEST SECTION

Species Name	Number of trees
Silver Maple	480
Catalpa	239
Sugar Maple	188
Red Maple	125
Norway Maple	104
American Elm	89
Box Elder	19
Ash	18
Sycamore Maple	15
Carolina Poplar	15
Miscellaneous	64


(Species included under miscellaneous are: Chinese Elm, Slippery Elm, Honey Locust, Birch, Basswood, Hosee-Chestnut, Buckeye, Sycamore, Dogwood, Ailanthus, Pfitzer Juniper, Fruit, Black Walnut and Sassafras.)

TABLE V
TREE SPECIES DISTRIBUTION
NORTHWEST SECTION

Species Name																	N	umber of trees
Silver Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	143
American Elm	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	139
Sugar Maple .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	110
Red Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	67
Box Elder	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	30
Norway Maple	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	26
English Elm .	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	22
Horse-Chestnut	;	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	12
Miscellaneous	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	86
													Te	o ta	al		-	635

(Species included under miscellaneous are: Catalpa, Slippery Elm, Ailanthus, Basswood, Sycamore, Ash, Sycamore Maple, Fruit, Hophorn Beam, Mountain Ash, Black Walnut, White Oak, Buckeye, Birch, Poplar, Chinese Elm, Arbovitae, Red Cedar, Black Cherry, Tulip Poplar and Pin Oak.)

FIGURE 5
SPECIES DISTRIBUTION BY SECTIONS



Northwest Section (Total of 635 trees)




TABLE VI
SUMMARY OF TREE SPECIES WITH REGARD TO STREET TREE VALUE


st desirable Species										_			Nu	mber of trees
Red Maple .			•	•	•		•	•	•	•	•	•	•	1,276
Norway Maple	• •		•	•	•		•	•	•	•	•	•	•	494
Sugar Maple	• •	• •	•	•	•		•	•	•	•	•	•	•	800
Sycamore .	• •	• •	•	•	•		•	•	•	•	•	•	•	94
Basswood		• •	•	•	• .		•	•	•	•	•	•	•	48
Mountain Ash	•	• •	•	•	•		•	•	•	•	•	•	•	24
Tulip Poplar	• •	• •	•	•	•		•	•	•	•	•	•	•	24
Oaks	• •	• •	•	•	•		•	•	•	•	•	•	•	40
Ginkgo	• •	• •	•	•	•		•	•	•	•	•	•	•	5
Black Locust	• •	• •	•	•	•		•	•	•	•	•	•	•	13
Red Alder .	• •	• •	•	•	•		•	•	•	•	•	•	•	3
										To	t t	a <b>l</b>		2,821
sirable Spec	ies													
American Elm	• •	• •	•	•	•	• •	•	•	•	•	•	•	•	693
Slippery Elm	• •	• •	•	•	•	• •	•	•	•	•	•	•	•	66
English Elm			•	•	•		•	•	•	•	•	•	•	24
Ash	• •	• •	•	•	•		•	•	•	•	•	•	•	60
Horse-chestn	ut.	• •	•	•	•		•	•	•	•	•	•	•	59
Buckeye	• •		•	•	•		•	•	•	•	•	•	•	15
Paper Birch	• •	• •	•	•	•	• •	•	•	•	•	•	•	•	5
Dogwood		• •	•	•	•		•	•	•	•	•	•	•	2
										T	t	al		919

TABLE VI (continued)

SUMMARY OF TREE SPECIES WITH REGARD TO STREET TREE VALUE

Undesirable Species		Number of trees
Silver Maple	•	1,992
Catalpa	•	290
Box Elder	•	103
Carolina Poplar	•	77
Chinese Elm	•	76
Sycamore Maple	•	29
Fruit Trees	•	25
Ailanthus	•	19
Lombardy Poplar	•	12
Total		2,623

FIGURE 6
STPEET TREE SPECIES DESIRABILITY
(Based on 6,408 trees)



Undesirable species 2,625

Desirable species 5,785

TABLE VII

MAJOR SPECIES DISTRIBUTION

Species name	Number of trees	Percent
Silver Maple	1,992	31%
Red Maple	1,276	20%
Elm	859	13%
Sugar Maple	800	12%
Norway Maple	494	8%
Miscellaneous species	987	16%
Total	6,408	100%

The listing of trees classified as miscellaneous species includes all species named in the detailed classification contained in Table I on page All tables and graphs here after will refer to Table VII with its six principal divisions of species, silver maple, red maple, elm, sugar maple, norway maple and miscelaneous species.

TABLE VIII DISTRIBUTION OF TREE SIZES

pectes Name	of g	# - 6#	- ".2	7" - 12"	13	13"-18"	19	19 11-241	25	25"-over
ilver Maple	417	21%	396	20%	623	31%	383	19%	173	86
led Maple	120	8	464	34%	909	404	187	15%	8	83
llm.	138	16%	202	23.5%	9472	28.5%	143	178	130	15%
ugar Maple	165	20.5%	289	36%	782	35.5%	\$	**	13	1.5%
forway Maple	105	21%	170	34.5%	180	36.5%	35	2	~	1%
iscellaneous pecies	211	27%	185	24%	500	25.5%	112	14.5%	77.	8
otals	1156	1156 18%	9291	1676 27%   2039	2039	33%	908 15%	15%	424	28

- 1 : . t : . 

.

TABLE IX
CONDITION OF SPECIES

Species name	Good	* ************************************	Mediu	n	Poor	
Silver Maple	1,746	87.6%	195	9,8%	51	2.6%
Red Maple	1,049	82.2%	196	15.4%	31	2.4%
Sugar Maple	687	85.9%	93	11.6%	20	2.5%
Norway Maple	452	91.5%	37	7.5%	5	1.0%
Flm	<b>7</b> 08	82.9%	135	15.7%	16	1.9%
Catalpa	211	72.8%	73	25.2%	6	2.0%
Miscellaneous species	572	84,9%	93	13.3%	32	1.8%
Totals	5,425	85.0%	822	12.6%	161	2.4%

Classification of the terms used for condition.

Good Tree in full vigor with no immediate signs of decline apparent.

Medium Tree beginning to decline, but can be restored to vigor by proper care.

Poor Tree is dead or in such a state of decline that it could not be restored.

## **OBSERVATIONS**

Silver maple. Throughout the city silver maple is the most abundant single species and is a problem in a number of respects. It is one of the most undesirable species for growth in cities because of its weak wood, drain clogging roots, poor shade quality and its untidy and sprawling growth habit. The trees weak and high sprawling nature has led to other disadvantages, since people fear this quality as soon as the tree reaches a medium size they attempt to cut the tree back to a much reduced limit. In doing this, stubbing back of many or all large limbs takes place leaving a butchered tree which usually then produces masses of new sprouts. This stubbing back to large limbs not only leaves unsightly stubs, but also large wounds that are never able to heal over and are open avenues to disease and insect infection.

Such drastic heading back practices on silver maple have become an accepted practice and if it were limited to this species it would be damaging enough, but it is also being used on other species such as elm and sugar maple. These other species do not have the ability to withstand such treatment without severe damage.

Policy and standards. Utility companies and other companies engaged in shade tree trimming are quick to use the saw in removing large portions of tree top and large main limbs, thus destroying or mutilating many beautiful shade trees. Such practices are totally unnecessary and when tree trimming policies and standards are set up and enforced by the city government, such practices soon end. Closer co-operation between the private tree trimming agencies and utility companies with good city tree trimming ordinances create more beautiful trees, streets and cities.

Dutch Elm Disease. A tree which has become a problem of great importance in Massillon is the elm tree. Many large and beautiful elms are found throughout the city. There are about 760 elm trees or 13 percent of the total tree population. Today this tree hangs in the balance in Massillon as well as in many other cities due to the danger of Dutch Elm Disease that has become a constant menace. This disease need not destroy one of the most beautiful street tree species, since with proper control measures it can be kept within the close limits. Certain eastern cities where Dutch Elm Disease damage has been great have been able to keep many of their elms through protective programs of spraying, removal and sanitation programs. An analysis of the tree census data of Massillon points out that over 20 percent of all elm trees have avenues for infection in the form of stubs, dead limbs and dead trees open to Dutch Elm Disease. Here is a potential danger that should be considered and protected against if there is a desire for some reasonable assurance of having these trees continue to grace the avenues of Massillon.

## SUMMARY

Massillon does need some form of shade tree management to insure a future of shade and beauty on her streets and avenues. The present street tree situation is typical of many cities where no definite tree program has been established.

Undesirable tree species make up over 41 percent of the total number of city street trees. Over 15 percent of the entire tree pop-

•

•

•

population is in some stage of decline. Tree spacing is much too close for large tree species found along city streets. Also there is a definite threat of destruction by Dutch Elm Disease to the elm tree which makes up over 13 percent of Massillons street trees.

Until some method of control and care can be provided there seems little chance that there can be any expected improvement of the present situation. Rather there is a definite possibility of still poorer conditions, since certain sections of the city streets are now heavily planted with mature and over mature shade trees. These are already beginning to decline and succumb to diseases and insects.

entre de la companya Para por la companya de la companya

## CHAPTER VI

## CONCLUSIONS

The need for a shade tree census to determine the actual number and condition of the city street trees was apparent to the writer when he decided to make this study. Without such detailed information it would not be possible to obtain a clear and accurate picture of the over all street tree situation. Upon completion of this study certain definite conclusions have been reached concerning this situation. Being well aware of the limiting circumstances which control any civic actions the city may be able to take, the writer makes the following recommendations:

- A definite program of street tree control and maintenance is desirable.
  - a. Such a program might be carried out by an organized city forestry department or by the contracted services of private shade tree companies.
  - b. There should be a system of control of new street tree planting thereby curtailing planting of any undesirable species. Such planting could be regulated by the use of planting permits strictly enforced.
  - c. An active program should be carried out which would bring about the removal of undesirable species.
- 2. A more diversified tree species planting program should be set up with appropriate species and planting distances planned in accord-

ance with individual planting strip conditions and the use of the street.

- a. Use should be made of small upright tree forms on narrow planting strips and streets.
- b. There should be removal of declining trees in extremely close spacing arrangements, spacing should be at least 35 to 45 feet for most tree species. Such a removal program would greatly reduce the number of undesirable tree species found on the streets today.
- 3. A program should be planned for the continued use and protection against Dutch Elm Disease in the elm tree population which makes up more than 13 percent of the street trees of the city.
  - a. A protection program should be set up to detect symptoms of the Dutch Elm Disease.
  - b. A sanitation program should be arranged for the removal and trimming of all elms in medium and poor condition as a protection against the Dutch Elm Disease.
  - c. A replacement program should be provided to replace these elms which are removed.
  - d. Continued use in new planting of the elm on city streets, since it is one of the finest city shade trees.
- 4. Shade tree trimming by utility and private shade tree companies should be more carefully regulated.
  - a. Standards of tree trimming practices should be set up and enforced by the city concerning every street tree.
  - b. An education program of the public should be carried out for the furtherance of better shade tree practices as its

- goal. Such a program would strive to create in the public a more demanding adherence to good practices.
- c. The public should be educated in the matter of proper tree selection.
- 5. A tree planting program should be planned to assist property owners of recent and newly developed residential areas.
  - a. A species specification list should be made and adhered to in the development of new subdivisions within the city. Such a list would end the present practice of real estate interest which have planted large numbers of silver maple.
  - b. A consulting service might aid in more effective planting of many sections of the city that are thinly planted.

APPENDIX

# APPENDIX A INDEX OF STREETS IN TREE CENSUS DATA

Northeast Page Section Number
Amherst Road
Andrew Avenue
Bennington Avenue
Cherry Road 45
Chestnut Avenue
Commonwealth Avenue
Coventry Road 53
Delaware Avenue
Dexter Road
Erie Street North 41
Ertle Avenue
Federal Avenue 54
Franklin Avenue
Harvard Avenue
Hawthorne Avenue
Jefferson Avenue
Korman Avenue
Lennox Avenue
Lincoln Way East
Lindberg Avenue
Matthias Avenue 81

Northeast Section	Page Number
	31 44.1 003
Milburn Road	117
Milton Avenue	117
North Avenue	60
Ohio Avenue	65
Oxford Avenue	66
Parkview Avenue	67
Phillips Road	69
Providence Road	71
Rodman Avenue	64
Seneca Avenue	74
Sheffield Avenue	41
State Avenue	76
Thorne Avenue	• • • 57
Wales Road	82
Williams Avenue	48
Willow Avenue	96
Windsor Road	101
1st Street	87
2nd Street	99, 102
3rd Street	95, 97
4th Street	92
5th Street	103
6th Street	104, 105
7th Street	104, 106

Northeast Section	Page Number
8th Street	107
9th Street	106
10th Street	52
11th Street	112
16th Street	116
17th Street	118
18th Street	70
Southeast Section	Page Number
Charles Avenue	138
Dwight Avenue	122
Edwin Street	123
Factory Avenue	154
Fay Street	134
Forest Avenue	159
Maple Avenue	123
Oak Avenue	126
Pearl Avenue	144
Penn Avenue	125
Pine Street	130
Shriver Avenue	134
South Avenue	131
Tremont Avenue	135
Walnut Road	137
Wallman Avenue	139

. • • • • • • • • • • • • • • • • 

Southeast Section		Page Number
Wetmore Avenue	•	154
Woodland Avenue		144
Young Street		145
1st Street	•	146
2nd Street		147
3rd Street	•	150
4th Street	•	154
5th Street		145
6th Street	•	156
10th Street	•	155
llth Street		122
13th Street	•	157
26th Street	•	159
Southwest Section		Page Number
Bernard Street	•	193
Borden Avenue	•	193
Byron Avenue		163
Erie Street South	•	161
Euclid Avenue		188
Green Street		164
McKinley Street	•	167
Overlook Avenue	•	168
Perry Avenue		185

Southwest	Page
Section	Number
Pike Avenue	175
Spruce Street	170
Taylor Street	187
Tremont Avenue	171
Walnut Road	179
Warren Avenue	176
lst Street	180
5th Street	177
6th Street	181
7th Street	166
8th Street	186
9th Street	189
llth Street	191
12th Street	194
13th Street	176
15th Street	192
17th Street	195
Northwest Section	Page Number
	202
Auburn Avenue	209
Cherry Road	204
Cliff Street	205
Lincoln Way West	201
Main Street West	197

المواري والمرازي والمرازي والمرازي المماري والمرازي والمرازي والمرازي والمرازي والمرازي والمرازي والمرازي والمرازي 

Northwest Section	Page Number
Water Avenue	 207
Woodruff Avenue	 210
6th Street	 206
12th Street	 207
14th Street	 214
15th Street	 208
17th Street	 210
18th Street	 211
19th Street	 213
20th Street	 214
21st Street	 215
23rd Street	 212
25th Street	 206
26th Street	 212

# APPENDIX B

## LATIN AND COMMON NAMES

A reference list of tree species referred to in the census.

Acer negundo Box Elder

Acer platanoides Norway Maple

Acer Pseudoplantanus Sycamore Maple

Acer rubrum Red Maple

Acer saccharinum Silver Maple, White Maple

Acer sacharum Sugar Maple

Aesculus glabra Buckeye

Aesculus hippocastanum Horsechestnut

Ailanthus altissima Ailanthus, Tree of Heaven

Alnus rubra Red Alder

Betula papyrifern Paper Birch

Catalpa speciosa Catalpa

Cornus florida Dogwood

Tagus grandiflora Beech

Fraxinus americana White Ash

Fraxinus pennsylvanica Red Ash

Fraxinus pennsylvanica lanceolata Green Ash

Ginkgo biloba Ginkgo

Gleditsia triacanthos Honeylocust

Juglans nigra Black Walnut

Juniperus virginiana Juniper, Red Cedar

Liriodendron tulipifera Tulip Poplar

# APPENDIX B (continued)

# LATIN AND COMMON NAMES

Ostrya virginiana

Picea glanca

Platanus occidentalis

Populus deltoides

Populus grandidentata

Populus nigra italica

Prunus serotina

Prunus virginiana

Quercus alba

Quercus borealis

Quercus imbricaria 9

Quercus macrocarpa

Quercus palustris

Quercus velutina

Robinia pseudoacacia

Sassafras albidum

Sorbus americana

Thuja occidentalis

Tilia americana

Ulmus americana

Ulmus fulva

Ulmus parvifolia

Ulmus campestris

Hophornbeam

White Spruce

Sycamore

Cottonwood, Carolina Poplar

Bigtooth Aspen

Lombardy Poplar

Black Cherry

Chokecherry

White Oak

Red Oak

Shingle Oak

Bur Oak

Pin Oak

Black Oak

Black Locust

Sassafras

Mountain Ash

Arborvitae

Basswood, American Linden

American Elm

Slippery Elm

Chinese Elm

English Elm

OIL HER OWN

MONTH OF ONLY

