

THE BULLETIN

of the

UNITED STATES GOLF ASSOCIATION GREEN SECTION

PUBLISHED BY THE GREEN COMMITTEE OF THE U. S. GOLF ASSOCIATION
AT ROOM 7207, BLDG. F, 7TH AND B STS. N. W., WASHINGTON, D. C.

Entered as second-class matter April 21, 1926, at the post office at Washington, D. C., under Act of March 3, 1879.
EDITORIAL OFFICES: P. O. BOX 313, PENNSYLVANIA AVENUE STATION, WASHINGTON, D. C.

WASHINGTON, D. C., JANUARY 1927 (SUPPLEMENT)

Index to Volume VI (1926)

- Acid lead arsenate as a grub poison, 36
Acidity of soil:
 affected by use of water of high lime content, 206
 production of before planting, 207
 testing for degree of, 79
Acid phosphate, 239
Algonquin, Golf Club, brown-patch at, 261
Alluvial soil, value and use of, 166
American golf courses, most prevalent defect in, 259
Ammonium chlorid, 58, 75
Ammonium nitrate, 237
Ammo-Phos (see *Ammonium phosphate*).
Ammonium phosphate, grades, results from using, rate of application, 238
Ammonium sulfate:
 affected by use of water of high lime content, 206
 applied during growing season, 227
 applying in hot weather, 182
 composition of, and use of, for topdressing turf, 237
 compost ingredient, 48, 70, 99, 166, 178, 181, 246
 experiments with, at Purdue University, 163
 fairway fertilizer, rate of application, 16
 manure decomposed with, 74
 mixing in compost before using, 99
 mixing in soil before planting, 207
 on Bermuda greens, 65, 73, 81
 rate of application, mixed with compost, for putting greens, 49
 source and general description, 237
Animal charcoal, 146
Annual bluegrass (*Poa annua*), controlling, 17, 123
Annual meeting:
 of Green Section, 40
 of U. S. G. A. and Green Section, 251
Annual report of Green Section chairman for 1925, 31
Ants, controlling, 185
Architecture:
 artistic bunkers, 2
 at C. C. of Atlantic City, 214
 Links, The (book on), 260
 of tees, 7
 plan of hole, 232
 slope of greens, 39
 use of sand, 10
Arsenate of lead as a grub poison, 35
Atlantic City County Club, reconstruction of, 214
Baking soil to control brown-patch, 160
 kill weed seeds, 5
Baltusrol Golf Club, brown-patch experience, 263
Basic slag, 239
Beach grass, 147
Beetle (see *Japanese beetle*; *June beetle*).
Bent Grass (see also *Putting greens and Vegetative planting*).
 Colonial, 111, 143
 creeping:
 compared with velvet bent, 166
 discing into established turf, 170
 fluffy condition, 145
 in Virginia and North Carolina, 190
 Metropolitan and Washington strains, 145
 proliferations in, 267
 texture of old turf, 75
 effect of lime on, 2
 fairways, poorly drained, 167
 fescue in, 165
 for sandy soil, 207
 general description of the bent grasses, 111
 German mixed, 50, 111
 range of adaptation of the bent grasses, 243
 Rhode Island, 111, 143
 seaside, for salty soil, 51, 147
 velvet, 111, 166
Bermuda grass (see also *Putting greens*)
 fairways, thickening, 118
 fertilizing, 64, 73, 80
 liming, 64, 80
 range of adaptation, 243
 seeding rate for fairways, 17, 73
 seeding rate for putting greens, 65, 73
Bichlorid of mercury (see *corrosive sublimate*)
Bird-grass (see *Poa trivialis*)
Birds of the golf course:
 Flicker, 200
 Killdeer, 116

- Kingbird, 258
Robin, 162
Blue grass:
 Annual (*Poa annua*), 17, 123
 Canada: for rough, 165, 267
 general description, 109
 seeding with sheep's fescue, 110
 Kentucky: as putting green turf, 18, 99
 general description, 108
 range of adaptation, 243
 seeding rates, 16, 50, 109, 167
 rough-stalked (*Poa trivialis*): as shade
 grass, 266
 general description, 110
 in greens, 187
Blue lyme-grass, 267
Bone meal:
 experiments with, at Purdue University, 163
 on fairways, 48, 165, 239
 putting greens, 19
 rate of application, 49, 163, 165, 239
Bordeaux mixture, 142, 225
Brown-patch:
 controlling with calomel, 221, 265
 controlling with corrosive sublimate, 151, 221,
 263, 265
 experiments during 1926 in control of, at
 Arlington Turf Garden, 221, 261
 mushroom soil in relationship to, 119
 nature and control of, 127-142
 sterilized compost for control of, 166
 treating diseased area only, 264
 winter, in South, 34
Buffalo grass, propagation of, 206
Bunkers:
 artistic, 2, 10
 care of, 234
 weed extermination in, 246
Burned lime (see lime)
Buxton, Mr. Cameron B., 230

Calcium:
 an essential element, 234
 arsenate in mole-cricket control, 197
 carbonate (see lime)
 cyanide in mole-cricket control, 197
 hydroxid (see lime)
 nitrate, 238
 oxid (see lime)
 sulfate, 242
Calomel for control of brown-patch, 221, 222
 advantages and rate of application, 223, 224,
 265
Canada bluegrass: (see Bluegrass)
Canal Zone, golf courses, 83
Carbon, an essential element, 234
Carbon disulfid:
 ant control, 185
 grub-proofing turf, 35
 killing crawfish, 115
 mole-cricket control, 197
Carolina clover for southern fairways, 171
Carpet grass, range of adaptation, 243
Castor-bean pomace, composition of, 236

Cattle manure, 51
Changa, control of, 197
Charcoal:
 animal, as a fertilizer, 146
 as a topdressing, 4
Charlotte Country Club, greens at, 231
Chemicals (see also names of)
 in weed control, 98, 165
Chewings fescue, 112
Chickweed, controlling, 98
Chinch bug, controlling, 94
Clay soil:
 cinders and sand in lightening, 245
 moisture-holding capacity of, 196
 topdressing sandy soil with, 49, 207, 245
Clover:
 Carolina and Low Hop, for Southern fair-
 ways, 171
 stimulated by lime, 242
 white, for greens, 18, 99, 206
Colonial bent, 111, 143
Colonial Country Club, greens at, 80
Commercial fertilizers, 234
Compost:
 compared with mushroom soil, 147
 cotton motes in, 231
 handling and storing, 4, 47, 185, 186
 prepared in open, 185, 186
 rate of in topdressing greens, 49
 sterilized:
 by baking, 5
 by steaming, 202
 in brown-patch control, 166
 texture of, 67
 value, making, and use of, 49, 67, 165, 174
 weed seeds, destroyed in, 5, 202
 with ammonium sulfate, 48, 70, 99, 166, 178,
 181, 246
 with fungicides, 224, 225
Construction:
 at Country Club of Atlantic City, 214
 danger from using muck in, 97
 of ditches to prevent overwash, 182
 of greens, 50
 with sand and cinders on clay, 245
Copper:
 accumulation in soil, 225
 in brown-patch control, 142
Corona, 221
Corrosive sublimate:
 effect of, on soil, by continued use, 146
 in brown-patch control, 151, 221, 222
 keeping qualities of, in solution, 75
 killing earthworms with, 35, 58
 rate of application in brown-patch control,
 154, 221, 265
 season's experience with, 261
Cotton motes in compost, 231
Cottonseed meal:
 composition of, and rate of application, 165,
 236, 247
Country Club of Atlantic City, 214
Cow manure, composition and use of, 195
Crab-grass:
 checked by poisoned soil, 192

- controlling, 8, 160
- seeds of, in manure, 88
- silver, controlling, 4
- stimulated by lime, 242
- Crawfish, 115
- Creeping bent (see Bent grass)
- Cutting:
 - greens closely, 145
 - instructions to force, 233
- Cyanamid, 238

- Dallis grass, control, 123
- Danville Golf Club, thickening fairways at, 118
- Discing:
 - Bermuda fairways, 118
 - creeping bent into greens, 170
- Diseases (see brown-patch)
- Dissolved bone (see Superphosphates)
- District Green Sections:
 - growth of, 70
 - Piedmont, 170
 - relation of U. S. Golf Assn. Green Section to, 78, 115
 - St. Louis, 252
 - Twin City, 89
- Dried blood, 235

- Earthworms:
 - benefits of, to soil, 170
 - controlling by poisoning the turf, 34
 - with corrosive sublimate, 35, 58, 146
 - mowrah meal, 19
 - encouraged by rich soil, 16
- Elements essential to plant food, 234
- Europe, golf in, 210

- Fairways:
 - bare spots in, 8
 - coastal, treatment, 186
 - fertilizing, 16, 48, 165
 - grasses for (middle latitudes), 17, 187
 - (northern latitudes), 16, 49, 108, 207, 243
 - (southern latitudes), 73, 118, 171, 184, 244
 - improving (northern), 16
 - introducing new grasses into, 230
 - liming bluegrass, 73
 - low spots in, 44
 - range of adaptation for northern grasses, 243
 - range of adaptation for southern grasses, 244
 - rolling, 59
 - sandy, 49, 164, 207, 245
 - thickening Bermuda, 118
 - topdressing, 46, 207
 - wet places in (northern), grasses for, 167
- Farm manures, 193
- Fertilizers: (see various names: also Compost, Humus, Mushroom soil)
 - animal nitrogenous, 235
 - applied during growing season, 227
 - commercial, 234
 - experiments at Purdue University, 163
 - miscellaneous, 236
 - mixed, 184, 240
 - phosphatic, 239
 - vegetable nitrogenous, 236
- Fescue:
 - Chewings (*Red fescue*, which see)
 - crowded out by bent grass, 165
 - kinds and uses of, 112
 - meadow, as a grass for the rough, 167
 - range of adaptation, 243
 - red (see Red fescue)
 - reseeding greens, 74
 - sheep's:
 - compared with meadow, 167
 - for rough, 165
 - seeding rate, 113, 267
 - undesirability of, on greens, 47, 113, 187
- Fish fertilizers, 235
- Floats, 239
- Floranid (see Urea)
- Foreign golf associations, 122
- Fownes, William C., Jr., President of U. S. G. A., 30
- Foxtail, yellow, 106
- Fungicides (see various names)
- Fungous disease (see brown-patch)
- Furnace dust as a fertilizer, 187
- Furze, 14

- German mixed bent (see also Bent grass):
 - character and uses of, 111
 - seeding rate, 50
- Golf in Europe, 210
- Golf courses:
 - In America, most prevalent defect, 259
 - in South America and Canal Zone, 83
- Goose grass, controlling, 4
- Gorse, 14
- Government recognizes scientific and educational character of Green Section, 150
- Grama grass, propagating, 206
- Grasses: (see also various names)
 - for gravelly or rocky soil, 267
 - for Piedmont section, 184
 - for sandy fairways, 207
 - for semi-arid region, 206
 - important northern, 108
 - range of adaptation of, 243
 - salt resistant and sand binding, 51, 147
 - winter, on Bermuda greens, 64, 231
- Green Committee Chairman, choosing, 254
- Green fees, Federal tax on, 66
- Greenkeepers Assn. of Philadelphia, 59
- Greenkeeping:
 - change in routine, 95, 259
 - contributions to, 155
 - instructions to force, 233
- Greens (see Putting greens)
- Green Section:
 - consolidation of, with United States Golf Association, 250
 - contributions to, tax on, 66, 150
 - District, growth of, 70
 - list of member clubs, 21
 - meeting, annual, January, 1926, 40
 - meeting, annual, January, 1927, 251

- relation of U. S. Green Section to District green sections, 78, 115
- St. Louis District, 252
- scientific and educational character of recognized by the Government, 150
- Twin City, report on, 89
- Grubs:
 - June beetle, controlling, 15
 - poisoning soil in control of, 34, 191
 - rich soil in encouraging, 16
- Guano, use of, as fertilizer, 147, 236
- Gypsum (see calcium sulfate)
- "Harping on one string," 117
- Harrow, chain, value and use of, 74
- "Herbae Prati," 105
- Hermitage Country Club, creeping bent at, 190
- Hog manure, composition and use of, 196
- Horse manure:
 - composition and use of, 195
 - shavings in, 227
- Humus:
 - definition, 92
 - humus-producing materials and the making and use of compost, 174
 - moisture-holding capacity of, 196
 - peat or muck, 92, 176
 - sod, leaves, and mold, 177
- Hydrated lime (see lime)
- Hydraulics, golf course, for laymen, 126
- Hydrogen, an essential element, 234
- Insecticides, 34, 94, 197
- Insects, (see also various names), leaf-eating, controlling, 94
- Iron sulfate in weed control, 98, 185
- Italian rye-grass:
 - unsuitable for the rough, 227
 - uses of, and seeding rate, 114
 - winter greens seeded to, 64, 226, 231
- Japanese beetle, controlling by poisoning the soil, 34
- Jekyl Island Golf Club, experiments in mole-cricket control, 197
- June beetle:
 - controlling by poisoning the turf, 34
 - controlling with caddies, 15
- Kentucky bluegrass: (see Bluegrass)
- Kirtland Country Club, bent greens at, 45
- Kittansett Club, soil baking at, 5
- La Fayette Country Club, brown-patch experience, 261
- Land plaster (see calcium sulfate)
- Lead arsenate as a grub poison, 35
- Leaf mold, value and use of, 177
- Lime:
 - as a fertilizer, 163, 241
 - compounds of: benefits and injuries, 241, 242
 - encouraging moss, 207
 - in city water, 164, 206
 - on bent grass, 2
 - on Bermuda grass, 65
 - on Bluegrass fairways, 73, 109
- Linseed meal, 236
- Machinery:
 - care of, 233
 - heavy, effect of on soil, 18
 - weight of rollers, 59
- Magnesium, an essential element, 234
- Maintenance:
 - multiple tees, 7
 - staff, working instructions for, 233
- Manure:
 - artificially made, 178
 - barnyard, 175, 178
 - cow, composition and use of, 195
 - decomposing with ammonium sulfate, 74, 178
 - farm, composition and use of, 193
 - hog, composition and use of, 196
 - horse, composition and use of, 195
 - new, danger of, in introducing crab grass seeds, 88
 - poultry, 48, 163, 196
 - pulverized, 200
 - shavings in, 227
 - sheep, 48, 164, 178, 196
 - shredded, 51
 - stable, 48, 50, 51
 - straw in, 246
 - use of in layer discouraged in green construction, 50
- Maps showing range of adaptation of most important turf grasses, 243, 244
- Marram grass, 147
- Meadow fescue, compared with sheep's fescue, 167
- Mercuric compounds, 221
- Metropolitan strain of creeping bent, characteristics, 145
- Miami Valley Golf Club, steam-box at, 202
- Moisture-holding capacity of sand, clay, and humus, 196
- Mole-cricket, Porto Rican, control of, 197
- Mosquito menace, 120
- Moss:
 - encouraged by lime, 207
 - eradicating, 187, 207
 - peat, for putting greens, 246
- Mowing:
 - greens, closely, 145
 - instructions to force, 233
- Mowrah meal, rate of application, 19
- Muck, value and use of, 17, 92, 97, 163, 176
- Muriate of potash, 240
- Mushroom soil:
 - compared with compost, 147
 - nature of, 196
 - relationship of, to brown-patch, 119
 - use of, 49, 68, 196
- Native trees, shrubs, and flowers, for golf courses, 60

- New Orleans Country Club, winter greens at, 64
- Nicotine in insect control, 94
- Nitrate of soda, value and application of, 163, 237
- Nitrogen, an essential element, 234
- Northern turf grasses, 108
- Nursery: (see also Vegetative planting)
of more than one strain, 227
old, use of, 19, 207
- Oakley, Dr. R. A., in Europe, 118
- Paradichlorobenzene, in ant control, 185
- Peat and humus, 92, 97, 176
- Peat moss, 92, 246
- Perennial rye-grass, 114
- Phosphorous, an essential element, 234, 238
- Piedmont Green-Committeemen's Association, 170
Section of South, seeding golf courses in, 183
- Pine Valley Golf Club, treatment of sandy soil, 207
- Pipe, capacity of, 126
- Piper, Dr. Charles Vancouver, 54
- Plantain, control with chemicals, 185
- Plant food, essential elements, 234
- Poa annua*:
controlling, 17, 123
- Poa trivialis*:
limitations of, 187
uses of and seeding rate, 110, 266
- Poisons (see also various names):
in grub control, 34, 191
in mole cricket control, 197
- Porto Rican mole-cricket, control of, 197
- Potassium:
an essential element, 234, 240
carbonate, 240
nitrate, 240
sulfate, 240
- Poultry manure, 48, 163, 196
- Proliferations in turf, 267
- Purdue University, fertilizer experiments at, 163
- Putting greens:
comparative value of materials in topdressing, 67
desirable slope of, 39
- Northern:
building on clay, 75
converting to creeping bent, 170
fescue, reseeding, 74
fluffy, 145
rolling, 59; and topdressing, 146
sodding, 33, 74
- Southern:
at Charlotte C. C., 231
at Colonial C. C., 80
at New Orleans C. C., 64
building, 50
creeping bent in Va. and N. C., 190
rate of seeding, 73
winter grasses on, 64, 226, 231
- Putting surface (as distinct from turf surface), keeping true, 33, 59, 146
- Quick lime (see lime)
- Raw rock phosphate, 239
- Red fescue:
as a sand-binding and salt-resisting grass, 147
crowded out by bent grass, 165
reseeding, 74
uses of, 47, 112, 147
- Redtop:
for winter greens in the South, 226
putting turf from, 18, 99
range of adaptation, 243
seeding, 16, 110, 167
uses of, 110, 167
- Rhode Island bent (see Bent grass)
- Riverton Country Club, experiments at, in grub-proofing turf, 34, 191
- Rollers, weight of, 18, 59
- Rolling, 59, 146
- Rough:
grasses for (northern), 109, 113, 165, 167, 227, 267
improving where play from is too easy, 267
low spots in, 44
reducing vegetation in, 165
- Rough-stalked bluegrass, uses of and seeding rate, 110
- Rough-stalked meadow grass, uses of and seeding rate, 110
- Routine work, 95, 233
- Rules of golf, decisions on:
Ball:
against pin in hole, 220
dropping from water hazard, 46
in water hazard, 46
lie of, in bunker, 205
lifting, from wheel track, 93
lost, 205
lost, in ground under repair, 220
out of bounds, 107
outside match, playing, 161, 220
playing provisional, 182
removing mud from, 182
striking flag stick, 182
struck accidentally, 93
unplayable, 13, 46
bending fixed and growing object, 14
flag stick, removal of, 205
hole rim, resetting, 161
honor:
on bye hole, 63
won by low net score, 46
loose impediment, lifting, 63
odds in four-ball match, 107
parallel water hazard, 205
postponed match, 107
qualification with marker, 107
stance, restriction in taking, 93
tie in handicap match play, 205
touching line of putt, 63

- St. Louis District:
 brown-patch, experience in, 261
 Green Section, 252
- Salt:
 in beach sand, 167
 resistant grasses, 147, 186
- Salt grass, 186
- Salty conditions, grasses for, 51, 147, 186
- Sand:
 bunkers, artistic, 2
 grasses for (northern), 49, 147
 moisture-holding capacity of, 196
 natural use of in architecture, 10
 topdressing with, 68, 167, 231, 245
 wastes, 214
- Sandy soil:
 grasses for (northern), 49, 147, 207
 subsoil, fertilizers for and treatment of, 164
 treatment of, 49, 207, 245
- Scioto Country Club, 102
- Scum on soil, 187
- Seaside bent:
 as a sand-binding, salt-resisting grass, 51, 147
 seed of, 111
 value of, 111, 147
- Seeding:
 best time for, 51
 early summer, inadvisability of, 51
 golf courses in Piedmont section of South, 183
 late fall and winter, 226, 247
 of sandy soil for putting green and fairway turf, 49
 rate of, for Bermuda greens, 73
- Scepage, protecting greens from, 96
- Semesan:
 compared with other fungicides, 221, 261
 rate of application, 153
- Service Bureaus, growth of, 70
- Sewage disposal as a fertilizer, 18
 system for golf course, bulletin on, 8
- Shade grass, 266
- Shavings in manure, 227
- Sheep manure, 48, 163, 178, 196
- Sheep's fescue:
 compared with meadow fescue, 167
 for rough, 165
 seeding rate, 113, 267
- Shrubs, native, for golf courses, 60
- Silicon, sometimes a necessary element, 234
- Silver crab-grass, controlling, 4
- Simple and inexpensive outfits for testing soil acidity, 79
- Stunks, controlling, 11
- Sod:
 as compost ingredient, 177
 removing and replacing, 33
- Sodium, sometimes a necessary element, 234
- Sodium silicofluoride as a grub poison, 36
- Soil:
 acidifying before planting, 207
 acidity, testing of, by simple and inexpensive outfits, 79
 alluvial, value and use of, 166
 baking to kill weed seeds in, 5; to control brown-patch, 166
 clay, in building putting green, 75
 not benefited by earthworms, 170
 for topdressing, 260
 foundation for putting green, 50, 183
 grub-proofing, 34, 191
 moisture-holding capacity of various soils, 196
 poisoning in grub control, 34, 191
 preparation of, 183
 rich, encouraging to earthworms and grubs, 16
 salty, grasses for (northern), 51, 186
 sandy, grasses for (northern), 49, 207, 245
 treatment of, 49, 207
 steaming to kill weed seeds in, 202
- Soot as a fertilizer, 187
- South American golf courses, 83
- Soybean meal, composition of, 236
- Speedwell, thyme-leafed, controlling, 82
- Spring planting, disadvantage of, 147
- Stable manure, 48, 50, 51
- Standard practice, variation from, 259
- Steam-box for sterilizing soil, 202
- Stink-grass, as a putting green weed, 181
- Stolons of old growth, use of, 93, 207 (see also vegetative planting)
- Strains of creeping bent:
 Metropolitan, should not produce fluffy turf, 145
 Washington, should not produce fluffy turf, 145
- Straw, in manure, and composting with soil, 178, 246
- Stumps
 mounds made from, 163
 removing, 75
- Sulfate of ammonia (see Ammonium sulfate)
- Sulfate of potash, 240
- Sulfur, an essential element, 234
- Sulfuric acid in weed control, 185
- Summer:
 early, seeding, inadvisability of, 51
 planting, disadvantage of, 147
- Superphosphates:
 acid phosphate, 239
 dissolved bone, 239
- Swamp muck, its value and use, 97
- Swamp soil, value and use of, 17, 97, 176
- Swampy land, grasses for (northern), 167
- Sweepings, street, 178
- Tankage, 235
- Tax, Federal, on green fees, 66
 Green Section contributions, 150
- Tees, architecture and maintenance of, 7
- Thyme-leafed speedwell, controlling, 82
- Tile, laying in filled land, 72
- Topdressing:
 beach sand used as, 167
 continued effect of, 145
 fairways, 46

- materials used for, 67, 166, 174
- methods of, 67
- rate of application, 181
- sand used as, 245
- soil for, 260
- variation from usual rate, 259
- with charcoal, 4
- Tractor mower operators, 234
- Tractors, heavy, effect of on soil, 18
- Traps (see Bunkers)
- Trees:
 - coniferous, 204
 - native, 60
- Turf:
 - experiments at Purdue University, 163
 - fertilizing of, through October, 227
 - good putting, not made by use of fescue, 47
 - grub-proofing, 34
 - injury to, from chinch bug and other insects, 94
 - low spots in, lifting, 44
 - plots, experimental, near Washington, 58
 - thin, improving, 51, 96
 - winter-killed, improving, 48
- Twin City Green Section, 89
- United States Golf Association, 250
- Unslaked lime (see lime)
- Urea, 238
- Uspulun:
 - compared with other fungicides, 221, 261
 - rate of application, 153
- Vanderpool, Wynant D., ex-President of U. S. G. A., 30
- Vegetative planting:
 - clippings used in place of stolons, 45
 - disadvantage of spring and summer, 147
 - in winter, 247
 - nursery, 19, 227, 246
 - stolons:
 - not produced by R. I. bent, 74
 - of old growth, use of, 93, 207
- Velvet bent:
 - compared with creeping bent, 166
 - uses of, 111
- Velvet grass, controlling, 8
- Village planning, 242
- Washington strain of creeping bent, characteristics, 145
- Water supply, bulletin on, 2
- systems, 126, 187
- Weed killer, chemical, 98, 185
- Weeds:
 - chickweed, 98
 - crab-grass, 4, 8, 88, 160
 - Dallis grass, 123
 - extermination of, in traps and bunkers, 246
 - foxtail, 106
 - goose-grass, 4
 - mesquite, 8
 - plantain, 185
 - Poa annua*, 17, 123
 - silver crab-grass, 4
 - stimulated by lime, 242
 - stink-grass, 181
 - thyme-leaved speedwell, 82
 - velvet grass, 8
 - wire grass, 4
 - yard-grass, 4
 - yarrow, 44
 - yellow foxtail, 106
- Weed seeds:
 - avoidance of, in washing onto greens, 182
 - baking soil to kill, 5
 - creek water containing, 19
 - manure containing, 88
 - steaming soil to kill, 202
- Westover, Mr. H. L., appointment of, 233
- Whin, 14
- White clover:
 - as a fairway turf for sandy soil, 207
 - as a putting turf, 18, 99, 206
 - range of adaptation, 243
- Whitinsville Golf Club, brown-patch experience, 263
- Whitney, Mr. Howard F., 260
- Winter brown-patch in the South, 34
- greens in the South, 64, 226
- killed turf, improving, 48
- planting of bent stolons, 247
- sowing grass seed in, 226
- Wire grass, controlling, 4
- Wood ashes, 240
- Yard grass, controlling, 4
- Yarrow, uses for, and control of, 44
- Yellow foxtail, 106

- Behr, Max H.
 Birchett, Frederick W., Jr.
 Boggs, Arthur
- Boude, D. M.
 Burgess, J. L.
 Clapper, J. S.
- Cunningham, G. T.
 Fitts, O. B.
- Holland, C. G.
 Hood, Frederic C.
 Humphrey, H. S.
 Knuth, C. H. L.
 La Malta, T. L.
 Le Prince, J. A.
 Leach, B. R., and
 Lipp, J. W.
 McAtee, W. L.
- Metcalf, Maynard M.
- Monteith, John, Jr.
- Oakley, R. A.
- Oakley, R. A., and H. L.
 Westover
- Pfeffer, W. L.
 Pieters, A. J.
- Read, H. Kendall
- Ricker, P. L.
- Sargent, George
 Sherman, Sherrill
 Thomas, W. A.
- Thomas, W. G.
 Todd, J. N.
 Tregillus, C. A.
 Westover, H. L.
- The Natural Use of Sand, 10
 Calendar Chart of Winter Grasses on Bermuda Greens, 64
 How We Managed Our Creeping Bent Greens at Kirtland Country Club, 45
 A Steam Box for Killing Weed Seeds in Compost, 202
 Seeding Golf Courses in the Piedmont Section of the South, 183
 A Condensed Report on the Twin City Green Section Since It Was Organized and How It Has Functioned to Date, 89
 Routine Work, 95
 Comparative Values of Materials and Methods Commonly Used in Topdressing Putting Greens, 67
 Thickening Bermuda Fairways, 118
 Killing Weed Seeds in Loam by Baking, 5
 Removing and Replacing Sod, 33
 Working Instructions for the Maintenance Staff, 233
 Care of Bermuda Greens, 80
 The Mosquito Menace, 120
 A Method of Grub-Proofing Turf, 34
 The Experiment in Grub-Proofing Turf at Riverton, N. J., 191
 Birds of the Golf Course:
 The Killdeer, 116
 The Robin, 162
 The Flicker, 200
 The Kingbird, 258
 Golf Courses in South America and the Canal Zone, 83
 The Most Prevalent Defect in American Golf Courses, 259
 The Relation of Mushroom Soil to Brown-Patch, 119
 The Brown-Patch Disease of Turf: Its Nature and Control, 127
 Corrosive Sublimate as a Control for Brown-Patch, 151
 1926 Experiments on Brown-Patch Control, 221
 Observations on Brown-Patch Control in 1926, 261
 Annual Meeting of the Green Section, Chicago, January 8-9, 40
 Important Northern Golf Grasses, 108
 Contributions to Greenkeeping by the Trained Investigator, 155
 Some Observations on Golf, Golf Courses and Golf Turf Abroad (France, Italy, Switzerland, Germany, Holland), 210
 Humus-Producing Materials and the Making and Use of Compost, 174
 The St. Louis District Green Section, 252
 Carolina Clover and the Low Hop Clovers as Southern Fairway Plants, 171
 The Growth of the Service Bureaus, 70
 The Reconstruction of an Old Course, 214
 Native Trees, Shrubs, and Flowers for Golf Courses. Part II, Spring Planting, 60
 Scioto Country Club, 102
 Choosing a Green Committee Chairman, 254
 The Control of the Porto Rican Mole-Cricket, or Changa, on Golf Courses, 197
 All-The-Year-Around Greens, 231
 Golf Course Hydraulics for Laymen, 126
 Rhode Island Bent as a Putting Green Turf, 143
 Simple and Inexpensive Outfits for Testing Soil Acidity, 79
 Farm Manures, 193
 Commercial Fertilizers, 234