## INDEX FOR ALL ISSUES PRIOR TO 1937

## Lawn Care

Published five times each year by O. M. Scott & Sons Company, Marysville, Ohio.

Distributed free to lovers of beautiful turf.

| Vol.   | No.   | Page  | Vol                                 | No.   | Page |
|--|-------|-------|-------------------------------------|-------|------|
| Ammonium Sulphate, for moss II   | 2     | 1     | Buttercup, Creeping,                |       | 14   |
| For chickweed II   | 4     | 2     | description, control IV             | 2     | 1    |
| For heal-all III   | 5     | 4     |                                     |       |      |
| For knawel VI  | 2     | 2     | Calcium Arsenate, for               |       |      |
| For orchard grass VI   | 4     | 2     | cutworms IX                         | 2     | 4    |
| Home-made distributor VI   | 5     | 4     | Calcium Cyanide, for ants III       | 5     | 1    |
| Annual Bluegrass See Pe  | oa A  | nnua  | For moles IV                        |       | 2    |
| Ants, control methods III  | 5     | 1     | Carbolic Acid, for buckhorn II      |       | 1    |
| Extermination VII  | 4     | 3     | For dandelions VI                   |       |      |
| Fly spray IX   | 1     | 2     | For goose grass V                   | 5     | 3 2  |
| Gasoline V   | 4     | 4     | For knawel VI                       |       | 1    |
| Killing VI   | 5     | 3     | For plantain I                      | 1     | 4    |
| Sodium arsenate VII  | 3     | 4     | Carbon Bisulphide, for ants III     |       | 1    |
| Tartar Emetic IV   | 2     | 4     | For moles IV                        | 3     | 2    |
|  | 1     | 2     | Chickweed, description, control II  |       | 1    |
|  | 4     | 2     |                                     |       | 4    |
|  |       | 1     |                                     |       | 4    |
| Arsenate of Lead, for grubs II   | 3     |       | 6                                   | ,     | 4    |
| For earthworms III   | 3     | 2     | Chinch Bugs, description,           |       |      |
| For sod web-worms IV   | 5     | 4     | control                             |       | 1    |
| For sod web-worms  | 3     | 3     | Summer injury VIII                  |       | . 1  |
| For weeds I  | 2     | 3     |                                     | e Sea |      |
| Arsenic, for moles IV  | 3     | 2     | Citronella Grass, for mosquitoes II |       | 3    |
| Asphyxiation, for moles IV   | 3     | 2     | From Java II                        |       | 3    |
| The state of the s |       |       | What it is                          |       | 2    |
| Beetles, Japanese VIII   | 5     | 1     | Clover, White, description IX       |       | 1    |
| Bent Lawns, from stolons V   | 2     | 4     | In lawn mixtures VII                | 2     | 4    |
| Prize winners VIII   | 1     | 4     | Compost, for topdressing VI         | 1     | 2    |
| Black Medick See Trefo   | il, Y | ellow | Copper Sulphate, for                |       |      |
| Books about Lawns, The Lawn III  | 3     | 3     | toadstools VI                       | 1     | 3    |
| Lawns  | 3     | 4     | For shepherd's purse VI             | 4     | 2    |
| Bordeaux Mixture, for  |       |       | Corrosive Sublimate, for            |       |      |
| toadstools VI  | 5     | 3     | worms                               | 3     | 1    |
| For slime mold III   | 1     | 4     | Crabgrass, description, control I   | 2     | 1    |
| Brown Spots, causes and cures V  | 5     | 2     | Ammonium per sulphate IX            | 3     | 3    |
| Control of brown patch IV  | 4     | 2     | Chemical control VIII               |       | 5    |
| Control of brown patch VIII  | 4     | 2     | Cultural control VIII               |       | 4    |
| Control of leaf spot VIII  | 4     | 2     | Eliminating III                     |       | 2    |
| Control of pythium VIII  | 4     | 2     | Identification VIII                 |       | 1    |
| Spot blight VIII   | 4     | 2     | Kerosene torch IX                   |       | 4    |
|  | 4     | 3     | Mowing III                          |       | 4    |
|  | 5     | 1     | Mowing IV                           |       | 4    |
| Buckhorn, description, control II<br>Home-made killer VII  | 4     | 4     | Mowing V                            |       | 3    |
|  |       |       |                                     |       | 3    |
| Burlap, for terraces VI  | 4     | 2     | 2                                   |       | 3    |
| Effects of use VIII  | 4     | 4     | Smothering V                        | . 5   | 3    |
| When to remove IX  | 5     | 3     | Sodium chlorate IX                  | 2     | 3    |

|  | Vol.   | No.  | Page  |                                | Vol     | No          | Page     |
|--|--------|------|-------|--------------------------------|---------|-------------|----------|
| When to fight                                    | II     | 3    | 1     | In spring                      | V       | 1           | 3        |
| When to watch for                                | III    | 3    | 4     | In spring                      | VIII    | 1           | 3        |
| Crabgrass, Silver                                | See Go | nose | Grass | In summer                      | II      | 3           | 2        |
| Crowfoot Grass                                   | See Go |      |       | In summer                      | III     | 3           | 4        |
| Cutworms, control                                | VIII   | 5    | 1     | Spreaders                      | VI      | 2           | 2        |
| Calcium arsenate                                 | IX     | 2    | 4     | Trees                          | II      | 5           | 4        |
| Calcium arsenate                                 | 14.5   | -    |       | Trees                          | VIII    | 2           | 4,6      |
| Damping Off                                      | VIII   | 4    | 3     | Turf Builder                   | I       | 1           | 3        |
| Dandelions, description, con-                    |        | 1    | 2     | Turf Builder                   | II      | 4           | 3        |
| Carbolic acid                                    | VI     | 3    | 3     | Fly Spray, for ants            | IX      | 1           | 2        |
| Commercial killers                               | V      | 3    | 2     | Foxtail, description, control  | IX      | 5           | 1        |
| Commercial value                                 | VII    | 1    | 2     | 1 oxtan, description, control  | IA      | ,           | 1        |
| Commercial value                                 | VII    | 3    | 4     | Galingale, Yellow              | 0       | · C.        | 1        |
|  |        | 1    | 3     |                                | -       | Se          | U PROCES |
| Cutting roots                                    | VIII   |      |       | Gasoline, for ants             | V       | 4           | 4        |
| Effective weapons                                | VII    | 1    | 3     | For buckhorn                   | II      | 5           | 1        |
| Eliminating                                      | VI     | 4    | 4     | For dandelions                 | III     | 5           | 4        |
| Gasoline   | III    | 5    | 4     | For dandelions                 | V       | 2           | 3        |
| Gasoline   | V      | 2    | 3     | For dandelions                 | VI      | 4           | 3        |
| Gasoline   | VII    | 3    | 4     | For dandelions                 | VII     | 3           | 4        |
| Goats  | IX     | 2    | 3     | For knawel                     | VI      | 2           | 1        |
| Home-made killer                                 | VII    | 4    | 4     | Gill-over-the-Ground           | See Ivy | $\nu$ , $G$ | round    |
| Hypodermic                                       | VI     | 2    | 3     | Goose Grass, description,      |         |             |          |
| Iron sulphate                                    | II     | 2    | 2     | control                        | V       | 5           | 1        |
| Iron sulphate                                    | II     | 3    | 4     | Grasses, in Japan              | VI      | 4           | 3        |
| Iron sulphate                                    | III    | 2    | 3     | In Africa                      | III     | 2           | 3        |
| Iron sulphate                                    | IV     | 1    | 3     | Coarse                         | IV      | 3           | 4        |
| Iron sulphate                                    | IV     | 2    | 2     | Mixtures                       | I       | 1           | 2,3      |
| Iron sulphate                                    | IV     | 4    | 4     | Mixtures                       | II      | 2           | 3        |
| Kerosene   | V      | 1    | 3     | Mixtures                       | IV      | 2           | 3        |
| Lawn sand  | II     | 4    | 4     | Mixtures                       | VI      | 2           | 3        |
| Nitric acid                                      | VII    | 4    | 4     | Nurse crops                    | II      | 2           | 4        |
| Stabbing   | VII    | 2    | 3     | Grubs, proofing lawns          | II      | 3           | 1        |
| Vacuum cleaned                                   | VIII   | 1    | 3     | Lime                           | VII     | 1           | 4        |
| Diseases, brown patch                            | VIII   | 4    | 2     | }                              | -       |             |          |
| Damping off                                      | VIII   | 4    | 3     | Heal-all, description, control | III     | 4           | 1        |
| Leaf spot  | VIII   | 4    | 2     | Iron sulphate                  | IX      | 5           | 4        |
| Pythium  | VIII   | 4    | 2     | Sulphate of ammonia            | III     | 5           | 4        |
| Spot blight                                      | VIII   | 4    | 2     | Hellebore, for moles           | IV      | 5           | 2        |
|  | VIII   | 4    | 3     | Henbit, description, control   | IX      | 3           | 1        |
| Zonate eye spot<br>Distributors, for fertilizing |        | 2    | 2     | Herbæ Mira, a fake             | II      | 3           | 3        |
| Doorweed   | C K    |      | Grass | Hydrochloric Acid, for         |         | 5.          |          |
|  | VIII   |      |       | dandelions                     | VII     | 1           | 3        |
| Drainage, effect on lawns                        |        | 5    | 2     | Hypodermic Needle, for         | ATI     | T           | ,        |
| Drop Seed Grass                                  | See Ni | mble | W III | dandelions                     | VI      | 2           | 3        |
| Earthworms, control metho                        | de III | 3    | 1     | dandenons                      | V1      | 2           | ,        |
| Electrocution                                    | VI     | 1    | 3     | Iron Sulphate, use             | III     | 4           | 2        |
|  | VI     | 2    | 3     | Dissolving                     | V       | 1           | 4        |
| Electrocution                                    |        |      |       | For chickweed                  | II      | 4           | 2        |
| Mowrah meal                                      | III    | 5    | 2     | For dandelions, plantain       | IV      | 2           | 2        |
| Eye Spot, description                            | VIII   | 4    | 3     |                                | IV      | 4           | 4        |
| Fall Grass                                       | C      | Craf |       | For dandelions, plantain       | II      | 1           | 2        |
| Fall Grass                                       |        |      | grass | For dandelions                 | 7,000   |             | 2        |
| Fertilizing, 10-6-4                              | Ш      | 4    | 3     | For dandelions                 | II      | 2           |          |
| In fall  | I      | 2    | 3     | For dandelions                 | III     | 2           | 3        |
| In spring  | II     | 1    | 1     | For dandelions                 | IV      | 1           | 3        |
| In spring  | III    | 1    | 4     | For heal-all                   | III     | 4           | 1        |
| In spring  | IV     | 1    | 3     | For heal-all                   | IX      | 5           | 4        |

|                               | Vol    | No   | Page  | 10.00   | Vol.             | Na   | Page   |
|-------------------------------|--------|------|-------|---|------------------|------|--------|
| For knawel                    | VI.    | 2    | 2     | Mowrah Meal, for worms                          | III              | 5    | 2      |
|                               | VIII   | 1    | 2     | lylowidii ivical, for worms                     | 111              | -    | -      |
| For peppergrass               | II     | 3    | 4     | Nicotine Sulphate, for                          |                  |      |        |
| For plantain, dandelions      | V      | 1    | 2     | chinch bugs                                     | VI               | 5    | 2      |
| For sheep sorrel              | VI     | 4    | 2     | Nimble Will, description,                       | V.1              | ,    | -      |
| For shepherd's purse          | V      | 3    | 1     | control   | VI               | 1    | 1      |
| For spotted spurge            | VII    | 5    | 4     |   | II               | 2    | 1      |
| For toadstools                |        | 4    | 2     | Nitrate of Soda, for moss                       |                  | 4    | 4      |
| For yellow trefoil            | V      | 4.   | 2     | Nitric Acid, for dandelions                     | VII              | UT.  | 100    |
| Ivy, Ground, description,     | TTT    |      |       | Nurse Crops, unnecessary                        | II               | 2    | 4      |
| control                       | Ш      | 1    | 1     | Nutgrass, Yellow                                | See              | Sed  | ge     |
| Kerosene, for dandelions      | V      | 1    | 3     | Orchard Grass, eradication                      | VI               | 4    | 2      |
| Knawel, description, control  |        | 2    | 1     | D 1:11 1 f                                      | . 137            | 2    | 2      |
| Knot Grass, description, cont | rol IV | 5    | 1     | Paradichlorbenzene, for moles                   | Committee on the | 3    | 2 2 2  |
| Knot Grass, German            |        | Kno  |       | Paris Green, for ants                           | III              | 5    | 2      |
| Knotweed                      | See K  | Cnot | Grass | For moles                                       | IV               | 5    | 2      |
|                               |        | -    |       | Pepper, for moles                               | IV               | 5    | 2      |
| Lawns, revamping              | 1      | 2    | 2     | In mole runways                                 | VII              | 1    | 4      |
| Bent                          | V      | 2    | 4     | Peppergrass, description,                       |                  |      |        |
| Causes of collapse            | VIII   | 4    | 1     | { control                                       | VIII             | 1    | 1      |
| Causes of collapse            | VIII   | 5    | 1     | Pitchfork, for moles                            | VI               | 5    | 4      |
| English                       | I      | 1    | 2     | Plantain, description, contro                   |                  | 1    | 4      |
| English                       | IX     | 1    | 3 2   | Digging   | I                | 2    | 2      |
| Fall improvements             | VIII   | 5    | 2     | Iron sulphate                                   | II               | 3    | 4      |
| Spring renovation             | VIII   | 1    | 3     | Iron sulphate                                   | IV               | 2    | 2      |
| Summer maintenance            | VIII   | 5    | 2     | Iron sulphate                                   | IV               | 4    | 4      |
| Lawn Bowling                  | IX     | 3    | 4     | Sulphuric acid                                  | I                | 2    | 4      |
| Lawn Sand, for dandelions     | II     | 4    | 4     | Sulphuric acid                                  | II               | 2    | 4      |
| Leaf Mold, for shaded law     | ns II  | 2    |       | Plantain, Black                                 | See              | Buck | horn   |
| Leaf Spot, description        | VIII   | 4    | 2     | Plantain, English                               | See              | Buck | horn   |
| Leaves, for protection        | I      | 2    | 4     | Poa Annua, description,                         |                  |      |        |
| In compost                    | VI     | 1    | 3     | control   | IX               | 2    | 1      |
| Leaf mold                     | II     | 2    | 2     | Poison Bran Mash                                | VIII             | 5    | 1      |
| Lime, does it pay?            | II     | 1    | 4     | Potassium Cyanide, for mole                     |                  |      | 2      |
| For grubs                     | VII    | 1    | 4     | Purslane, description, control                  |                  |      | 1      |
| For sheep sorrel              | V      | 1    | 2     | Purslane, Milk See                              | Spurg            | e. S | botte  |
| When to                       | VIII   | 5    |       | Pussley   |                  | Purs |        |
| Lye, for moles                | IV     |      |       | Pyrethrum Extract, for ants                     |                  |      | 3      |
|                               |        |      |       | Pythium   | VIII             |      | 2      |
| Mash, poison bran             | VIII   | . 5  | 1     | 3   |                  |      |        |
| Mixtures of Lawn Seed         |        |      | asses | Quack Grass, description,                       | 4.4              | -    |        |
| Moles, description, control   |        |      |       | control   | V                | 2    | 1      |
| Cats                          | IX     |      |       | Paking in spring                                | VIII             | 1    | 3      |
| Eliminating                   | IV     |      |       | Raking, in spring Rib Grass                     |                  |      | khori  |
| Pepper                        | VI     | 1    |       |   | V                |      | 4      |
| Pitchfork                     | V      | 5    | 4     | Rolling, with spiked roller                     | ĭ                |      | 1      |
| Moss, description, control    | - 1    | [ 2  | 1     | In spring                                       | Ш                |      | 4      |
| Encouraging growth            | III    | 1    | 4     | In spring                                       | IV               |      | 3      |
| Mowing, vital facts           | V      | 4    |       | In spring                                       | VIII             |      | 4      |
| Clippings                     | IX     |      |       | In spring                                       | AIII             | 1    | 4      |
| Height of cut                 | I      |      |       | Salt, for lawns                                 | IX               | 3    | 2      |
| ricigit or cut                | IX     |      |       | Save the Lawn Campaign                          | IX               |      |        |
| Height of cut                 | 24     |      |       | Calding for ante                                | VI               |      | 3      |
| Height of cut                 | 1      | 7    |       |   |                  |      |        |
| In fall                       | 1      |      |       | Scalding, for ants                              |                  |      | 1      |
|                               | I      | [ 5  | 2     | Sedge, description, control Seeding, best times | VII              | 1    | 5 2510 |

| V                                 | ol.  | No.   | Page   |                               | Vol     | . No. | Page  |
|-----------------------------------|------|-------|--------|-------------------------------|---------|-------|-------|
| In fall                           | I    | 1     | 1      | For plantain                  | I       |       | 4     |
| In fall                           | II   | 4     | 3      | For plantain                  | II      | 2     | 4     |
| In fall                           | III  | 5     | 3      | Summer Grass                  | See     | Crab  | grass |
|                                   | V    | 3     | 3      |                               |         |       |       |
|                                   | X    | 4     | 1      | Tartar Emetic, for ants       | IV      | 2     | 4     |
|                                   | X    | 5     | 2      | Tasmanian Grass, a fake       | VIII    | 5     | 3     |
| EAST-CONTROL F                    | II   | 1     | 1      | Temperature, effect on grass  |         |       | 3     |
| 1 0                               | III  | 1     | 3      | July heat damage              | IV      |       | 1     |
| 1 0                               | V    | 1     | 3      | Terraces, problems, solutions |         |       | 1     |
|                                   | V    | 1     | 3      |                               | VI      |       | 2     |
| In spring VI                      |      | 1     | 4      | Burlap covering               | VI      |       | 3     |
| 1 0                               | IX   | 2     | 4      | Concave surface               |         |       |       |
| Rate                              | I    | 2     | 3      | Coverings not grass           | VII     |       | 4     |
|                                   | II   | 2     | 1      | Tiling, for better lawns      | V       |       | 3     |
|                                   | II   | 3     | 1      | Toadstools, iron sulphate     | VII     |       | 4     |
|                                   | II   | 4     | 1      | Bordeaux mixture              | VI      |       | 3     |
|                                   |      |       | 3      | Copper sulphate               | VI      |       | . 3   |
|                                   | II   | 5     |        | Topdressing, compost          | VI      |       | 2     |
| Building new VI                   |      | 2     | 2      | Materials                     | IX      |       | 3     |
| Improving old VI                  |      | 2     | 6      | Traps, for moles              | IV      |       | 2     |
|                                   | II   | 2 2   | 2      | Trees, feeding                | II      |       | 4     |
| Proper care VI                    |      |       | 7      | { Fertilizing                 | VIII    | 2     | 4,6   |
|                                   | IV   | 2     | 3      | Winter injury                 | IX      | 1     | 4     |
| Sheep Manure, weed source         | II   | 2     | 4      | Trefoil, Yellow, description  | ,       |       |       |
| Shepherd's Purse, description,    |      |       |        | control                       | V       | 4     | 1     |
|                                   | VI   | 4     | 1      | Turf Builder, what it is      | I       | 1     | 3     |
| Skunks ]                          | IX   | 1     | 3      | Application                   | II      | 4     | 3     |
| Slime Mold, Bordeaux mixture      | III  | 1     | 4      | Application                   | VI      | 5     | 2     |
|                                   | 'II  | 3     | 4      | For trees                     | II      |       | 4     |
|                                   | III  | 5     | 1      | Home-made applicator          | VII     | 3     | 3     |
|                                   | IV   | 3     | 3      | Turf Diseases                 | IV      |       | 2     |
| For crabgrass VI                  |      | 3     | 5      | Turpentine, for ants          | VI      |       | 3     |
|                                   | IX   | 2     | 3      | }                             | 200     |       |       |
| 0                                 | III  | 1     | 1      | Watergrass                    | See     | Crab  | orass |
| For quack grass                   | V    | 2     | 2      | Watering, proper method       | VII     |       | 2     |
|                                   | İV   | 1     | 1      | In summer                     | III     |       | 3     |
|                                   | III  | 3     | 2      | In summer                     | VIII    |       | 2     |
|                                   | [V   | 4     | 2      | Weather, effect on grass      | IX      |       | 3     |
|                                   | IV   | 5     | 4      | Web Worms See S               |         |       | 100   |
| Control measures                  | V    | 3     | 3      | Weeding, spotting method      | IV      | 4     | 3     |
| In Georgia                        | v    | 4     | 4      | Aids                          | VI      | 1     | 4     |
|                                   |      | 5     | 1      | Arsenate of lead              | I       | 2     | 3     |
|                                   |      | 100   | Sheep  | Asparagus knife               | IX      |       | 4     |
|                                   |      |       |        |                               | IV      |       | 3     |
|                                   | Sor  | rei,  | Sheep  | Begin with mixtures           | V       | 2 5   | 4     |
| Sorrel, Sheep, description,       | 7.7  | 1     | ,      | Effective tools               | (222)6  | 1     |       |
| control                           | C    | 1     | ci .   | Iron sulphate                 | IV      | 1     | 3     |
|                                   |      | rel,  | Sheep  | Poor mixtures                 | 1       | 1     | 2     |
| Speedwell, description, control I |      | 1     | 1      | Waste of money?               | II      | 2     | 2     |
| Spot Blight VI                    |      | 4     | 2      | Winter Drouth, effect on gra  |         |       | 2     |
| Spurge, Creeping See Spi          | urge | e, St | potted | Winter Protection, leaves     | Ī       | 2     | 4     |
| Spurge, Spotted, description,     | - 01 |       | 1      | Disadvantages                 | _I      | 2     | 4     |
| control                           | V    | 3     | 1      | Unnecessary                   | IV      | 100   | 3     |
|                                   | V    | 3     | 2      | Wire Grass                    | See     | Crabi | grass |
| In mole runways I                 | V    | 5     | 2      |                               | 1,04175 |       |       |
|                                   | II   | 5     | 1      | Yarrow, description, control  |         |       | 1     |
|                                   | II   | 1     | 2      | Yellow Jackets, control       | IX      | 4     | 2     |